



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines


Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:


- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search


Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>




3 3433 06644659 6



Small
at











T H E
NAUTICAL ALMANAC
AND
ASTRONOMICAL EPHEMERIS,
FOR THE YEAR 1781.

Published by ORDER of the

COMMISSIONERS OF LONGITUDE.



L O N D O N


PRINTED BY WILLIAM RICHARDSON,
PRINTER;

AND SOLD BY
J. NOURSE, in the Strand, and Mess. MOUNT and PAGE
on Tower-Hill,

Bookfellers to the said COMMISSIONERS.

M DCC LXXIX.

[Price Three Shillings and Six Pence.]



EXTRACT from the Act of Parliament
concerning the Longitude, made in the
Fifth Year of the Reign of his present
Majesty.

WHEREAS the Publication of Nautical Almanacs constructed by proper Persons, under the Direction of the said Commissioners, would greatly contribute to make the said Lunar Tables more generally useful; Be it further Enacted, by the Authority aforesaid, That it shall and may be lawful to and for the said Commissioners to cause such Nautical Almanacs, or other useful Tables, to be constructed, and to print, publish, and vend, or cause to be printed, published, and vended, any Nautical Almanac or Almanacs, or other useful Table or Tables, which they, or the major Part of them, shall, from time to time, judge necessary and useful, in order to facilitate the Method of discovering the Longitude at Sea; any Law, Statute, exclusive Privilege, private Charter, or other Custom, to the contrary thereof notwithstanding.

And be it Enacted, by the Authority aforesaid, That no Person or Persons shall print, publish, or vend, or cause to be printed, published, or vended, any Nautical Almanac or Almanacs, or other Table or Tables constructed under the Direction of the said Commissioners, without being first licensed by the said Commissioners, or the major Part of them: And if any Person or Persons not so licensed, or not being authorized by the Person or Persons so licensed by the said Commissioners, shall print, publish, or vend, or cause to be printed, published, or vended, any such Nautical Almanac or Almanacs, or other Table or Tables, every such Person or Persons shall, for every Copy of such Nautical Almanac or Table so printed, published, or vended, forfeit and pay the Sum of Twenty Pounds; to be recovered by Action of Debt, Bill, Plaint, or Information, in any of his Majesty's Courts of Record at *Westminster*; and that One Moiety of such Penalty and Forfeiture shall be to his Majesty, his Heirs and Successors, and the other Moiety to him or them that shall prosecute, inform, or sue for the same.

EXTRACT of an Act for the Repeal of all former Acts concerning the Longitude at Sea, except so much thereof as relates to the Appointment and Authority of the Commissioners thereby constituted, and also such Clauses as relate to the constructing, printing, publishing, vending, and licensing of Nautical Almanacs and other useful Tables; and for the more effectual Encouragement and Reward of such Person and Persons as shall discover a Method for finding the same, or shall make useful Discoveries in Navigation; and for the better making Experiments relating thereto: Made in the Fourteenth Year of the Reign of his present Majesty.

BE it Enacted by the KING's Most Excellent Majesty, by and with the Advice and Consent of the Lords Spiritual and Temporal, and Commons, in this present Parliament assembled, and by the Authority of the same, That each and every of the said recited Acts (save and except such Clause and Clauses in each or any of them as relate to the Appointment or Authority of all or any of the Commissioners thereby respectively constituted, and also such Clause and Clauses as relate to the constructing, printing, publishing, vending, and licensing of Nautical Almanacs, and other useful Tables) shall, from and after the Twenty-fourth Day of *June* One thousand Seven hundred and Seventy-four, be, and are hereby repealed.

And, for a due and sufficient Encouragement to any Person or Persons who shall discover any Method or Methods for finding the said Longitude, Be it Enacted by the Authority aforesaid, That the First Author or Authors, Discoverer or Discoverers, of each and every such Method or Methods, his or their Executors, Administrators, or Assigns, shall be intitled to and have the Rewards or Sums of Money hereint-after mentioned; that is to say, In case the Method proposed shall be, by means of a Time-keeper, the Principles whereof have not hitherto been made public, to the Reward or Sum of Five thousand

E X T R A C T, &c.

Pounds, if such Method determines the said Longitude to One Degree of a great Circle, or Sixty geographical Miles; to the Reward or Sum of Seven thousand Five hundred Pounds, if it determines the same to Two Thirds of that Distance; and to the Reward or Sum of Ten thousand Pounds, if it determines the same to One Half of the said Distance: Which respective Rewards shall be due and paid when such Method shall have been sufficiently tried by the following Experiments and Voyages to be made and performed by such Persons, and under such Restrictions, as the said Commissioners for the Discovery of Longitude at Sea respectively constituted by the above-recited Acts, or the major Part of them, shall think fit to appoint and direct; (that is to say), When and so soon as Two or more Time-keepers of the same Construction shall have been tried at the same Time, for the Space of Twelve Months, at the Royal Observatory at *Greenwich*, then in Two Voyages round the Island of *Great Britain*, in contrary Directions, and in such other Voyages to different Climates as the said Commissioners shall think fit to direct and appoint; and after their Return from such Voyages, or any of them, for such longer Time, at the said Observatory, not exceeding Twelve Months, as the said Commissioners shall judge necessary; and also when and so soon as the said Commissioners, or Two Thirds of them at the least, shall, after such Experiments and Voyages have been made and performed as aforesaid, have declared and determined that such Method is generally practicable and useful, and sufficiently exact to determine the Longitude at Sea within the Degrees or Limits aforesaid, in all Voyages for the Space of Six Months, (Impediments from cloudy and hazy Weather excepted); and also when and so soon as the Principles and Practice of such Method are fully discovered and explained to the Satisfaction of the said Commissioners, or Two Thirds of them at least; and such Author or Authors, Discoverer or Discoverers, shall have delivered up and assigned over to the said Commissioners, for the Use of the Public, the absolute Property of such Time-keepers as shall have been
tried

EXTRACT, &c.

tried by such Experiments and Voyages as aforesaid, together with all Plates, Descriptions, Theories, and Explanations belonging or relating to the same, and which shall contain the Whole of such Discovery of the Longitude; and in case the Method proposed shall be by means of improved Solar and Lunar Tables, then and in such Case the Author or Authors of such improved Solar and Lunar Tables, their Executors, Administrators, or Assigns, shall be intitled to and have the Reward or Sum of Five thousand Pounds, if such Solar and Lunar Tables shall prove sufficiently exact to shew the Distance of the Moon from the Sun and Stars in the Heavens within Fifteen Seconds of a Degree, answering to about Seven Minutes of Longitude, after making an Allowance of Half a Degree for the Errors of Observation; and when it shall appear to the Satisfaction of the said Commissioners, or Two Thirds of them at least, that such Tables are constructed intirely upon the Principles of Gravitation laid down by Sir *Isaac Newton* (except with respect to those Elements which must necessarily be taken from astronomical Observations), and also when the Truth of such Tables shall have been further confirmed and proved by Comparison with a Series of astronomical Observations made during a Period of Eighteen Years and a Half, which is deemed the Period of the Irregularities of the Lunar Motions; which Reward shall be due and paid, when the said Commissioners, or Two Thirds of them at least, shall have declared and determined, that such Tables are sufficiently exact to shew the Distance of the Moon from the Sun and Stars in the Heavens, within the Limits above-mentioned; and also when the Author or Authors of such improved Solar and Lunar Tables, his or their Executors, Administrators, or Assigns, shall have delivered up and assigned over to the said Commissioners, for the Use of the Public, the absolute Right and Property to and in the same, together with the Theory relating thereunto; and in case any other Method shall be proposed for finding the Longitude at Sea besides those before-mentioned, that then and in such Case the First Author or Authors, Discoverer or Discoverers, of
any

E X T R A C T, &c.

any such Method, his or their Executors, Administrators, or Assigns, shall be intitled to and have the Reward or Sum of Five thousand Pounds, if it shall determine the said Longitude within One Degree of a great Circle or Sixty geographical Miles; to the Reward or Sum of Seven thousand Five hundred Pounds, if it shall determine the same to Two Thirds of that Distance; and to the Reward or Sum of Ten thousand Pounds, if it shall determine the same to One Half of the same Distance; which respective Rewards shall be due and paid, so soon as the said Commissioners, or Two Thirds of them at least, shall, after proper Trial have been made by their Appointment and Direction, have determined that such Method shall be generally practicable and useful for finding the Longitude at Sea within the respective Limits above-mentioned.

And be it further Enacted, by the Authority aforesaid, That when and so soon as any such Method or Methods, for the Discovery of the said Longitude, shall be tried, as before-mentioned, and found practicable and useful at Sea, and sufficiently exact to determine the Longitude within any of the Degrees or Limits aforesaid, the said Commissioners, or Two Thirds of them, shall certify the same, under their Hands and Seals, to the Commissioners of the Navy for the Time being, together with the Name or Names of the Person or Persons who shall be the Author or Authors of such Method or Methods; and upon the Receipt of such Certificate, the said Commissioners of the Navy are hereby authorized and required to make out a Bill or Bills upon the Treasurer of the Navy for the respective Sum or Sums of Money to which the Author or Authors of such Proposal, his or their Executors, Administrators, or Assigns, shall be intitled by virtue of this Act; which Sum or Sums the said Treasurer is hereby required to pay to the said Author or Authors, their Executors, Administrators, or Assigns accordingly, out of any Money that may be in his Hands unapplied to the Use of the Navy, according to the true Intent and Meaning of this Act.

And

E X T R A C T, &c.

And be it further Enacted, by the Authority aforesaid; That the said Commissioners for the Discovery of Longitude at Sea, or any Five or more of them, shall have full Power and Authority to hear and receive any Proposal or Proposals that shall be made to them for discovering the said Longitude, or for making any other useful Improvement in Navigation; and in case the said Commissioners, or any Five or more of them, shall be so far satisfied of the Probability of any such Discovery or Improvement as to think it proper to cause Experiments to be made thereof, they shall certify the same, together with the Names of the Author or Authors of such Proposal or Proposals, under their Hands and Seals, to the Commissioners of the Navy, who are hereby authorized and required to make out a Bill or Bills upon the Treasurer of the Navy for any Sum or Sums of Money as the said Commissioners for the Discovery of Longitude at Sea, or any Five or more of them, shall think necessary for making such Experiments; which Sum or Sums the Treasurer of the Navy is hereby required to pay immediately to such Person or Persons as shall be appointed by the said Commissioners to make those Experiments out of any Money which shall be in his the said Treasurer's Hands unapplied as aforesaid.

And be it further Enacted, by the Authority aforesaid, That if any Person or Persons shall make any Discovery for finding the Longitude at Sea, which, though not of so great Use as to be intitled to any of the great Rewards above specified, shall nevertheless be adjudged by the said Commissioners for the Discovery of Longitude at Sea, or the major Part of them, to be of considerable Use to the Public, or shall make any other Discovery or Discoveries, Improvement or Improvements, useful to Navigation; then, and in such Case, such Person or Persons, his or their Executors, Administrators, or Assigns, shall, from time to time, have and receive such less Reward or Sum or Sums of Money as the said Commissioners, or the major Part of them, shall think reasonable; and certify accordingly, under their Hands and Seals, to the Commissioners of the Navy,

E X T R A C T, &c.

Navy, who are hereby authorized and required to make out a Bill or Bills upon the Treasurer of the Navy for any such Sum or Sums of Money, which the said Treasurer is hereby authorized and required to pay immediately to such Person or Persons, his or their Executors, Administrators, or Assigns, out of any Money that shall be in his the said Treasurer's Hands unapplied as aforesaid.

Provided also, and it is hereby further Enacted, That in case any Person or Persons who shall and may have received any Sum or Sums of Money, by virtue of this Act, as a Reward for any Method of discovering the Longitude at Sea, shall afterwards become intitled to any of the greater Rewards appointed by this Act, for or on account of the same Method; that then, and in such Case, such Sum or Sums of Money as they shall or may have received as aforesaid shall be considered as Part of such greater Reward, and deducted therefrom accordingly; and that no Person shall receive more in the Whole for any One Method for discovering the Longitude at Sea than the greatest Reward appointed for such Method by this Act.

By

By the COMMISSIONERS appointed by Acts of Parliament for the Discovery of the Longitude at Sea, and for examining, trying, and judging of all Proposals, Experiments, and Improvements relating to the same.

WHEREAS we have employed proper Persons to compute Nautical Almanacs and Astronomical Ephemerides for the Years 1781, 1782, 1783, 1784, 1785, and 1786, which will greatly contribute to make the Lunar Tables constructed by the late Professor MAYER of *Gottingen* (which you have already printed with our Authority) more generally useful; and whereas we think fit to employ you to print the said Nautical Almanacs and Astronomical Ephemerides: We do therefore, in pursuance of the Power vested in us by Act of Parliament, hereby license, authorize, and empower you to cause the same to be printed, together with such other useful Tables for facilitating the Method of discovering the Longitude at Sea, as shall have been constructed under our Direction, and will be delivered to you by the Reverend Dr. NEVIL MASKELYNE, his Majesty's Astronomer Royal at *Greenwich*; and for so doing this shall be your sufficient Warrant. Given under our Hands and Seals the 6th Day of *March* 1779.

SANDWICH (L.S.)
FL. NORTON (L.S.)
T. FRANKLAND (L.S.)
C. HARDY (L.S.)
T. PYE (L.S.)
G. B. RODNEY (L.S.)
JOS. BANKS (L.S.)
N. MASKELYNE (L.S.)
T. HORNSBY (L.S.)
J. SMITH (L.S.)
E. WARING (L.S.)
A. SHEPHERD (L.S.)
J. MARRIOTT (L.S.)
GREY COOPER (L.S.)
J. ROBINSON (L.S.)
P. STEPHENS (L.S.)
J. SMITH (L.S.)

To Mr. WILLIAM
RICHARDSON,
Printer in *Salisbury*,
court, Fleet-street.

By Command of the Commissioners,

JOHN IBBETSON, Secretary.

b

By

By the COMMISSIONERS appointed by Acts of Parliament for the Discovery of the Longitude at Sea; and for examining, trying, and judging of all Proposals, Experiments, and Improvements relating to the same.

WHEREAS we think fit to employ you to publish and vend, and to cause to be published and vended, the Nautical Almanacs and Astronomical Ephemerides for the Years 1781, 1782, 1783, 1784, 1785, and 1786, together with other useful Tables (constructed under our Direction) for facilitating the Method of discovering the Longitude at Sea, which will be printed by Mr. WILLIAM RICHARDSON of *Salisbury-court, Fleet-street* We do therefore, in pursuance of the Power vested in us by Act of Parliament, hereby license, authorize, and empower you to publish and vend, and to cause to be published and vended, the said Nautical Almanacs and Astronomical Ephemerides, together with other useful Tables above-mentioned. For which this shall be your sufficient Warrant. Given under our Hands and Seals this 6th Day of *March* 1779.

To Mr. JOHN NOURSE,
Bookfeller in the *Strand*.

SANDWICH (L.S.)
 FL. NORTON (L.S.)
 T. FRANKLAND (L.S.)
 C. HARDY (L.S.)
 T. PYE (L.S.)
 G. B. RODNEY (L.S.)
 JOS. BANKS (L.S.)
 N. MASKELYNE (L.S.)
 T. HORNSBY (L.S.)
 J. SMITH (L.S.)
 E. WARING (L.S.)
 A. SHEPHERD (L.S.)
 J. MARRIOTT (L.S.)
 GREY COOPER (L.S.)
 J. ROBINSON (L.S.)
 PH. STEPHENS (L.S.)
 J. SMITH (L.S.)

By Command of the Commissioners,

JOHN IBBETSON, Secretary.

☞ A Licence was also granted at the same Time, to the like Effect, to Mess. JOHN MOUNT and THOMAS PAGE, Stationers on *Tower-hill*.

P R E-

P R E F A C E.

THE Commissioners of Longitude, in pursuance of the Powers vested in them by Act of Parliament, present the Public with the NAUTICAL ALMANAC and ASTRONOMICAL EPHEMERIS for the Year 1781, being the Fifteenth Impression, to be continued annually; a Work which must greatly contribute to the Improvement of Astronomy, Geography, and Navigation. This EPHEMERIS contains every Thing essential to general Use that is to be found in any Ephemeris hitherto published, with many other useful and interesting Particulars never yet offered to the Public in any Work of this Kind. The Tables of the Moon had been brought by the late Professor MAYER of Gottingen to a sufficient Exactness to determine the Longitude at Sea, within a Degree, as appeared by the Trials of several Persons who made Use of them. The Difficulty and Length of the necessary Calculations seemed the only Obstacles to hinder them from becoming of general Use: To remove which this EPHEMERIS was made; the Mariner being hereby relieved from the Necessity of calculating the Moon's Place from the Tables, and afterwards computing the Distance to Seconds by Logarithms, which are the principal and only very delicate Part of the Calculus; so that the finding the Longitude by the Help of the EPHEMERIS is now in a Manner reduced to the Computation of the Time, an Ope-

P R E F A C E.

ration equal to that of an Azimuth, and the Correction of the Distance on account of Refraction and Parallax, which is also rendered very easy by either of the Two Methods invented by Mr. LYONS and Mr. DUNTHORNE, and published among the Tables requisite to be used with the EPHEMERIS; or by either of the Two Methods annexed to the EPHEMERIS of 1772, being both Improvements of the Method which I formerly published in the BRITISH MARINER'S GUIDE and PHILOSOPHICAL TRANSACTIONS, the First by myself, and the Second by Mr. GEORGE WITCHELL; but still more so by the GENERAL TABLES for correcting the apparent Distance of the Moon and a Star or the Sun from the Effects of Refraction and Parallax, computed at great Expence by Order of the Commissioners of Longitude, and published under the Care of Dr. SHEPHERD, Plumian Professor of Astronomy and experimental Philosophy at CAMBRIDGE, in 1772.

By Desire of the Commissioners of Longitude, I drew up the Explanation and Use of the Articles contained in the EPHEMERIS, and the Instructions, with Examples, for finding the Longitude at Sea by the Help of the same. I also collected and calculated the Sixteen First Pages of Tables requisite to be used with the EPHEMERIS, and computed the Table of proportional Logarithms, which seemed to me absolutely necessary to clear this Method of any remaining Difficulty; and added Explanations of all the Tables, and a Correction, p. 49 and 50, which may be applied by the Curious to the Effect of Refraction on the Moon's Distance from a Star, found by Mr. LYONS, or any other Method, on account of the Barometer and Thermometer.

All

P R E F A C E.

ALL the Calculations of the EPHEMERIS relating to the Sun were made from Mr. MAYER'S last manuscript Tables, received by the Board of Longitude after his Decease, which have been printed under my Inspection, and published in 1770; but the Calculations of the Moon were made in this EPHEMERIS, for the fifth time, from new Tables, improved from MAYER'S Tables, composed by Mr. CHARLES MASON, under my Direction, from Calculations made by Order of the Board of Longitude, upon the Series of lunar Observations made by the late Dr. BRADLEY, and published in the Nautical Almanac of 1774. In these new Tables, the Epoch of the Moon's mean Longitude is 1" less, that of the Apogee is 56" less, and that of the Ascending Node 45" more, than in MAYER'S printed Tables, and the Equations are calculated to Tenths of a Second. Moreover, One new Equation is introduced, whose Argument is the mean Distance of the Moon from the Sun's Apogee, and Maximum 16",4. These new Tables, when compared with the above-mentioned Series of Observations, a proper Allowance being made for the unavoidable Error of Observation, seem to give always the Moon's Longitude in the Heavens correctly within 45 Seconds of a Degree; which greatest Error, added to a possible Error of One Minute in taking the Moon's Distance from the Sun or a Star at Sea, will at a Medium only produce an Error of 50 Minutes of Longitude.

The Calculations of the Planets, and of the Eclipses of Jupiter's Satellites were calculated from the Tables of Mr. WARGENTIN, annexed to M. DE LA LANDE'S Astronomy, excepting the
Eclipses

P R E F A C E.

Eclipses of Jupiter's Second Satellite, which were inserted in this EPHEMERIS for the first time from new Tables transmitted to me from their learned Author Mr. WARGENTIN, Secretary to the Royal Academy of Sciences at STOCKHOLM, and published at the End of the Nautical Almanac of 1779.

All the Articles of the EPHEMERIS were computed by Two separate Persons, and examined by a Third, except the Moon's Longitude, Latitude, Right Ascension, Declination, Semidiameter, and Parallax, which, for Noon, were computed by One Person, and for Midnight by another, and the Truth of these Calculations ascertained by means of Differences, which, for the Moon's Longitude, were carried as far as the Fourth Order.

To this EPHEMERIS are annexed, A Set of Astronomical Problems useful at Sea, by the Rev'd JOHN EDWARDS.

NEVIL MASKELYNE,
ASTRONOMER ROYAL.

GREENWICH,
March 10th,
1779.

EXPLA-

EXPLANATION of the Characters used in the E P H E M E R I S.

The P L A N E T S, &c.

- | | | | |
|----|---|---|----------|
| ☉ | The Sun. | ♂ | Mars. |
| ☾ | The Moon. | ♃ | Jupiter. |
| ☿ | Mercury. | ♄ | Saturn. |
| ♁ | Venus. | | |
| ♊ | The Moon's, or any other Planet's Ascending Node. | | |
| ♋ | The Descending Node. | | |
| ☿♁ | Conjunction, or Planets situated in the same Longitude. | | |
| ♁☿ | Opposition, or Planets situated in opposite Longitudes, or differing 6 Signs from each other. | | |

Signs of the Zodiac.

- | | | | |
|----|-----------|-----|----------------|
| S. | | S. | |
| 0. | ♈ Aries. | 6. | ♎ Libra. |
| 1. | ♉ Taurus. | 7. | ♏ Scorpio. |
| 2. | ♊ Gemini. | 8. | ♐ Sagittarius. |
| 3. | ♋ Cancer. | 9. | ♑ Capricornus. |
| 4. | ♌ Leo. | 10. | ♒ Aquarius. |
| 5. | ♍ Virgo. | 11. | ♓ Pisces. |

ECLIPSES for the YEAR 1781.

April 23. ☉ eclipsed, partly visible: H. M.
 Begins — — — 6. 37
 ☉ sets at — — — 7. 10
 ☿ makes First Impression on the Solar Disc at $144^{\circ}\frac{1}{2}$
 from ☉'s Zenith to the Left Hand.

Oct. 16. ☉ eclipsed, visible: H. M.
 Begins — — — 18. 53
 Middle — — — 19. 37
 End — — — 20. 20
 Digits eclipsed $3^{\circ} 46'$ on the northern Limb of the
 Sun.

The ☿ first touches the ☉ at $61\frac{1}{2}$ Degrees from the ☉'s Zenith towards the West. This Eclipse is central and total to *New Holland*, Part of the *Indian Ocean*, the interior Parts of *Africa*; and the ☿'s Shadow quits the Earth towards the *Island of Madeira* about Sun-rising.

1781.

O B L I Q U I T Y, &c.

1781.	Obliquity of the Ecliptic.	D. M. S.	Equat. of Equin. Points.	S.
Jan. 1.	_____	23. 28. 11, 0	_____	— 11, 7
Apr. 1.	_____	23. 28. 11, 4	_____	— 10, 6
July 1.	_____	23. 28. 11, 7	_____	— 9, 3
Oct. 1.	_____	23. 28. 11, 9	_____	— 8, 0
Dec. 31.	_____	23. 28. 12, 1	_____	— 6, 5

I: JANUARY 1781. [1]

Days of the Month.	Days of the Week.	Sundays, Holidays, &c.	Phases of the Moon.	
				D. H. M.
1	M.	<i>Circumcision.</i>	First Quarter—	2. 8. 14
2	Tu.		Full Moon —	9. 21. 4
3	W.		Last Quarter —	16. 13. 53
4	Th.		New Moon —	24. 0. 11
5	F.		Other Phenomena.	
6	Sa.	<i>Epiphany.</i>	D.	
7	Su.	<i>1st Sunday after Epiphany.</i>	2. δ α ∞ diff. Lat. $37^{\circ}\frac{1}{2}$.	
8	M.	<i>Lucian.</i>	7. ζ 125 δ 20° . 39° .	
9	Tu.		9. η γ diff. Lat. 2° .	
10	W.		12. ϵ Ω 5° . 27° .	
11	Th.		15. γ ϵ 3° . 17° .	
12	F.		15. ζ θ Im . 15° . $47^{\circ}\frac{1}{2}$.	
13	Sa.	<i>Hil. Camb. Ter. begins.</i>	* 13° . $47''$. N. of	
			D's cent. Em. 16° .	
			$12^{\circ}\frac{1}{2}$. * 15° . $55''$. N.	
			of D's center.	
14	Su.	<i>2d Sunday after Epiphany.</i>	17. ζ λ ϵ 1° . 5° .	
15	M.	[<i>Oxford Term begins.</i>	17. ζ α ∞ 15° . 19° .	
16	Tu.		18. ζ δ III 22° . 21° .	
17	W.		19. \odot enters π at 2° . 10° .	
18	Th.	<i>Charlotte's Birth-day</i>	21. δ γ diff. Lat. 2° .	
19	F.	[<i>kept.</i>	21. ζ ϕ 19° . 16° .	
20	Sa.	<i>Fabian. Hil. 1st ret.</i>	21. ζ σ 23° . 24° .	
21	Su.	<i>3d Su. after Epiph. Agnes.</i>	22. ζ τ 4° . 0° .	
22	M.	<i>Vincent.</i>	23. δ κ ∞ diff. Lat. 49° .	
23	Tu.	<i>Hilary Term begins.</i>	24. ζ ϵ ψ 23° . 46° .	
24	W.		27. δ λ ∞ diff. Lat. 41° .	
25	Th.	<i>Conversion of St. Paul.</i>	27. ζ ι ψ 3° . 33° .	
26	F.	[<i>2 ret.</i>	27. ζ κ ψ 4° . 25° .	
27	Sa.	<i>Pr. Aug. Fred. born. Hil.</i>	27. ζ λ ψ 4° . 34° .	
28	Su.	<i>4th Sunday after Epiphany.</i>	29. ψ κ ∞ diff. Lat. 3° .	
29	M.			
30	Tu.	<i>K. Charles I. martyr.</i>		
31	W.			

Days of the Month.	Days of the Week.	Sun's Longitude.	Sun's Right Asc. in Time.	Sun's Declin. South.	Equat. of Time Add.	Diff.
		S. D. M. S.	H. M. S.	D. M. S.	M. S. S.	
1	M.	9. 11. 34. 17	18. 50. 19, 9	22. 57. 55	4. 22, 9	
2	Tu.	9. 12. 35. 27	18. 54. 44, 5	22. 52. 53	4. 50, 9	28, 0
3	W.	9. 13. 36. 40	18. 59. 8, 9	22. 46. 23	5. 18, 6	27, 7
4	Th.	9. 14. 37. 50	19. 3. 32, 7	22. 39. 57	5. 45, 8	27, 2
5	F.	9. 15. 39. 0	19. 7. 56, 0	22. 33. 3	6. 12, 4	26, 6
6	Sa.	9. 16. 40. 9	19. 12. 18, 8	22. 25. 43	6. 38, 6	26, 1
7	Su.	9. 17. 41. 18	19. 16. 41, 1	22. 17. 56	7. 4, 3	25, 7
8	M.	9. 18. 42. 26	19. 21. 2, 9	22. 9. 43	7. 29, 5	25, 2
9	Tu.	9. 19. 43. 34	19. 25. 24, 1	22. 1. 5	7. 54, 1	24, 6
10	W.	9. 20. 44. 41	19. 29. 44, 8	21. 51. 59	8. 18, 1	24, 0
11	Th.	9. 21. 45. 48	19. 34. 4, 9	21. 42. 30	8. 41, 6	23, 5
12	F.	9. 22. 46. 55	19. 38. 24, 3	21. 32. 35	9. 4, 4	22, 8
13	Sa.	9. 23. 48. 1	19. 42. 43, 2	21. 22. 13	9. 26, 7	22, 3
14	Su.	9. 24. 49. 6	19. 47. 1, 3	21. 11. 29	9. 48, 7	21, 5
15	M.	9. 25. 50. 12	19. 51. 18, 8	21. 0. 20	10. 9, 0	20, 8
16	Tu.	9. 26. 51. 17	19. 55. 35, 6	20. 48. 47	10. 29, 2	20, 2
17	W.	9. 27. 52. 22	19. 59. 51, 8	20. 36. 49	10. 48, 8	19, 6
18	Th.	9. 28. 53. 27	20. 4. 7, 2	20. 24. 28	11. 7, 6	18, 8
19	F.	9. 29. 54. 30	20. 8. 22, 0	20. 11. 44	11. 25, 8	18, 2
20	Sa.	10. 0. 55. 34	20. 12. 35, 9	19. 58. 38	11. 43, 1	17, 3
21	Su.	10. 1. 56. 37	20. 16. 49, 2	19. 45. 9	11. 59, 8	16, 7
22	M.	10. 2. 57. 39	20. 21. 1, 7	19. 31. 18	12. 15, 7	15, 9
23	Tu.	10. 3. 58. 41	20. 25. 13, 3	19. 17. 6	12. 30, 7	15, 0
24	W.	10. 4. 59. 42	20. 29. 24, 2	19. 2. 32	12. 45, 0	14, 3
25	Th.	10. 6. 0. 41	20. 33. 34, 3	18. 47. 37	12. 58, 5	13, 5
26	F.	10. 7. 1. 40	20. 37. 43, 6	18. 32. 22	13. 11, 2	12, 7
27	Sa.	10. 8. 2. 38	20. 41. 52, 1	18. 16. 46	13. 23, 1	11, 9
28	Su.	10. 9. 3. 35	20. 45. 59, 8	18. 0. 51	13. 34, 2	11, 1
29	M.	10. 10. 4. 30	20. 50. 6, 5	17. 44. 37	13. 44, 4	10, 2
30	Tu.	10. 11. 5. 23	20. 54. 12, 4	17. 28. 4	13. 53, 7	9, 3
31	W.	10. 12. 6. 15	20. 58. 17, 5	17. 11. 12	14. 2, 2	8, 5

III. J A N U A R Y 1781. [3]

Days of the Month.	Semidia- meter of the Sun,	Time of D ^o passing the Meridian.	Hourly Motion of the Sun.	Logarithm of the Sun's Distance.	Place of the Moon's Node.
	M. S.	M. S.	M. S.		S. D. M.
1	16. 19, 2	1. 10, 9	2. 32, 9	9,992650	1. 10. 40
7	16. 19, 1	1. 10, 6	2. 32, 8	9,992704	1. 10. 21
13	15. 18, 8	1. 10, 0	2. 32, 8	9,992860	1. 10. 2
19	16. 18, 2	1. 9, 5	2. 32, 6	9,993112	1. 9. 43
25	16. 17, 5	1. 8, 8	2. 32, 3	9,993429	1. 9. 24

Eclipses of the SATELLITES of JUPITER.

I. Satellite. Immersion.		II. Satellite.		III. Satellite.	
Days	H. M. S.	Days	H. M. S.	Days	H. M. S.
*2	17. 54. 37	1	7. 37. 58 I	7	8. 45. 8 I
4	12. 22. 7	4	20. 53. 50 I	7	10. 17. 38 E
6	6. 49. 39	8	10. 9. 4 I	14	12. 39. 45 I
8	1. 17. 11	11	23. 25. 42 I	14	14. 12. 21 E
9	19. 44. 47	15	12. 41. 4 I	*21	16. 34. 54 I
11	14. 12. 22	19	1. 57. 57 I	*21	18. 7. 37 E
13	8. 40. 3	19	4. 14. 31 E	28	20. 30. 44 I
15	3. 7. 42	*22	15. 14. 12 I	28	22. 3. 35 E
16	21. 35. 24	*22	17. 30. 50 E		
*18	16. 3. 9	26	4. 30. 35 I	IV. Satellite. Conj.	
20	10. 30. 56	26	6. 47. 16 E	*4	17. 36 Sup
22	4. 58. 45	29	17. 47. 5 I	13	4. 16 Int.
23	23. 26. 36	29	20. 3. 48 E	21	12. 48 Sup.
*25	17. 54. 30			29	23. 18 Int.
27	12. 22. 27				
29	6. 50. 27				
31	1. 18. 29				

[4] JANUARY 1781, IV.

Days	Heliocentric Longitude.	Heliocentric Latitude.	Geocentric Longitude.	Geocentric Latitude.	Declination.	Passage over Merid.
	S. D. M.	D. M.	S. D. M.	D. M.	D. M.	H. M.

MERCURY.

1	5. 29. 5	5. 6N	8. 18. 38	2. 2N	20. 56 S	22. 21
4	6. 10. 22	4. 4	8. 21. 36	1. 36	21. 36	22. 20
7	6. 20. 47	2. 58	8. 24. 57	1. 9	22. 13	22. 22
10	7. 0. 31	1. 51	8. 28. 40	0. 42	22. 45	22. 25
13	7. 9. 43	0. 44N	9. 2. 35	0. 17N	23. 10	22. 30
16	7. 18. 30	0. 20S	9. 6. 41	0. 7 S	23. 25	22. 35
19	7. 27. 1	1. 22	9. 10. 56	0. 30	23. 31	22. 41
22	8. 5. 20	2. 21	9. 15. 18	0. 51	23. 26	22. 47
25	8. 13. 35	3. 17	9. 19. 47	1. 9	23. 9	22. 54
28	8. 21. 50	4. 8	9. 24. 22	1. 26	22. 41	23. 2
31	9. 0. 11	4. 55	9. 29. 41	1. 40	22. 2	23. 10

VENUS.

1	6. 10. 2	3. 4N	8. 4. 50	1. 50N	19. 19 S	21. 23
7	6. 19. 43	2. 47	8. 12. 10	1. 37	20. 40	21. 27
13	6. 29. 22	2. 25	8. 19. 31	1. 22	21. 41	21. 33
19	7. 8. 59	1. 59	8. 26. 53	1. 6	22. 20	21. 39
25	7. 18. 35	1. 30	9. 4. 17	0. 48	22. 35	21. 46

MARS.

1	6. 9. 41	1. 8N	7. 11. 16	0. 59N	14. 17 S	19. 45
7	6. 12. 26	1. 4	7. 14. 57	0. 57	15. 26	19. 33
13	6. 15. 11	1. 0	7. 18. 37	0. 55	16. 31	19. 22
19	6. 17. 57	0. 55	7. 22. 16	0. 52	17. 31	19. 11
25	6. 20. 45	0. 51	7. 25. 54	0. 49	18. 27	19. 0

JUPITER.

1	7. 12. 27	1. 6N	7. 20. 34	1. 0N	16. 57 S	20. 20
7	7. 12. 55	1. 6	7. 21. 36	1. 0	17. 13	19. 58
13	7. 13. 23	1. 5	7. 22. 33	1. 1	17. 27	19. 36
19	7. 13. 51	1. 5	7. 23. 26	1. 1	17. 40	19. 14
25	7. 14. 18	1. 4	7. 24. 15	1. 2	17. 51	18. 52

SATURN.

1	8. 12. 3	1. 36N	8. 14. 36	1. 28N	21. 7 S	22. 0
7	8. 12. 13	1. 36	8. 15. 15	1. 28	21. 10	21. 36
13	8. 12. 24	1. 35	8. 15. 52	1. 29	21. 14	21. 13
19	8. 12. 35	1. 35	8. 16. 27	1. 29	21. 17	20. 50
25	8. 12. 46	1. 35	8. 17. 1	1. 29	21. 21	20. 27

V. JANUARY 1781. [5]

Days of the Month.	Days of the Week.	Moon's Longitude at Noon.	Moon's Longitude at Midnight.	Moon's Latitude at Noon.	Moon's Latitude at Midn.
		S. D. M. S.	S. D. M. S.	D. M. S.	D. M. S.
1	M.	11. 27. 2. 22	0. 2. 56. 57	3. 35. 2	3. 11. 32 S
2	Tu.	0. 8. 51. 57	0. 14. 48. 0	2. 45. 54	2. 18. 24
3	W.	0. 20. 45. 50	0. 26. 46. 7	1. 49. 16	1. 18. 40
4	Th.	1. 2. 49. 32	1. 8. 56. 45	0. 46. 57 S	0. 14. 24 S
5	F.	1. 15. 8. 22	1. 21. 24. 57	0. 18. 42 N	0. 51. 58 N
6	Sa.	1. 27. 46. 59	2. 4. 14. 53	1. 25. 2	1. 57. 29
7	Su.	2. 10. 48. 57	2. 17. 29. 21	2. 28. 51	2. 58. 37
8	M.	2. 24. 16. 8	3. 1. 9. 10	3. 26. 20	3. 51. 25
9	Tu.	3. 8. 8. 8	3. 15. 12. 33	4. 13. 22	4. 31. 41
10	W.	3. 22. 21. 54	3. 29. 35. 20	4. 45. 59	4. 55. 53
11	Th.	4. 6. 51. 56	4. 14. 10. 45	5. 1. 3	5. 1. 17
12	F.	4. 21. 31. 1	4. 28. 51. 32	4. 56. 34	4. 46. 56
13	Sa.	5. 6. 11. 25	5. 13. 29. 53	4. 32. 36	4. 13. 49
14	Su.	5. 20. 46. 14	5. 27. 59. 53	3. 51. 0	3. 24. 33
15	M.	6. 5. 10. 23	6. 12. 17. 27	2. 55. 4	2. 23. 2
16	Tu.	6. 19. 20. 54	6. 26. 20. 39	1. 49. 6	1. 13. 45
17	W.	7. 3. 16. 43	7. 10. 9. 10	0. 37. 35 N	0. 1. 14 N
18	Th.	7. 16. 58. 6	7. 23. 43. 40	0. 34. 50 S	1. 10. 5 S
19	F.	8. 0. 26. 3	8. 7. 5. 20	1. 44. 2	2. 16. 16
20	Sa.	8. 13. 41. 40	8. 20. 15. 11	2. 46. 24	3. 14. 2
21	Su.	8. 26. 45. 58	9. 3. 14. 3	3. 38. 54	4. 0. 44
22	M.	9. 9. 39. 30	9. 16. 2. 16	4. 19. 19	4. 34. 29
23	Tu.	9. 22. 22. 23	9. 28. 39. 49	4. 46. 8	4. 54. 11
24	W.	10. 4. 54. 31	10. 11. 6. 30	4. 58. 38	4. 59. 29
25	Th.	10. 17. 15. 47	10. 23. 22. 25	4. 56. 49	4. 50. 44
26	F.	10. 29. 26. 31	11. 5. 28. 10	4. 41. 21	4. 28. 53
27	Sa.	11. 11. 27. 38	11. 17. 25. 11	4. 13. 29	3. 55. 23
28	Su.	11. 23. 21. 6	11. 29. 15. 48	3. 34. 44	3. 11. 50
29	M.	0. 5. 9. 45	0. 11. 3. 28	2. 46. 52	2. 20. 5
30	Tu.	0. 16. 57. 29	0. 22. 52. 27	1. 51. 45	1. 22. 8
31	W.	0. 28. 48. 59	1. 4. 47. 45	0. 51. 27 S	0. 19. 59

[6] JANUARY 1781. VI.

Days of the Month.	Days of the Week.	D's Age.	D's Passage over Merid.	D's Right Ascen. at Noon.	D's Right Asc. at Midn.	D's Declination at Noon.	D's Declination at Midn.
			H. M.	D. M.	D. M.	D. M.	D. M.
1	M.	8	5. 13	358. 43	3. 59	4. 28 S	1. 45 S
2	Tu.	9	5. 51	9. 14	14. 31	1. 0 N	3. 43 N
3	W.	10	6. 31	19. 52	25. 19	6. 26	9. 7
4	Th.	11	7. 13	30. 53	36. 38	11. 45	14. 17
5	F.	12	7. 59	42. 34	48. 45	16. 42	18. 58
6	Sa.	13	8. 48	55. 10	61. 52	21. 3	22. 55
7	Su.	14	9. 42	68. 51	76. 6	24. 32	25. 51
8	M.	15	10. 40	83. 35	91. 18	26. 47	27. 19
9	Tu.	16	11. 41	99. 9	107. 5	27. 26	27. 6
10	W.	17	12. 41	115. 1	122. 54	26. 18	25. 4
11	Th.	18	13. 40	130. 39	138. 13	23. 25	21. 24
12	F.	19	14. 35	145. 35	152. 44	19. 3	16. 24
13	Sa.	20	15. 27	159. 41	166. 27	13. 29	10. 24
14	Su.	21	16. 17	173. 3	179. 31	7. 12	3. 55 N
15	M.	22	17. 6	185. 54	192. 14	0. 37 N	2. 40 S
16	Tu.	23	17. 54	198. 34	204. 53	5. 54 S	9. 2
17	W.	24	18. 44	211. 16	217. 44	12. 2	14. 52
18	Th.	25	19. 36	224. 19	231. 2	17. 28	19. 51
19	F.	26	20. 27	237. 52	244. 50	21. 57	23. 46
20	Sa.	27	21. 24	251. 56	259. 7	25. 13	26. 20
21	Su.	28	22. 19	266. 22	273. 38	27. 4	27. 26
22	M.	29	23. 13	280. 52	288. 1	27. 25	27. 3
23	Tu.	1	♄	295. 2	301. 54	26. 18	25. 15
24	W.	2	0. 5	308. 34	315. 3	23. 53	22. 15
25	Th.	3	0. 53	321. 19	327. 23	20. 23	18. 19
26	F.	4	1. 38	333. 16	338. 59	16. 4	13. 41
27	Sa.	5	2. 20	344. 33	349. 59	11. 11	8. 36
28	Su.	6	3. 0	355. 19	0. 35	5. 56	3. 14 S
29	M.	7	3. 39	5. 50	11. 5	0. 30 S	2. 14 N
30	Tu.	8	4. 18	16. 21	21. 40	4. 57 N	7. 38
31	W.	9	4. 59	27. 5	32. 38	10. 16	12. 49

VII.

JANUARY 1781.

[7]

Days of the Month.	Days of the Week.	Semidr. D at Noon.	Semidr. D at Mid-night.	Hor. Par. D at Noon.	Hor. Par. D at Midnight.	Geat Noon.	Proport. Lo. Geat at Midn.	Proport. Lo.
		M. S.	M. S.	M. S.	M. S.			
1	M.	14. 48	14. 49	54. 20	54. 23	5202	5198	
2	Tu.	14. 51	14. 53	54. 28	54. 35	5191	5182	
3	W.	14. 55	14. 59	54. 46	54. 58	5167	5152	
4	Th.	15. 3	15. 8	55. 14	55. 32	5130	5107	
5	F.	15. 13	15. 19	55. 51	56. 13	5082	5054	
6	Sa.	15. 25	15. 31	56. 35	56. 58	5026	4996	
7	Su.	15. 38	15. 45	57. 23	57. 48	4965	4933	
8	M.	15. 52	15. 58	58. 12	58. 35	4903	4875	
9	Tu.	16. 4	16. 9	58. 57	59. 17	4848	4823	
10	W.	16. 14	16. 18	59. 34	59. 49	4802	4784	
11	Th.	16. 22	16. 23	60. 2	60. 8	4769	4761	
12	F.	16. 24	16. 25	60. 13	60. 15	4755	4753	
13	Sa.	16. 24	16. 23	60. 13	60. 9	4755	4760	
14	Su.	16. 22	16. 19	60. 2	59. 54	4769	4778	
15	M.	16. 16	16. 13	59. 42	59. 30	4793	4808	
16	Tu.	16. 9	16. 5	59. 17	59. 2	4823	4842	
17	W.	16. 1	15. 57	58. 46	58. 31	4861	4880	
18	Th.	15. 52	15. 48	58. 16	58. 0	4898	4918	
19	F.	15. 44	15. 40	57. 44	57. 28	4938	4958	
20	Sa.	15. 35	15. 31	57. 13	56. 58	4977	4996	
21	Su.	15. 27	15. 23	56. 43	56. 28	5015	5035	
22	M.	15. 19	15. 15	56. 13	55. 59	5054	5072	
23	Tu.	15. 12	15. 8	55. 46	55. 32	5089	5107	
24	W.	15. 5	15. 1	55. 19	55. 7	5124	5140	
25	Th.	14. 58	14. 55	54. 56	54. 46	5154	5167	
26	F.	14. 53	14. 51	54. 36	54. 29	5181	5190	
27	Sa.	14. 49	14. 48	54. 22	54. 17	5199	5206	
28	Su.	14. 47	14. 46	54. 14	54. 14	5210	5210	
29	M.	14. 46	14. 47	54. 13	54. 16	5211	5207	
30	Tu.	14. 49	14. 51	54. 21	54. 30	5201	5189	
31	W.	14. 54	14. 59	54. 42	54. 58	5173	5152	

Distances of ρ 's Center from Sun, and from Stars east of her.

Days.	Stars Names.	Noon.	3 Hours.	6 Hours.	9 Hours.	12 Hours.	15 Hours.	18 Hours.	21 Hours.
		D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.
1		69. 27. 54	68. 0. 9	66. 32. 24	65. 4. 39	63. 36. 53	62. 9. 6	60. 41. 18	59. 13. 27
2	Aldeba-	57. 45. 35	56. 17. 40	54. 49. 42	53. 21. 40	51. 53. 34	50. 25. 23	48. 57. 8	47. 28. 48
3	rap.	46. 0. 23	44. 31. 53	43. 3. 17	41. 34. 37	40. 5. 52	38. 37. 0	37. 8. 5	35. 39. 7
4		34. 10. 6	32. 40. 59	31. 11. 54	29. 42. 52	28. 13. 52	26. 44. 56	25. 16. 2	23. 47. 32
5		22. 19. 30	20. 51. 56	19. 25. 4	17. 58. 55	16. 33. 33			
5		88. 59. 42	87. 23. 16	85. 46. 28	84. 9. 18	82. 31. 47	80. 46. 54	79. 11. 31	90. 35. 47
6		75. 58. 0	74. 18. 37	72. 38. 54	70. 58. 45	69. 18. 15	67. 37. 23	65. 56. 10	77. 37. 0
7		62. 32. 38	60. 50. 20	59. 7. 40	57. 24. 41	55. 41. 20	53. 57. 40	52. 13. 41	64. 14. 35
8	Regulus.	48. 44. 49	46. 59. 56	45. 14. 48	43. 29. 24	41. 43. 44	39. 57. 48	38. 11. 41	50. 29. 24
9		34. 38. 53	32. 52. 12	31. 5. 26	29. 18. 37	27. 31. 43	25. 44. 50	23. 58. 1	36. 25. 23
10		20. 24. 59							22. 11. 18
11		74. 10. 43	72. 21. 53	70. 32. 56	68. 43. 51	66. 54. 38	65. 5. 23	63. 16. 0	61. 26. 37
12	Spica 辰	59. 37. 11	57. 47. 46	55. 58. 20	54. 8. 56	52. 19. 32	50. 30. 11	48. 40. 53	46. 51. 40
13		45. 2. 80	43. 13. 26	41. 24. 28	39. 35. 38	37. 46. 55			

Days.	Stars Names.	Noon.	3 Hours.	6 Hours.	9 Hours.	12 Hours.	15 Hours.	18 Hours.	21 Hours.
13									
14	Antares.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.
15		76. 19. 15	74. 39. 45	72. 42. 21	70. 54. 8	83. 34. 45	81. 45. 41	79. 56. 45	78. 7. 57
16		61. 55. 38	60. 8. 30	58. 21. 34	56. 34. 50	69. 6. 4	67. 18. 11	65. 30. 29	63. 42. 58
17		47. 44. 20	45. 58. 53	44. 13. 41	42. 28. 42	54. 48. 18	53. 1. 59	51. 15. 53	49. 30. 0
18									
19	The Sun.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.
20		110. 38. 7	108. 58. 5	107. 19. 56	105. 41. 8	117. 16. 36	115. 36. 43	113. 57. 1	112. 17. 29
21		97. 30. 8	95. 52. 34	94. 15. 12	92. 38. 4	104. 2. 31	102. 24. 7	100. 45. 55	99. 7. 55
22		84. 35. 39	82. 59. 50	81. 24. 15	79. 48. 53	91. 1. 8	89. 24. 26	87. 47. 57	86. 11. 41
23		71. 55. 24	70. 21. 22	68. 47. 34	67. 13. 59	78. 13. 44	76. 38. 49	75. 4. 7	73. 29. 39
24		59. 29. 22	57. 57. 4	56. 25. 5	54. 53. 17	65. 40. 37	64. 7. 28	62. 34. 33	61. 1. 51
25		47. 17. 37	45. 47. 6	44. 16. 55	42. 46. 54	53. 21. 42	51. 50. 21	50. 19. 13	48. 48. 18
26		96. 46. 47	95. 17. 1	93. 47. 50	92. 18. 33	90. 49. 24	89. 20. 22	87. 51. 27	86. 22. 39
27		84. 53. 58	83. 25. 22	81. 56. 53	80. 28. 29	79. 0. 12	77. 32. 2	75. 3. 56	74. 35. 56
28	Aldeba-	73. 8. 1	71. 40. 6	70. 12. 21	68. 44. 36	67. 16. 55	65. 49. 17	64. 21. 42	62. 54. 9
29	ran.	61. 26. 39	59. 59. 10	58. 31. 42	57. 4. 15	55. 36. 49	54. 9. 24	52. 42. 0	51. 14. 35
30		49. 47. 11	48. 19. 4	46. 52. 19	45. 24. 52	43. 57. 25	42. 29. 56	41. 2. 28	39. 34. 59
31		38. 7. 30	36. 39. 59	35. 12. 30	33. 45. 3	32. 17. 39	30. 50. 19	29. 23. 5	27. 55. 58
F. 1		26. 28. 57							

Distances of J's Center from Sun, and from Stars west of her.

Days.	Stars Names.	Noon.	3 Hours.	6 Hours.	9 Hours.	12 Hours.	15 Hours.	18 Hours.	21 Hours.
		D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.
1		75. 29. 50	76. 50. 34	78. 11. 20	79. 32. 7	80. 52. 56	82. 13. 48	83. 34. 43	84. 55. 42
2		86. 16. 45	87. 37. 52	88. 59. 6	90. 20. 25	91. 41. 52	93. 3. 26	94. 25. 8	95. 46. 59
3	The Sun.	97. 8. 58	98. 31. 7	99. 53. 28	101. 15. 59	102. 38. 41	104. 1. 35	105. 24. 43	106. 48. 3
4		108. 11. 37	109. 35. 25	110. 59. 28	112. 23. 47	113. 48. 20	115. 13. 9	116. 38. 16	118. 3. 39
5		119. 29. 20							
2		41. 21. 5	42. 41. 58	44. 3. 19	45. 25. 9	46. 47. 27	48. 10. 11	49. 33. 21	50. 56. 55
3	Fomal-	52. 20. 55	53. 45. 17	55. 10. 1	56. 35. 8	58. 0. 37	59. 26. 26	60. 52. 36	62. 19. 7
4	haut.	63. 46. 0	65. 13. 13	66. 40. 48	68. 8. 44	69. 37. 1	71. 5. 38	72. 34. 36	74. 3. 55
5		75. 33. 36	77. 3. 37	78. 34. 0	80. 4. 43	81. 35. 48			
5						19. 2. 7	20. 22. 34	21. 44. 49	23. 8. 55
6		24. 34. 41	26. 1. 58	27. 30. 39	29. 0. 31	30. 31. 38	32. 3. 31	33. 36. 15	35. 9. 54
7	♌ Arietis.	36. 44. 18	38. 19. 24	39. 55. 9	41. 31. 34	43. 8. 39	44. 46. 18	46. 24. 29	48. 3. 14
8		49. 42. 32	51. 22. 19	53. 2. 35	54. 43. 19	56. 24. 32	58. 6. 11	59. 48. 15	61. 30. 42
9		63. 13. 35							

XI. JANUARY 1781. [11]

Days.	Stars Names.	Noon.	3 Hours.	6 Hours.	9 Hours.	12 Hours.	15 Hours.	18 Hours.	21 Hours.
9		D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.
10	Aldebaran.	32. 49. 55 46. 42. 35 60. 57. 33 75. 24. 10 89. 53. 50	34. 32. 18 48. 28. 30 62. 45. 25 77. 12. 53	36. 15. 13 50. 14. 43 64. 33. 25 79. 1. 37	37. 58. 38 52. 1. 14 66. 21. 35 80. 50. 21	39. 42. 35 53. 48. 3 68. 9. 53 82. 39. 7	41. 26. 59 55. 35. 6 69. 58. 20 84. 27. 52	43. 11. 47 57. 22. 22 71. 46. 52 86. 16. 33	44. 56. 59 59. 9. 51 73. 35. 28 88. 5. 13
13		10. 14. 13 24. 11. 54 38. 25. 29 52. 33. 46 66. 29. 7 80. 11. 1	11. 55. 40 25. 58. 45 40. 12. 57 54. 18. 53 68. 12. 36	13. 38. 13 27. 45. 40 41. 59. 16 56. 3. 49 69. 55. 52	15. 22. 0 29. 32. 36 43. 45. 26 57. 48. 33 71. 38. 56	17. 6. 42 31. 19. 32 45. 31. 28 59. 33. 5 73. 21. 47	18. 52. 12 33. 6. 24 47. 17. 18 61. 17. 24 75. 4. 25	20. 38. 21 34. 53. 10 49. 2. 58 63. 1. 31 76. 46. 50	22. 25. 0 36. 39. 52 50. 48. 27 64. 45. 25 78. 29. 2
15	Regulus.								
18		26. 12. 54 39. 37. 37 52. 51. 46 65. 54. 21 78. 45. 17	27. 53. 57 41. 17. 30 54. 30. 14 67. 31. 21 80. 20. 50	29. 34. 53 42. 57. 13 56. 8. 31 69. 8. 10 81. 56. 13	31. 15. 41 44. 36. 45 57. 46. 37 70. 44. 48 83. 31. 24	32. 56. 22 46. 16. 7 59. 24. 32 72. 21. 15 85. 6. 25	34. 36. 55 47. 55. 18 61. 2. 16 73. 57. 32	36. 17. 18 49. 34. 18 62. 39. 48 75. 33. 38	37. 57. 32 51. 13. 7 64. 17. 10 77. 9. 33
20	Spica 𐌸								

[12]

JANUARY 1781.

XII.

Configurations of the SATELLITES of JUPITER
at 6 o'Clock in the Morning:

1			3.	⊙	1. 2.		4.
2		3.	2.	1.	⊙		4.
3		3.	2.	⊙	1.		4.
4			3.	⊙		2.	01
5			1.	⊙	2.	3.	4.
6			4.2.	⊙	1.		3.
7		4.		1.	⊙	2.	3.
8	4.			3.	⊙	1. 2.	
9	4.		3.	2.	⊙		
10	4.		3.	2.	⊙	1.	
11		4.		3.	1.	⊙	2.
12			4.	1.	⊙	2.	3.
13			2.	4.	⊙	1.	3.
14	02			1.	⊙	4.	3.
15					⊙	1.	2.
16			3.	1.	⊙	2.	4.
17			3.	2.	⊙		4.
18				3.	1.	⊙	2.
19					⊙	2.	3.
20			2.	1.	⊙		3.
21				1.	2.	⊙	4.
22				4.	⊙	3.	1.
23			4.3.	1.	2.	⊙	
24		4.		3.	2.	⊙	1.
25	4.			3.	1.	⊙	2.
26	4.					⊙	1.
27	4.			2.	⊙		3.
28		4.			1.	⊙	3.
29			4.			⊙	1.
30			3.	1.	4.	⊙	2.
31			3.	2.		⊙	1.

I. FEBRUARY 1781. [13]

Days of the Month.	Days of the Week.	Sundays, Holidays, &c.	Phases of the Moon.	
			D. H. M.	
1	Th.		First Quarter	— 1. 4. 56
2	F.	<i>Purification of V. Mary.</i>	Full Moon	— 8. 8. 28
3	Sa.	Blas. On mor. of Pur. 3 ret.	Last Quarter	— 14. 23. 48
			New Moon	— 22. 17. 55
			Other Phenomena.	
4	Su.	<i>5th Sunday after Epiphany.</i>	D.	
5	M.	Agatha.	1. ☽ ☿ ♀ diff. Lat. 16'.	
6	Tu.		☾ ☿ ♀ 13 ^h . 42'.	
7	W.		3. ☾ ♃ ♀ diff. Lat. 56'.	
8	Th.		♃ ♄ Serp. diff. Lat. 33'.	
9	F.	In 8 days of Pur. 4 ret.	4. ☾ 125 ☿ 6 ^h . 42'.	
10	Sa.		5. ☾ ♃ ♀ 23 ^h . 39'.	
11	Su.	<i>Septuagesima-Sunday.</i>	6. ☾ 2 ad ♄ 16 ^h . 53'.	
12	M.	Hilary Term ends.	8. ☾ ♃ ♀ 15 ^h . 19'.	
13	Tu.		11. ☾ ♃ ♀ 10 ^h . 54'.	
14	W.	Valentine.	12. ☾ ♃ ♀ 0 ^h . 4'.	
15	Th.		13. ☾ ♃ ♀ 7 ^h . 18'.	
16	F.		☾ ♃ ♀ 21 ^h . 12'.	
17	Sa.		14. ☾ 1 ad ♃ 7 ^h . 27'.	
18	Su.	<i>Sexagesima-Sunday.</i>	15. ☾ ♃ ♀ 3 ^h . 49'.	
19	M.		17. ☉ enters ♋ at 17 ^h . 1'.	
20	Tu.		18. ☾ ♃ ♀ 0 ^h . 52'.	
21	W.		☾ ♃ ♀ 5 ^h . 3'.	
22	Th.		☾ ♃ ♀ 9 ^h . 43'.	
23	F.	Camb. Ter. div. m. [born.	28. ☾ ♃ ♀ 20 ^h . 59'.	
24	Sa.	<i>St. Mathias. Pr. Adol. Fred.</i>		
25	Su.	<i>Quinquagesima, or Shrove-</i>		
26	M.	<i>[Sunday.</i>		
27	Tu.			
28	W.	<i>Ash-Wednesday.</i>		

14		F E B R U A R Y 1781.						11.				
Days of the Month.	Days of the Week.	Sun's Longitude.			Sun's Right Asc. in Time.			Sun's Declin. South.		Equat. of Time. Add.		Diff. S.
		S.	D.	M. S.	H.	M.	S.	D.	M. S.	M. S.		
1	Th.	10.	13.	7. 6	21.	2.	21,8	16.	54. 2	14.	9,9	6,7
2	F.	10.	14.	7. 54	21.	6.	25,1	16.	36.35	14.	16,6	6,0
3	Sa.	10.	15.	8. 41	21.	10.	27,6	16.	18.51	14.	22,6	5,1
4	Sy.	10.	16.	9. 27	21.	14.	29,3	16.	0.49	14.	27,7	4,2
5	M.	10.	17.	10. 11	21.	18.	30,1	15.	42.33	14.	31,9	3,6
6	Tu.	10.	18.	10. 54	21.	22.	30,2	15.	23.59	14.	35,5	2,5
7	W.	10.	19.	11. 35	21.	26.	29,3	15.	5.10	14.	38,0	1,8
8	Th.	10.	20.	12. 14	21.	30.	27,7	14.	46. 6	14.	39,8	1,1
9	F.	10.	21.	12. 52	21.	34.	25,3	14.	26.47	14.	40,9	0,1
10	Sa.	10.	22.	13. 29	21.	38.	22,0	14.	7.14	14.	41,0	0,4
11	Sy.	10.	23.	14. 5	21.	42.	18,1	13.	47.27	14.	40,6	1,2
12	M.	10.	24.	14. 39	21.	46.	13,5	13.	27.25	14.	39,4	2,1
13	Tu.	10.	25.	15. 11	21.	50.	8,0	13.	7.12	14.	37,3	2,7
14	W.	10.	26.	15. 42	21.	54.	1,8	12.	46.46	14.	34,6	3,4
15	Th.	10.	27.	16. 13	21.	57.	54,9	12.	26. 6	14.	31,2	4,1
16	F.	10.	28.	16. 42	22.	1.	47,3	12.	5.15	14.	27,1	4,9
17	Sa.	10.	29.	17. 10	22.	5.	39,0	11.	44.12	14.	22,2	5,6
18	Su.	11.	0.	17. 36	22.	9.	30,0	11.	22.58	14.	16,6	6,1
19	M.	11.	1.	18. 1	22.	13.	20,4	11.	1.34	14.	10,5	6,9
20	Tu.	11.	2.	18. 25	22.	17.	10,0	10.	39.58	14.	3,6	7,4
21	W.	11.	3.	18. 47	22.	20.	59,2	10.	18.13	13.	56,2	8,1
22	Th.	11.	4.	19. 7	22.	24.	47,6	9.	56.19	13.	48,1	8,6
23	F.	11.	5.	19. 26	22.	28.	35,5	9.	34.16	13.	39,5	9,3
24	Sa.	11.	6.	19. 43	22.	32.	22,7	9.	12. 4	13.	30,2	10,0
25	Su.	11.	7.	19. 58	22.	36.	9,3	8.	49.43	13.	20,2	10,5
26	M.	11.	8.	20. 11	22.	39.	55,4	8.	27.16	13.	9,7	11,0
27	Tu.	11.	9.	20. 22	22.	43.	40,9	8.	4.41	12.	58,7	11,6
28	W.	11.	10.	20. 31	22.	47.	25,8	7.	41.59	12.	47,1	12,0

III. FEBRUARY 1781. [15]

Days.	Semidia- meter of the Sun.	Time of D ^o passing the Meridian.	Hourly Motion of the Sun.	Logarithm of the Sun's Dittance.	Place of the Moon's Node.
	M. S.	M. S.	M. S.		S. D. M.
1	16. 16, 4	1. 8, 0	2. 32, 1	9,993862	1. 9. 1
7	16. 15, 4	1. 7, 4	2. 31, 8	9,994307	1. 8. 42
13	16. 14, 3	1. 6, 7	2. 31, 4	9,994836	1. 8. 23
19	16. 13, 0	1. 6, 1	2. 30, 9	9,995430	1. 8. 4
25	16. 11, 6	1. 5, 6	2. 30, 4	9,996057	1. 7. 45

ECLIPSES of the SATELLITES of JUPITER.

I. Satellite. Immersion.		II. Satellite.		• III. Satellite.	
Days	H. M. S.	Days	H. M. S.	Days.	H. M. S.
1	19. 46. 35	2	7. 3. 40 I	5	0. 27. 11 I
3	14. 14. 42	2	9. 20. 29 E	5	2. 0. 21 E
5	8. 42. 54	5	20. 20. 20 I	12	4. 24. 12 I
7	3. 11. 3	5	22. 37. 13 E	12	5. 57. 42 E
8	21. 39. 22	9	9. 37. 11 I	19	8. 22. 6 I
10	16* 7. 40	9	11. 54. 8 E	19	9. 56. 0 E
12	10. 36. 1	12	22. 54. 9 I	26	12. 20. 30 I
14	5. 4. 23	13	1. 11. 9 E	26	13* 54. 40 E
15	23. 32. 49	16	12. 11. 14 I	IV. Satellite. Conj.	
17	18* 1. 14	16	14* 28. 17 E		
19	12. 29. 44	20	1. 28. 26 I	7	7. 32 Sup.
21	6. 58. 15	20	3. 45. 33 E	15	17* 37 Inf.
23	1. 26. 50	23	14* 45. 44 I	24	1. 25 Sup.
24	19. 55. 24	23	17* 2. 56 E		
26	14* 24. 7	27	4. 3. 14 I		
28	8. 52. 48	27	6. 20. 31 E		

[16] FEBRUARY 1781. IV.

Days.	Heliocentric Longitude.	Heliocentric Latitude.	Geocentric Longitude.	Geocentric Latitude.	Declination.	Passage over Merid.
	S. D. M.	D. M.	S. D. M.	D. M.	D. M.	H. M.

MERCURY. Snp. ♂ 18^d. 15^h½.

1	9. 3. 1	5. 9 S	10. 0. 39	1. 44 S	21. 44 S	23. 13
4	9. 11. 38	5. 48	10. 5. 30	1. 54	20. 46	23. 22
7	9. 20. 38	6. 21	10. 10. 28	2. 1	19. 35	23. 30
10	10. 0. 3	5. 44	10. 15. 33	2. 5	18. 11	23. 39
13	10. 10. 2	6. 58	10. 20. 45	2. 5	15. 34	23. 48
16	10. 20. 45	6. 58	10. 26. 7	2. 1	14. 44	23. 57
19	11. 2. 21	6. 43	11. 1. 36	1. 53	12. 41	0. 4
22	11. 14. 59	6. 7	11. 7. 12	1. 40	10. 25	0. 13
25	11. 28. 4	5. 8	11. 12. 54	1. 22	8. 0	0. 22
28	0. 13. 59	3. 42	11. 18. 40	0. 58	5. 23	0. 32

V E N U S.

1	7. 29. 45	0. 53 N	9. 12. 55	0. 28 N	22. 22 S	21. 55
7	8. 9. 17	0. 19 N	9. 20. 19	0. 10 N	21. 46	22. 3
13	8. 18. 49	0. 15 S	9. 27. 44	0. 8 S	20. 46	22. 10
19	8. 28. 19	0. 48	10. 5. 9	0. 24	19. 23	22. 18
25	9. 7. 48	1. 20	10. 12. 35	0. 39	17. 41	22. 26

M A R S.

1	6. 24. 3	0. 45 N	8. 0. 6	0. 46 N	19. 27 S	18. 49
7	6. 26. 53	0. 40	8. 3. 40	0. 42	20. 14	18. 39
13	6. 29. 45	0. 35	8. 7. 12	0. 38	20. 54	18. 29
19	7. 2. 38	0. 29	8. 10. 42	0. 33	21. 32	18. 21
25	7. 5. 33	0. 24	8. 14. 10	0. 28	22. 4	18. 14

J U P I T E R. ♃ 14^d. 2^h½.

1	7. 14. 51	1. 4 N	7. 25. 8	1. 2 N	18. 4 S	18. 29
7	7. 15. 18	1. 4	7. 25. 46	1. 3	18. 12	18. 6
13	7. 15. 46	1. 3	7. 26. 18	1. 4	18. 19	17. 44
19	7. 16. 14	1. 3	7. 26. 45	1. 5	18. 24	17. 23
25	7. 16. 42	1. 2	7. 27. 7	1. 6	18. 28	17. 2

S A T U R N.

1	8. 12. 59	1. 34 N	8. 17. 37	1. 30 N	21. 24 S	20. 4
7	8. 13. 9	1. 34	8. 18. 6	1. 31	21. 26	19. 41
13	8. 13. 20	1. 34	8. 18. 32	1. 31	21. 28	19. 19
19	8. 13. 31	1. 33	8. 18. 55	1. 31	21. 30	18. 57
25	8. 13. 42	1. 33	8. 19. 15	1. 32	21. 30	18. 36

V. FEBRUARY 1781. [17]

Days of the Month.	Days of the Week.	Moon's Longitude at Noon.	Moon's Longitude at Midnight.	Moon's Latitude at Noon.	Moon's Latitude at Midn.
		S. D. M. S.	S. D. M. S.	D. M. S.	D. M. S.
1	Th.	1. 10. 49. 32	1. 16. 54. 55	0. 11. 59 N	0. 44. 7 N
2	F.	1. 23. 4. 38	1. 29. 19. 23	1. 16. 8	1. 47. 39
3	Sa.	2. 5. 39. 45	2. 12. 6. 18	2. 18. 18	2. 47. 40
4	Su.	2. 18. 39. 33	2. 25. 19. 54	3. 15. 18	3. 40. 45
5	M.	3. 2. 7. 33	3. 9. 2. 33	4. 3. 33	4. 23. 10
6	Tu.	3. 16. 4. 48	3. 23. 14. 34	4. 39. 10	4. 51. 4
7	W.	4. 0. 29. 40	4. 7. 50. 54	4. 58. 28	5. 1. 1
8	Th.	4. 15. 16. 49	4. 22. 46. 15	4. 58. 34	4. 50. 57
9	F.	5. 0. 18. 5	5. 7. 50. 51	4. 38. 16	4. 20. 39
10	Sa.	5. 15. 23. 22	5. 22. 54. 26	3. 58. 30	3. 32. 11
11	Su.	6. 0. 22. 53	6. 7. 47. 50	3. 2. 20	2. 29. 37
12	M.	6. 15. 8. 30	6. 22. 24. 17	4. 54. 41	1. 18. 10
13	Tu.	6. 29. 34. 52	7. 6. 39. 59	0. 40. 49 N	0. 3. 17 N
14	W.	7. 13. 39. 33	7. 20. 33. 43	0. 33. 49 S	1. 10. 1 S
15	Th.	7. 27. 22. 33	8. 4. 6. 21	1. 44. 43	2. 17. 30
16	F.	8. 10. 45. 19	8. 17. 19. 47	2. 48. 0	3. 15. 57
17	Sa.	8. 23. 50. 9	9. 0. 16. 39	3. 40. 57	4. 2. 51
18	Su.	9. 6. 39. 36	9. 12. 59. 17	4. 21. 34	4. 36. 51
19	M.	9. 19. 16. 2	9. 25. 30. 2	4. 48. 39	4. 56. 53
20	Tu.	10. 1. 41. 30	10. 7. 50. 36	5. 1. 35	5. 2. 43
21	W.	10. 13. 57. 31	10. 20. 2. 24	5. 0. 22	4. 54. 34
22	Th.	10. 26. 5. 23	11. 2. 6. 31	4. 45. 30	4. 33. 16
23	F.	11. 8. 6. 3	11. 14. 4. 14	4. 18. 2	4. 0. 0
24	Sa.	11. 20. 0. 38	11. 25. 56. 6	3. 39. 25	3. 16. 26
25	Su.	0. 1. 50. 41	0. 7. 44. 35	2. 51. 26	2. 24. 28
26	M.	0. 13. 38. 15	0. 19. 31. 53	1. 55. 58	1. 26. 11
27	Tu.	0. 25. 26. 4	1. 1. 21. 13	0. 55. 24 S	0. 23. 51 S
28	W.	1. 7. 17. 53	1. 13. 16. 37	0. 8. 4 N	0. 40. 8 N

[18] FEBRUARY 1781. VI.

Days of the Month.	Days of the Week.	D's Age.	D's Pass- age over Merid.	D's Right Ascen. at Noon.	D's Right Ascen. at Midn.	D's De- clination at Noon.	D's De- clination at Midn.
			H. M.	D. M.	D. M.	D. M.	D. M.
1	Th.	9	5. 42	38. 20	44. 13	15. 17 N	17. 37 N
2	F.	10	6. 28	50. 20	56. 42	19. 48	21. 47
3	Sa.	11	7. 19	63. 19	70. 12	23. 33	25. 2
4	Su.	12	8. 14	77. 21	84. 45	26. 14	27. 4
5	M.	13	9. 13	92. 23	100. 11	27. 31	27. 32
6	Tu.	14	10. 16	108. 4	115. 59	27. 7	26. 15
7	W.	15	11. 16	123. 53	131. 40	24. 55	23. 10
8	Th.	16	12. 15	139. 19	146. 47	21. 1	18. 31
9	F.	17	13. 10	154. 5	161. 11	15. 43	12. 40
10	Sa.	18	14. 3	168. 6	174. 53	9. 26	6. 4 N
11	Su.	19	14. 53	181. 34	188. 9	2. 38 N	0. 48 S
12	M.	20	15. 44	194. 41	201. 13	4. 12 S	7. 31
13	Tu.	21	16. 35	207. 45	214. 20	10. 42	13. 43
14	W.	22	17. 27	221. 1	227. 47	16. 30	19. 2
15	Th.	23	18. 21	234. 40	241. 39	21. 18	23. 15
16	F.	24	19. 16	248. 44	255. 53	24. 52	26. 7
17	Sa.	25	20. 12	263. 6	270. 19	27. 0	27. 30
18	Su.	26	21. 7	277. 30	284. 37	27. 39	27. 26
19	M.	27	21. 59	291. 37	298. 28	26. 51	25. 55
20	Tu.	28	22. 49	305. 10	311. 41	24. 42	23. 12
21	W.	29	23. 35	317. 59	324. 6	21. 27	19. 29
22	Th.	1	6	330. 2	335. 48	17. 19	14. 59
23	F.	2	0. 17	341. 24	346. 52	12. 31	9. 58
24	Sa.	3	0. 58	352. 16	357. 34	7. 19	4. 37 S
25	Su.	4	1. 38	2. 50	8. 4	1. 53 S	0. 52 N
26	M.	5	2. 17	13. 18	18. 34	3. 36 N	6. 19
27	Tu.	6	2. 57	23. 55	29. 20	8. 59	11. 35
28	W.	7	3. 41	34. 54	40. 36	14. 6	16. 29

[19]

FEBRUARY 1781.

VII.

Days of the Month.	Days of the Week.	Semid. Δ at Noon.	Semid. Δ at Mid-night.	Hor. Par. Δ at Noon.	Hor. Par. Δ at Midnight.	Propor. Lo-ger. at Noon.	Propor. Lo-ger. at Midn.
		M. S.	M. S.	M. S.	M. S.		
1	Th.	15. 2	15. 6	55. 10	55. 26	5136	5115
2	F.	15. 12	15. 18	55. 47	56. 9	5087	5059
3	Sa.	15. 25	15. 32	56. 33	57. 0	5028	4994
4	Su.	15. 39	15. 47	57. 27	57. 55	4960	4924
5	M.	15. 55	16. 2	58. 23	58. 51	4890	4855
6	Tu.	16. 10	16. 16	59. 18	59. 42	4822	4793
7	W.	16. 23	16. 28	60. 6	60. 26	4764	4740
8	Th.	16. 33	16. 36	60. 43	60. 55	4719	4705
9	F.	16. 38	16. 39	61. 3	61. 7	4696	4691
10	Sa.	16. 39	16. 37	61. 6	61. 0	4692	4699
11	Su.	16. 35	16. 31	60. 52	60. 39	4709	4724
12	M.	16. 27	16. 22	60. 23	60. 5	4743	4765
13	Tu.	16. 17	16. 11	59. 45	59. 23	4789	4816
14	W.	16. 5	15. 58	59. 0	58. 38	4844	4871
15	Th.	15. 52	15. 46	58. 14	57. 51	4901	4930
16	F.	15. 40	15. 34	57. 29	57. 8	4957	4984
17	Sa.	15. 29	15. 23	56. 48	56. 28	5009	5035
18	Su.	15. 18	15. 14	56. 11	55. 55	5056	5077
19	M.	15. 10	15. 6	55. 39	55. 24	5098	5118
20	Tu.	15. 2	14. 59	55. 12	55. 0	5133	5149
21	W.	14. 56	14. 53	54. 49	54. 39	5163	5177
22	Th.	14. 51	14. 49	54. 31	54. 24	5187	5197
23	F.	14. 48	14. 46	54. 18	54. 13	5205	5211
24	Sa.	14. 45	14. 45	54. 9	54. 7	5217	5219
25	Su.	14. 45	14. 45	54. 6	54. 7	5221	5219
26	M.	14. 45	14. 46	54. 8	54. 12	5218	5213
27	Tu.	14. 48	14. 50	54. 18	54. 26	5205	5194
28	W.	14. 53	14. 56	54. 36	54. 49	5181	5163

Distances of γ 's Center from Sun, and from Stars west of her.

Days.	Stars Names.	Noon.	3 Hours.	6 Hours.	9 Hours.	12 Hours.	15 Hours.	18 Hours.	21 Hours.
		D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.
1	The Sun.	87. 42. 26	89. 5. 48	90. 29. 26	91. 53. 17	93. 17. 24	94. 41. 46	96. 6. 26	97. 31. 22
2		98. 56. 36	100. 22. 8	101. 47. 59	103. 14. 10	104. 40. 39	106. 7. 28	107. 34. 39	109. 2. 10
3		110. 30. 2	111. 58. 16	113. 26. 52	114. 55. 51	116. 25. 12	117. 54. 57	119. 25. 5	120. 55. 38
1	α Pegasi.	63. 51. 24	65. 15. 36	66. 40. 17	68. 5. 28	58. 19. 51	59. 41. 57	61. 4. 34	62. 27. 43
3		75. 18. 36				69. 31. 9	70. 57. 19	72. 23. 57	73. 51. 2
3	γ Arietis.	31. 47. 36	33. 18. 28	34. 50. 4	36. 22. 23	37. 55. 27	39. 29. 12	41. 3. 36	42. 38. 38
4		44. 14. 19	45. 50. 34	47. 27. 24	49. 4. 48	50. 42. 47	52. 21. 19	54. 0. 24	55. 40. 0
5		57. 20. 8							
5	γ Aldebaran.	27. 5. 59	28. 44. 30	30. 23. 48	32. 3. 53	33. 44. 45	35. 26. 20	37. 8. 34	38. 51. 27
6		40. 34. 59	42. 19. 4	44. 3. 41	45. 48. 50	47. 34. 31	49. 20. 40	51. 7. 16	52. 54. 19
7		54. 41. 49	56. 29. 43	58. 17. 59	60. 6. 38	61. 55. 38	63. 44. 59	65. 34. 37	67. 24. 33
8		69. 14. 47							

Configurations of the SATELLITES of JUPITER.
at Half an Hour past 5 o' Clock in the Morning.

1	.	.	. ³	. ¹	⊙	. ²	.	.	. ⁴
2	3.0	.	.	.	⊙	1.	2.	.	. ⁴
3	.	.	2.	. ¹	⊙	.	.	. ³	. ⁴
4	1.0	.	.	. ²	⊙	.	.	3.	4.
5	⊙	. ¹	. ²	.	4.
6	.	.	3.1.	.	⊙	2.	.	4.	.
7	.	3.	2.	.	⊙	.	. ¹	4.	.
8	2.0	.	. ³	1.3.	⊙
9	.	4.	.	. ³	⊙	1.	2.	.	.
10	.	4.	.	2. ¹	⊙	.	.	. ³	.
11	4.	.	.	. ²	⊙	.	.	3.	1.0
12	. ⁴	.	.	.	⊙	. ¹	. ²	3.	.
13	. ⁴	.	1.0	3.0	⊙	2.	.	.	.
14	.	. ⁴	3.	2.	⊙	.	. ¹	.	.
15	.	.	. ³	. ⁴	⊙	1.	. ²	.	.
16	4.0	.	.	. ³	⊙	1.	. ²	.	.
17 ¹	⊙	2.	.	3.0	4.
18	.	.	. ²	.	⊙	1.	.	. ³	. ⁴
19	1.0	.	.	.	⊙	. ²	.	3.	. ⁴
20	.	.	.	1.3.	⊙	2.	.	.	. ⁴
21	.	3.	2.	.	⊙	.	. ¹	.	4.
22	.	. ³	.	1. ²	⊙	.	.	.	4.
23	.	.	. ³	.	⊙	1.	. ²	4.	.
24	2.0	.	.	. ¹	⊙	4.	. ³	.	.
25	.	.	. ²	4.	⊙	1.	.	. ³	.
26	.	4.	.	.	⊙	. ¹	. ²	3.	.
27	4.	.	.	.	⊙	2.	.	.	3.0 1.0
28	4.	.	7.	2.	⊙	. ¹	.	.	.

I. MARCH 1781. [25]

Days of the Month.	Days of the Week.	Sundays, Holidays, &c.	Phases of the Moon.	
				D.H.M.
1	Th.	David.	First Quarter—	2. 22. 35
2	F.	Chad.	Full Moon —	9. 18. 32
3	Sa.		Last Quarter —	16. 11. 26
			New Moon —	24. 12. 7
4	Su.	1st Sunday in Lent.	Other Phenomena.	
5	M.	Pri. of Hesse born.		
6	Tu.		D.	
7	W.	Perpetua.	3. ☾ 125 ☽ 15 ^h . 35'.	
8	Th.		5. ☾ ☽ 9 ^h . 47'.	
9	F.		6. ☾ 2 ad ☽ 3 ^h . 28'.	
10	Sa.		8. ☾ ☽ 2 ^h . 35'.	
			10. ☾ ☽ 12 ^h . 52'.	
			☾ ☽ 21 ^h . 17'.	
11	Su.	2d Sunday in Lent.	11. ☾ ☽ 10 ^h . 3'.	
12	M.	Gregory M.	12. ☾ ☽ 16 ^h . 13'.	
13	Tu.		13. ☾ ☽ 5 ^h . 37'.	
14	W.		☽ Stationary.	
15	Th.		☾ 1 ad ☽ Im. 14 ^h . 21'.	
16	F.		* 7 ¹ / ₂ N. of ☽'s cent.	
17	Sa.		Em. 15 ^h . 18'. * 13' North.	
18	Su.	3d Sunday in Lent. Ed.	14. ☾ ☽ 11 ^h . 9'.	
19	M.	[K. of W. Sax.	17. ☾ ☽ 6 ^h . 46'.	
20	Tu.		☾ ☽ 15 ^h . 31'.	
21	W.	Benedict.	19. ☽ enters ♀ at 17 ^h . 29'.	
22	Th.		20. ☾ ☽ 12 ^h . 8'.	
23	F.		22. ♀ ☽ diff. Lat. 20'.	
24	Sa.		23. ☽ Stationary.	
			28. ☾ ☽ 3 ^h . 10'.	
25	Su.	4th Su. in Lent. Midl. Su.	29. ☽ Stationary.	
26	M.	[Annunciat. of V. Mary.		
27	Tu.			
28	W.			
29	Th.			
30	F.			
31	Sa.			

[26]

MARCH 1781.

II.

Days of the Month.	Days of the Week.	Sun's Longitude.	Sun's Right Asc. in Time.	Sun's Declin. South.	Equat. of Time. Sub.	Diff.
		S. D. M. S.	H. M. S.	D. M. S.	M. S.	
1	Th.	11. 11. 20. 39	22. 51. 10. 3	7. 19. 9	12. 35. 1	
2	F.	11. 12. 20. 43	22. 54. 54. 1	6. 56. 15	12. 22. 5	12, 6
3	Sa.	11. 13. 20. 45	22. 58. 37. 5	6. 33. 15	12. 9. 3	13, 2
4	Su.	11. 14. 20. 44	23. 2. 20. 4	6. 10. 10	11. 55. 7	13, 6
5	M.	11. 15. 20. 42	23. 6. 2. 7	5. 46. 59	11. 41. 5	14, 2
6	Tu.	11. 16. 20. 38	23. 9. 44. 7	5. 23. 44	11. 26. 9	14, 6
7	W.	11. 17. 20. 31	23. 13. 26. 3	5. 0. 24	11. 11. 9	15, 0
8	Th.	11. 18. 20. 22	23. 17. 7. 4	4. 37. 1	10. 56. 6	15, 3
9	F.	11. 19. 20. 11	23. 20. 48. 2	4. 13. 35	10. 40. 9	15, 7
10	Sa.	11. 20. 19. 58	23. 24. 28. 6	3. 50. 5	10. 24. 8	16, 1
11	Su.	11. 21. 19. 43	23. 28. 8. 7	3. 26. 33	10. 8. 3	16, 5
12	M.	11. 22. 19. 27	23. 31. 48. 5	3. 2. 58	9. 51. 6	16, 7
13	Tu.	11. 23. 19. 8	23. 35. 28. 1	2. 39. 21	9. 34. 7	16, 9
14	W.	11. 24. 18. 47	23. 39. 7. 5	2. 15. 43	9. 17. 5	17, 4
15	Th.	11. 25. 18. 25	23. 42. 46. 4	1. 52. 2	9. 0. 1	17, 4
16	F.	11. 26. 18. 1	23. 46. 25. 4	1. 28. 21	8. 42. 5	17, 6
17	Sa.	11. 27. 17. 36	23. 50. 4. 1	1. 4. 39	8. 24. 7	17, 8
18	Su.	11. 28. 17. 9	23. 53. 42. 6	0. 40. 57	8. 6. 7	18, 0
19	M.	11. 29. 16. 40	23. 57. 21. 0	0. 17. 16	7. 48. 6	18, 1
20	Tu.	0. 0. 16. 9	0. 0. 59. 2	NORTH. 0. 6. 26	7. 30. 3	18, 3
21	W.	0. 1. 15. 37	0. 4. 37. 4	0. 30. 7	7. 12. 0	18, 3
22	Th.	0. 2. 15. 3	0. 8. 15. 6	0. 53. 46	6. 53. 6	18, 4
23	F.	0. 3. 14. 27	0. 11. 53. 6	1. 17. 24	6. 35. 1	18, 5
24	Sa.	0. 4. 13. 49	0. 15. 31. 6	1. 41. 0	6. 16. 5	18, 6
25	Su.	0. 5. 13. 9	0. 19. 9. 5	2. 4. 34	5. 57. 9	18, 6
26	M.	0. 6. 12. 27	0. 22. 47. 4	2. 28. 5	5. 39. 4	18, 5
27	Tu.	0. 7. 11. 42	0. 26. 25. 3	2. 51. 33	5. 20. 8	18, 6
28	W.	0. 8. 10. 56	0. 30. 3. 3	3. 14. 58	5. 2. 3	18, 5
29	Th.	0. 9. 10. 7	0. 33. 41. 3	3. 38. 18	4. 43. 8	18, 5
30	F.	0. 10. 9. 16	0. 37. 19. 2	4. 1. 35	4. 25. 3	18, 5
31	Sa.	0. 11. 8. 22	0. 40. 57. 3	4. 24. 47	4. 6. 8	18, 5
						18, 4

III. MARCH 1781. [27]

Days of the Month.	Semidiameter of the Sun.	Time of D ^o passing the Meridian.	Hourly Motion of the Sun.	Logarithm of the Sun's Distance.	Place of the Moon's Node.
	M. S.	M. S.	M. S.		
1	16. 10, 6	1. 5, 2	2. 30, 2	9. 996484 9. 997157 9. 997871 9. 998629 9. 999388	I. 7. 33 I. 7. 13 I. 6. 54 I. 6. 35 I. 6. 16
7	16. 9, 1	1. 4, 9	2. 29, 7		
13	16. 7, 4	1. 4, 6	2. 29, 2		
19	16. 5, 9	1. 4, 4	2. 28, 8		
25	16. 4, 2	1. 4, 3	2. 28, 3		

Eclipses of the SATELLITES of J U P I T E R.

I. Satellite. Immersions.		II. Satellite. Immersions.		III. Satellite.	
Days	H. M. S.	Days	H. M. S.	Days	H. M. S.
2	3. 21. 29	2	17*20. 39	5	16*19. 28 I
3	21. 50. 13	6	6. 38. 11	5	17. 54. 0 E
5	16*19. 0	9	19. 55. 48	12	20. 18. 48 I
7	10. 47. 49	13	9. 13. 27	12	21. 53. 48 E
9	5. 16. 39	16	22. 31. 6	20	0. 18. 24 I
10	23. 45. 30	20	11. 48. 48	20	1. 53. 56 E
12	18. 14. 20	24	1. 6. 32	27	4. 18. 15 I
14	12*43. 13	27	14*24. 12	27	5. 54. 10 E
16	7. 12. 7	31	3. 41. 57		
18	1. 41. 2			IV. Satellite. Conj.	
19	20. 9. 56			4	11. 10 Inf.
21	14*38. 52			12	18. 28 Sup.
23	9. 7. 48			21	3. 46 Inf.
25	3. 36. 45			29	10. 33 Sup.
26	22. 5. 42				
28	16*34. 38				
30	11. 3. 34				

[28] MARCH 1781. IV.

Days.	Heliocentric Longitude.	Heliocentric Latitude.	Geocentric Longitude.	Geocentric Latitude.	Declination.	Passage over Merid.
	S. D. M.	D. M.	S. D. M.	D. M.	D. M.	H. M.

MERCURY. Greatest Elong. 16^d

1	0. 19. 20	3. 8 S	11. 20. 35	0. 49 S	4. 29 S	0. 36
4	1. 6. 17	1. 9 S	11. 26. 16	0. 18 S	1. 46 S	0. 45
7	1. 24. 21	1. 4 N	0. 1. 44	0. 17 N	0. 57 N	0. 53
10	2. 13. 9	3. 14	0. 6. 46	0. 55	3. 32	0. 59
13	3. 2. 4	5. 4	0. 11. 10	1. 35	5. 52	1. 3
16	3. 20. 23	6. 20	0. 14. 43	2. 12	7. 50	1. 4
19	4. 7. 39	6. 56	0. 17. 14	2. 44	9. 18	1. 2
22	4. 23. 33	6. 56	0. 18. 39	3. 8	10. 13	0. 56
25	5. 8. 1	6. 29	0. 18. 51	3. 21	10. 30	0. 45
28	5. 21. 8	5. 43	0. 18. 2	3. 21	10. 10	0. 31
31	6. 3. 5	4. 45	0. 16. 21	3. 5	9. 17	0. 15

VENUS.

1	9. 14. 8	1. 40 S	10. 17. 32	0. 48 S	16. 22 S	22. 31
7	9. 23. 37	2. 8	10. 24. 57	1. 0	14. 10	22. 38
13	10. 3. 5	2. 32	11. 2. 23	1. 11	11. 45	22. 44
19	10. 12. 34	2. 52	11. 9. 47	1. 19	9. 8	22. 51
25	10. 22. 3	3. 8	11. 17. 12	1. 25	6. 22	22. 57

MARS. ☐ 12^d. 16^h.

1	7. 7. 30	0. 20 N	8. 16. 28	0. 24 N	22. 23 S	18. 9
7	7. 10. 27	0. 15	8. 19. 51	0. 18	22. 47	18. 2
13	7. 13. 26	0. 9	8. 23. 10	0. 11	23. 6	17. 54
19	7. 16. 27	0. 3 N	8. 26. 26	0. 4 N	23. 21	17. 46
25	7. 19. 29	0. 3 S	8. 29. 38	0. 4 S	23. 32	17. 38

JUPITER.

1	7. 17. 0	1. 2 N	7. 27. 16	1. 6 N	18. 30 S	16. 47
7	7. 17. 28	1. 2	7. 27. 25	1. 7	18. 31	16. 26
13	7. 17. 55	1. 1	7. 27. 28	1. 8	18. 31	16. 4
19	7. 18. 23	1. 1	7. 27. 25	1. 9	18. 30	15. 42
25	7. 18. 51	1. 1	7. 27. 14	1. 9	18. 26	15. 19

SATURN. ☐ 9^d. 10^h.

1	8. 13. 50	1. 33 N	8. 19. 26	1. 32 N	21. 31 S	18. 21
7	8. 14. 0	1. 32	8. 19. 40	1. 32	21. 32	17. 59
13	8. 14. 11	1. 32	8. 19. 52	1. 33	21. 33	17. 38
19	8. 14. 22	1. 31	8. 19. 59	1. 33	21. 33	17. 17
25	8. 14. 33	1. 31	8. 20. 3	1. 34	21. 32	16. 55

V. MARCH 1781. [29]

Days of the Month.	Days of the Week.	Moon's Longitude at Noon.	Moon's Longitude at Midnight.	Moon's Latitude at Noon.	Moon's Latitude at Midn.
		S. D. M. S.	S. D. M. S.	D. M. S.	D. M. S.
1	Th.	1. 19. 17. 57	1. 25. 22. 33	1. 12. 3 N	1. 43. 26 N
2	F.	2. 1. 31. 4	2. 7. 44. 5	2. 13. 58	2. 43. 18
3	Sa.	2. 14. 2. 15	2. 20. 26. 10	3. 11. 3	3. 36. 51
4	Su.	2. 26. 56. 22	3. 3. 33. 22	4. 0. 18	4. 20. 54
5	M.	3. 10. 17. 27	3. 17. 8. 57	4. 38. 19	4. 52. 4
6	Tu.	3. 24. 7. 56	4. 1. 14. 18	5. 1. 49	5. 7. 4
7	W.	4. 8. 27. 48	4. 15. 47. 58	5. 7. 34	5. 3. 4
8	Th.	4. 23. 13. 59	5. 0. 44. 56	4. 53. 27	4. 38. 41
9	F.	5. 8. 19. 40	5. 15. 57. 1	4. 18. 53	3. 54. 23
10	Sa.	5. 23. 35. 31	6. 1. 13. 45	3. 25. 34	2. 53. 1
11	Su.	6. 8. 50. 29	6. 16. 24. 24	2. 17. 34	1. 39. 45
12	M.	6. 23. 54. 23	7. 1. 19. 33	1. 0. 32 N	0. 20. 35 N
13	Tu.	7. 8. 39. 7	7. 15. 52. 42	0. 19. 13 S	0. 58. 12 S
14	W.	7. 22. 59. 52	8. 0. 0. 29	1. 35. 43	2. 11. 12
15	Th.	8. 6. 54. 35	8. 13. 42. 21	2. 44. 14	3. 14. 26
16	F.	8. 20. 23. 55	8. 26. 59. 43	3. 41. 29	4. 5. 10
17	Sa.	9. 3. 29. 57	9. 9. 55. 11	4. 25. 20	4. 41. 54
18	Su.	9. 16. 15. 43	9. 22. 32. 9	4. 54. 47	5. 3. 58
19	M.	9. 28. 44. 45	10. 4. 54. 3	5. 9. 26	5. 11. 20
20	Tu.	10. 11. 0. 23	10. 17. 4. 10	5. 9. 36	5. 4. 30
21	W.	10. 23. 5. 44	10. 29. 5. 27	4. 55. 58	4. 44. 14
22	Th.	11. 5. 3. 35	11. 11. 0. 28	4. 29. 27	4. 11. 45
23	F.	11. 16. 56. 15	11. 22. 51. 19	3. 51. 22	3. 28. 32
24	Sa.	11. 28. 45. 48	0. 4. 40. 0	3. 3. 28	2. 36. 25
25	Su.	0. 10. 34. 6	0. 16. 28. 23	2. 7. 40	1. 37. 30
26	M.	0. 22. 23. 2	0. 28. 18. 26	1. 6. 12	0. 34. 5 S
27	Tu.	1. 4. 14. 49	1. 10. 12. 29	0. 1. 30 S	0. 31. 17 N
28	W.	1. 16. 11. 59	1. 22. 13. 32	1. 3. 53 N	1. 36. 0
29	Th.	1. 28. 17. 34	2. 4. 24. 36	2. 7. 15	2. 37. 20
30	F.	2. 10. 35. 4	2. 16. 49. 25	3. 5. 54	3. 32. 31
31	Sa.	2. 23. 8. 12	2. 29. 31. 50	3. 56. 53	4. 18. 38

[30]		MARCH 1781.					VI.
Days of the Month.	Days of the Week.	D's Age.	D's Passage over Merid.	D's Right Ascen. at Noon.	D's Right Asc. at Midn.	D's Declinat. at Noon.	D's Declin. at Midn.
			H. M.	D. M.	D. M.	D. M.	D. M.
1	Th.	8	4. 24	46. 30	52. 35	18. 44 N	20. 48 N
2	F.	9	5. 12	58. 54	65. 28	22. 41	24. 19
3	Sa.	10	6. 5	72. 10	79. 18	25. 41	26. 44
4	Su.	11	7. 1	86. 34	94. 1	27. 27	27. 46
5	M.	12	8. 0	101. 36	109. 17	27. 42	27. 12
6	Tu.	13	9. 0	117. 1	124. 43	26. 16	24. 54
7	W.	14	9. 59	132. 21	139. 52	23. 8	20. 56
8	Th.	15	10. 56	147. 16	154. 31	18. 24	15. 34
9	F.	16	11. 51	161. 37	168. 36	12. 27	9. 9
10	Sa.	17	12. 44	175. 29	182. 17	5. 42 N	2. 9 N
11	Su.	18	13. 36	189. 2	195. 45	1. 24 S	4. 56 S
12	M.	19	14. 29	202. 30	209. 18	8. 21	11. 38
13	Tu.	20	15. 23	216. 10	223. 7	14. 43	17. 32
14	W.	21	16. 18	230. 10	237. 19	20. 5	22. 19
15	Th.	22	17. 15	244. 34	251. 53	24. 11	25. 41
16	F.	23	18. 11	259. 15	266. 37	26. 48	27. 31
17	Sa.	24	19. 8	273. 57	281. 11	27. 51	27. 47
18	Su.	25	20. 1	288. 18	295. 16	27. 21	26. 35
19	M.	26	20. 52	302. 3	308. 38	25. 29	24. 5
20	Tu.	27	21. 39	315. 0	321. 10	22. 27	20. 34
21	W.	28	22. 22	327. 9	332. 57	18. 30	16. 14
22	Th.	29	23. 3	338. 35	344. 6	13. 51	11. 20
23	F.	30	23. 44	349. 30	354. 49	8. 43	6. 2
24	Sa.	1	0	0. 5	5. 19	3. 18 S	0. 32 S
25	Su.	2	0. 23	10. 33	15. 48	2. 14 N	4. 59 N
26	M.	3	1. 3	21. 7	26. 30	7. 42	10. 21
27	Tu.	4	1. 45	32. 0	37. 37	12. 56	15. 24
28	W.	5	2. 28	43. 24	49. 22	17. 43	19. 54
29	Th.	6	3. 15	55. 32	61. 55	21. 52	23. 38
30	F.	7	4. 7	68. 30	75. 18	25. 8	26. 20
31	Sa.	8	5. 0	82. 18	89. 28	27. 14	27. 47

VII. MARCH 1781. [31]

Days of the Month.	Days of the Week.	Semid.) at Noon.	Semid.) at Mid-night.	Hor. Par.) at Noon.	Hor. Par.) at Midnight.	Proport. Lo- car. at Noon.	Proport. Lo- car. at Midn.
		M. S.	M. S.	M. S.	M. S.		
1	Th.	15. 0	15. 4	55. 3	55. 19	5145	5124
2	F.	15. 10	15. 16	55. 39	56. 0	5098	5071
3	Sa.	15. 22	15. 29	56. 23	56. 48	5041	5009
4	Su.	15. 36	15. 44	57. 15	57. 43	4975	4940
5	M.	15. 51	15. 59	58. 12	58. 41	4903	4867
6	Tu.	16. 7	16. 15	59. 10	59. 39	4832	4797
7	W.	16. 22	16. 29	60. 5	60. 29	4765	4736
8	Th.	16. 35	16. 40	60. 51	61. 8	4710	4690
9	F.	16. 43	16. 45	61. 22	61. 30	4673	4664
10	Sa.	16. 47	16. 46	61. 34	61. 33	4659	4660
11	Su.	16. 44	16. 41	61. 26	61. 15	4669	4682
12	M.	16. 37	16. 32	61. 0	60. 41	4699	4722
13	Tu.	16. 26	16. 19	60. 16	59. 55	4748	4777
14	W.	16. 12	16. 5	59. 28	59. 1	4810	4843
15	Th.	15. 57	15. 50	58. 33	58. 5	4871	4912
16	F.	15. 42	15. 35	57. 38	57. 12	4946	4979
17	Sa.	15. 28	15. 21	56. 47	56. 24	5010	5040
18	Su.	15. 16	15. 11	56. 2	55. 43	5068	5093
19	M.	15. 6	15. 2	55. 25	55. 9	5116	5137
20	Tu.	14. 58	14. 55	54. 55	54. 43	5155	5171
21	W.	14. 52	14. 49	54. 33	54. 24	5185	5197
22	Th.	14. 47	14. 46	54. 17	54. 12	5206	5213
23	F.	14. 45	14. 45	54. 8	54. 6	5218	5221
24	Sa.	14. 44	14. 44	54. 4	54. 4	5223	5223
25	Su.	14. 45	14. 45	54. 6	54. 8	5221	5218
26	M.	14. 46	14. 48	54. 13	54. 18	5211	5205
27	Tu.	14. 50	14. 52	54. 25	54. 33	5195	5185
28	W.	14. 55	14. 58	54. 43	54. 55	5171	5155
29	Th.	15. 1	15. 5	55. 8	55. 23	5138	5119
30	F.	15. 10	15. 15	55. 40	55. 57	5097	5075
31	Sa.	15. 21	15. 27	56. 18	56. 41	5048	5018

Days.	Stars Names.	Noon.		3 Hours.		6 Hours.		9 Hours.		12 Hours.		15 Hours.		18 Hours.		21 Hours.	
		D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.
10		26. 56. 42	28. 49. 56	30. 43. 16	32. 36. 43	34. 30. 16	36. 23. 52	38. 17. 25	40. 10. 58								
11	Regulus.	42. 4. 28	43. 57. 51	45. 51. 6	47. 44. 11	49. 37. 8	51. 29. 52	53. 22. 22	55. 14. 38								
12		57. 6. 40	58. 58. 26	60. 49. 53	62. 41. 3	64. 31. 54	66. 22. 24	68. 12. 33	70. 2. 20								
13		71. 51. 47	73. 40. 51	75. 29. 33	77. 17. 50	79. 5. 45	26. 52. 52	28. 39. 25	30. 25. 38								
13		32. 11. 30	33. 57. 1	35. 42. 9	37. 26. 54	39. 11. 17	40. 55. 15	42. 38. 49	44. 22. 0								
14		46. 4. 47	47. 47. 10	49. 29. 9	51. 10. 45	52. 51. 56	54. 32. 42	56. 13. 6	57. 53. 5								
15	Spica ♀	59. 32. 42	61. 18. 56	62. 50. 49	64. 29. 19	66. 7. 27	67. 45. 13	69. 22. 38	70. 59. 42								
16		72. 36. 24															
17		26. 42. 26	28. 18. 48	29. 54. 50	31. 30. 35	33. 6. 1	34. 41. 9	36. 16. 0	37. 50. 35								
18		39. 24. 53	40. 58. 56	42. 32. 44	44. 6. 17	45. 39. 35	47. 12. 37	48. 45. 26	50. 18. 2								
19		51. 50. 24	53. 22. 35	54. 54. 34	56. 26. 21	57. 57. 57	59. 29. 21	61. 0. 35	62. 31. 38								
20	Antares.	64. 2. 32	65. 33. 18	67. 3. 55	68. 34. 23	70. 4. 42	71. 34. 54	73. 4. 58	74. 34. 56								
21		76. 4. 47	77. 34. 32	79. 4. 12	80. 33. 46	82. 3. 15	83. 32. 38	85. 1. 56	86. 31. 10								
22		88. 0. 20	89. 29. 26	90. 58. 30	92. 27. 30	93. 56. 28											
28			39. 24. 45	40. 47. 50	42. 11. 3	43. 34. 25	44. 57. 56	46. 21. 37	47. 45. 28								
29		49. 9. 29	50. 33. 41	51. 58. 5	53. 22. 40	54. 47. 27	56. 12. 26	57. 37. 37	59. 3. 2								
30	The Sun.	60. 28. 39	61. 54. 30	63. 20. 35	64. 46. 55	66. 13. 30	67. 40. 21	69. 7. 27	70. 34. 50								
31		72. 2. 29	73. 30. 25	74. 58. 38	76. 27. 10	77. 56. 0	79. 25. 9	80. 54. 37	82. 24. 26								
A. 1		83. 54. 34															

Configurations of the SATELLITES of JUPITER
at 4 o' Clock in the Morning.

1	4	3	2	1.	⊙		
2		4		3	⊙	1	2
3			4	1.	⊙	2.	3
4				2.	4	⊙	1.
5	2.0			1	⊙	4	3.
6					⊙	1.3.	2.
7	1.0		3.	2.	⊙		4
8		3.		2	1.	⊙	4
9			3		⊙	1	2
10				1.	⊙	3	2.
11				2.	⊙	1.	3
12				1	2	⊙	4
13	4●				⊙	1.3.	2.
14			3	4	2.	1	⊙
15		4.	3.		2	⊙	1●
16		4.		3	⊙	1	2
17	4.			1.	⊙	2.	3.0
18	4			2.	⊙	1	3
19		4		1	2	⊙	3.
20			4		⊙	1.	3.
21	2●			3.	4	1	⊙
22	1●			3.	2	⊙	4
23				3	⊙	1	2
24				1.	3	⊙	2.
25				2.	⊙	3	3
26				1.	2	⊙	3.
27					⊙	1.	3.
28	2●			1	3.	⊙	4.
29				3.	2	⊙	1.
30	1.0			3	⊙	2	4.
31				3	1.	⊙	2.

Days of the Month.	Days of the Week.	Sundays, Holidays, &c.	Phases of the Moon.
			D. H. M.
			First Quarter — 1. 12. 3
			Full Moon — 8. 3. 41
			Last Quarter — 15. 1. 16
			New Moon — 23. 5. 21
			First Quarter — 30. 21. 27
			Other Phenomena.
			D.
			1. ☾ ♀ II 17 ^h . 54 ['] .
			2. ☾ ♀ ad ♄ 12 ^h . 14 ['] .
			4. ☾ ♀ ♄ 12 ^h . 55 ['] .
			7. ☾ ♀ ♃ 8 ^h . 41 ['] .
			☾ ♀ ♃ 21 ^h . 25 ['] .
			9. ☾ ♀ ♃ 3 ^h . 8 ['] .
			☾ ♀ ♃ 16 ^h . 13 ['] .
			10. ☾ ♀ ad ♃ 1 ^h . 49 ['] .
			☾ ♀ ♃ 20 ^h . 54 ['] .
			13. ☾ ♀ ♃ 14 ^h . 21 ['] .
			☾ ♀ ♃ 22 ^h . 52 ['] .
			16. ☾ ♀ ♃ 18 ^h . 27 ['] .
			17. ☾ Stationary.
			18. ☾ ♀ ad ♄ 22 ^h . 44 ['] .
			☾ ♀ ad ♄ 23 ^h . 37 ['] .
			☾ ♀ ad ♄ 23 ^h . 46 ['] .
			19. ☾ enters ♃ at 6 ^h . 17 ['] .
			21. ☾ ♀ 1 ^h . 19 ['] .
			22. ☾ ♀ 5 ^h . 31 ['] .
			23. ☾ eclipsed, partly visible.
			29. ☾ ♀ II 0 ^h . 4 ['] .
			☾ ♀ ad ♄ 18 ^h . 42 ['] .
1	Su.	5th Sunday in Lent.	
2	M.		
3	Tu.	Richard, Bp. of Chich.	
4	W.	St. Ambrose.	
5	Th.		
6	F.	Camb. Term ends.	
7	Sa.	Oxf. Term ends.	
8	Su.	6th Su. in Lent. Palm Su.	
9	M.		
10	Tu.		
11	W.		
12	Th.		
13	F.	Good Friday.	
14	Sa.		
15	Su.	Easter-Day.	
16	M.	Easter-Monday.	
17	Tu.	Easter-Tuesday.	
18	W.		
19	Th.	Alphege.	
20	F.		
21	Sa.		
22	Su.	1st Su. aft. East. Low-Su.	
23	M.	St. George.	
24	Tu.		
25	W.	St. Mark. Prs. Mary born.	
26	Th.	[Ox. and Cam. T. beg.	
27	F.		
28	Sa.		
29	Su.	2d Sunday after Easter.	
30	M.	From Easter in 15 days, [1 ret.	

Days of the Month.	Days of the Week.	Sun's Longitude.			Sun's Right Asc. in Time.			Sun's Declin. North.			Equat. of Time. Add.		Diff.
		S.	D.	M. S.	H.	M.	S.	D.	M. S.	M.	S.	S.	
1	Su.	0.	12.	7. 27	0.	44.	35, 4	4.	47.	55	3.	48, 4	18, 3
2	M.	0.	13.	6. 28	0.	48.	13, 5	5.	10.	56	3.	30, 1	18, 2
3	Tu.	0.	14.	5. 28	0.	51.	51, 9	5.	33.	51	3.	11, 9	18, 0
4	W.	0.	15.	4. 25	0.	55.	30, 4	5.	56.	41	2.	53, 9	17, 8
5	Th.	0.	16.	3. 19	0.	59.	9, 0	6.	19.	26	2.	36, 1	17, 7
6	F.	0.	17.	2. 11	1.	2.	47, 8	6.	42.	3	2.	18, 4	17, 5
7	Sa.	0.	18.	1. 1	1.	6.	26, 9	7.	4.	33	2.	0, 9	17, 3
8	Su.	0.	18.	59. 49	1.	10.	6, 1	7.	26.	57	1.	43, 6	17, 0
9	M.	c.	19.	58. 36	1.	13.	45, 7	7.	49.	12	1.	26, 6	16, 8
10	Tu.	0.	20.	57. 20	1.	17.	25, 4	8.	11.	20	1.	9, 8	16, 5
11	W.	0.	21.	56. 2	1.	21.	5, 4	8.	33.	19	0.	53, 3	16, 1
12	Th.	0.	22.	54. 42	1.	24.	45, 8	8.	55.	11	0.	37, 2	15, 7
13	F.	0.	23.	53. 21	1.	28.	26, 5	9.	16.	53	0.	21, 5	15, 4
14	Sa.	0.	24.	51. 58	1.	32.	7, 6	9.	38.	27	0.	6, 1	15, 2
15	Su.	0.	25.	50. 34	1.	35.	49, 0	9.	59.	51	Sub.	9, 1	14, 8
16	M.	0.	26.	49. 8	1.	39.	30, 8	10.	21.	6	0.	23, 9	14, 3
17	Tu.	0.	27.	47. 41	1.	43.	13, 1	10.	42.	10	0.	38, 2	13, 8
18	W.	0.	28.	46. 12	1.	46.	55, 8	11.	3.	4	0.	52, 0	13, 4
19	Th.	0.	29.	44. 41	1.	50.	38, 8	11.	23.	47	1.	5, 4	13, 1
20	F.	1.	0.	43. 9	1.	54.	22, 2	11.	44.	19	1.	18, 5	12, 6
21	Sa.	1.	1.	41. 35	1.	58.	6, 2	12.	4.	39	1.	31, 1	12, 1
22	Su.	1.	2.	39. 59	2.	1.	50, 6	12.	24.	48	1.	43, 2	11, 7
23	M.	1.	3.	38. 22	2.	5.	35, 4	12.	44.	45	1.	54, 9	11, 2
24	Tu.	1.	4.	36. 43	2.	9.	20, 8	13.	4.	29	2.	6, 1	10, 7
25	W.	1.	5.	35. 2	2.	13.	6, 6	13.	24.	0	2.	16, 8	10, 2
26	Th.	1.	6.	33. 19	2.	16.	52, 9	13.	43.	18	2.	27, 0	9, 7
27	F.	1.	7.	31. 34	2.	20.	39, 7	14.	2.	23	2.	36, 7	9, 2
28	Sa.	1.	8.	29. 47	2.	24.	27, 0	14.	21.	13	2.	45, 9	8, 8
29	Su.	1.	9.	27. 58	2.	28.	14, 8	14.	39.	50	2.	54, 7	8, 3
30	M.	1.	10.	26. 7	2.	32.	3, 0	14.	58.	12	3.	3, 0	

Days.	Semidia- meter of the Sun.	Time of D ^o passing the Meridian.	Hourly Motion of the Sun.	Logarithm of the Sun's Distance.	Place of the Moon's Node.
	M. S.	M. S.	M. S.		\$. D. M.
1	16. 2, 2	1. 4, 4	2. 27, 6	0, 000248	1. 5. 54
7	16. 0, 5	1. 4, 5	2. 27, 1	0, 000978	1. 5. 35
13	15. 59, 0	1. 4, 8	2. 26, 5	0, 001724	1. 5. 16
19	15. 57, 5	1. 5, 1	2. 26, 1	0, 002456	1. 4. 57
25	15. 55, 9	1. 5, 5	2. 25, 6	0, 003147	1. 4. 38

ECLIPSES of the SATELLITES of J U P I T E R.

I. Satellite. Immerfions.		II. Satellite. Immerfions.		III. Satellite.	
Days	H. M. S.	Days	H. M. S.	Days	H. M. S.
1	5. 32. 32	3	16. 59. 29	3	8. 18. 0 I.
3	0. 1. 30	7	6. 17. 9	3	9. 54. 30 E.
4	18. 30. 28	10	19. 34. 46	10	12* 17. 51 I.
6	12* 59. 26	14	8. 52. 19	10	13* 54. 45 E.
8	7. 28. 23	17	22. 9. 49	17	16. 17. 33 I.
10	1. 57. 22	21	11* 27. 12	17	17. 55. 6 E.
11	20. 26. 17	25	0. 44. 37	24	20. 16. 59 I.
13	14* 55. 15	28	14* 1. 55	24	21. 55. 15 E.
15	9. 24. 8			IV. Satellite. Conj.	
17	3. 53. 6			6	19. 30 Inf.
18	22. 21. 58			15	1. 46 Sup.
20	16. 50. 52			23	10* 20 Inf.
22	11* 19. 43				
24	5. 48. 36				
26	0. 17. 23				
27	18. 46. 14				
29	13* 15. 2				

Days.	Heliocentric Longitude.	Heliocentric Latitude.	Geocentric Longitude.	Geocentric Latitude.	Declination.	Passage over Merid.
	S. D. M.	D. M.	S. D. M.	D. M.	D. M.	H. M.
M E R C U R Y. Inf. δ 3 ^d . 0 ^h $\frac{1}{2}$.						
1	6. 6. 50	4. 25 N	0. 15. 41	2. 57 N	8. 55 N	0. 9
4	6. 17. 30	3. 20	0. 13. 21	2. 22	7. 27	23. 44
7	6. 27. 26	2. 13	0. 11. 3	1. 38	5. 53	23. 26
10	7. 6. 47	1. 6 N	0. 9. 8	0. 49 N	4. 23	23. 10
13	7. 15. 41	0. 0	0. 7. 50	0. 0	3. 6	22. 57
16	7. 24. 16	1. 3 S	0. 7. 17	0. 45 S	2. 12	22. 47
19	8. 2. 38	2. 3	0. 7. 30	1. 26	1. 40	22. 38
22	8. 10. 54	2. 59	0. 8. 27	1. 58	1. 32	22. 31
25	8. 19. 8	3. 52	0. 10. 2	2. 25	1. 45	22. 28
28	8. 27. 27	4. 40	0. 12. 11	2. 45	2. 17	22. 25
30	9. 3. 4	5. 9	0. 13. 56	2. 54	2. 50	22. 24
V E N U S.						
1	11. 3. 8	3. 19 S	11. 25. 51	1. 29 S	3. 1 S	23. 4
7	11. 12. 39	3. 23	0. 3. 15	1. 30	0. 6 S	23. 9
13	11. 22. 10	3. 21	0. 10. 39	1. 28	2. 52 N	23. 14
19	0. 1. 42	3. 14	0. 18. 2	1. 24	5. 47	23. 19
25	0. 11. 15	3. 1	0. 25. 26	1. 19	8. 38	23. 24
M A R S.						
1	7. 23. 5	0. 10 S	9. 3. 14	0. 15 S	23. 41 S	17. 29
7	7. 26. 11	0. 16	9. 6. 14	0. 25	23. 45	17. 20
13	7. 29. 19	0. 22	9. 9. 7	0. 36	23. 45	17. 11
19	8. 2. 30	0. 28	9. 11. 51	0. 49	23. 45	17. 1
25	8. 5. 42	0. 34	9. 14. 26	1. 3	23. 44	16. 50
J U P I T E R.						
1	7. 19. 23	1. 0 N	7. 26. 54	1. 10 N	18. 21 S	14. 53
7	7. 19. 51	1. 0	7. 26. 30	1. 10	18. 16	14. 30
13	7. 20. 19	0. 59	7. 26. 0	1. 11	18. 8	14. 6
19	7. 20. 47	0. 59	7. 25. 25	1. 11	17. 59	13. 41
25	7. 21. 15	0. 58	7. 24. 46	1. 11	17. 50	13. 16
S A T U R N.						
1	8. 14. 46	1. 31 N	8. 20. 3	1. 34 N	21. 32 S	16. 31
7	8. 14. 57	1. 30	8. 20. 0	1. 35	21. 31	16. 9
13	8. 15. 7	1. 30	8. 19. 52	1. 35	21. 30	15. 46
19	8. 15. 18	1. 29	8. 19. 42	1. 36	21. 28	15. 23
25	8. 15. 29	1. 29	8. 19. 29	1. 36	21. 27	14. 59

V. APRIL 1781. [41]

Days of the Month.	Days of the Week.	Moon's Longitude at Noon.	Moon's Longitude at Midnight.	Moon's Latitude at Noon.	Moon's Latitude at Midn.
		S. D. M. S.	S. D. M. S.	D. M. S.	D.M.S.
1	Sa.	3. 6. 0. 48	3. 12. 35. 28	4 37. 25 N	4.52.51 N
2	M.	3. 19. 16. 16	3. 26. 3. 25	5. 4. 34	5.12.16
3	Tu.	4. 2. 57. 9	4. 9. 57. 27	5. 15. 37	5.14.22
4	W.	4. 17. 4. 18	4. 24. 17. 26	5. 8. 19	4.57.20
5	Th.	5. 1. 36. 26	5. 9. 0. 44	4. 41. 24	4.20.36
6	F.	5. 16. 29. 32	5. 24. 1. 55	3. 55. 8	3.25.25
7	Sa.	6. 1. 36. 48	6. 9. 12. 57	2. 51. 54	2.15.12
8	Su.	6. 16. 49. 7	6. 24. 24. 10	1. 36. 5	0.55.20 N
9	M.	7. 1. 56. 48	7. 9. 25. 51	0. 13. 48 N	0.27.40 S
10	Tu.	7. 16. 50. 27	7. 24. 9. 43	1. 8. 16 S	1.47.16
11	W.	8. 1. 23. 2	8. 8. 29. 56	2. 24. 0	2.57.57
12	Th.	8. 15. 30. 9	8. 22. 23. 34	3. 28. 41	3.55.52
13	F.	8. 29. 10. 13	9. 5. 50. 17	4. 19. 16	4.38.46
14	Sa.	9. 12. 24. 1	9. 18. 51. 47	4. 54. 16	5. 5. 47
15	Su.	9. 25. 13. 58	10. 1. 31. 7	5. 13. 20	5.17. 1
16	M.	10. 7. 43. 40	10. 13. 52. 7	5. 16. 55	5.13.13
17	Tu.	10. 19. 57. 2	10. 25. 58. 55	5. 6. 0	4.55.29
18	W.	11. 1. 58. 18	11. 7. 55. 39	4. 41. 47	4.25. 7
19	Th.	11. 13. 51. 28	11. 19. 46. 13	4. 5. 39	3.43.38
20	F.	11. 25. 40. 17	0. 1. 34. 6	3. 19. 16	2.52.47
21	Sa.	0. 7. 28. 1	0. 13. 22. 21	2. 24. 27	1.54.31
22	Su.	0. 19. 17. 27	0. 25. 13. 35	1. 23. 18	0.51. 3 S
23	M.	1. 1. 11. 1	1. 7. 10. 1	0. 18. 8 S	0.15. 7 N
24	Tu.	1. 13. 10. 49	1. 19. 13. 39	0. 48. 23 N	1.21.17
25	W.	1. 25. 18. 45	2. 1. 26. 22	1. 53. 27	2.24.32
26	Th.	2. 7. 36. 43	2. 13. 50. 5	2. 54. 9	3.21.57
27	F.	2. 20. 6. 39	2. 26. 26. 49	3. 47. 32	4.10.37
28	Sa.	3. 2. 50. 40	3. 9. 18. 34	4. 30. 46	4.47.43
29	Su.	3. 15. 50. 41	3. 22. 27. 18	5. 1. 7	5.10.44
30	M.	3. 29. 8. 33	4. 5. 54. 38	5. 16. 15	5.17.29

42		A P R I L. 1781.					VI.	
Days of the Month.	Days of the Week.	D's Age.	D's Passage over Merid.	D's Right Ascen. at Noon.	D's Right Asc. at Midn.	D's Declination at Noon.	D's Declination at Midn.	
			H. M.	D. M.	D. M.	D. M.	D. M.	
1	Su.	9	5. 57	96. 48	104. 11	27. 57 N	27. 44 N	
2	M.	10	6. 55	111. 40	119. 9	27. 6	26. 4	
3	Fu.	11	7. 52	126. 35	133. 56	24. 38	22. 49	
4	W.	12	8. 49	141. 11	148. 20	20. 38	18. 7	
5	Th.	13	9. 43	155. 22	162. 17	15. 18	12. 14	
6	F.	14	10. 35	169. 7	175. 53	8. 57	5. 31 N	
7	Sa.	15	11. 28	182. 37	189. 21	1. 59 N	1. 35 S	
8	Su.	16	12. 21	196. 7	202. 56	5. 8 S	8. 37	
9	M.	17	13. 16	209. 51	216. 52	11. 57	13. 6	
10	Fu.	18	14. 11	224. 2	231. 19	17. 59	20. 35	
11	W.	19	15. 10	238. 44	246. 15	22. 49	24. 41	
12	Th.	20	16. 9	253. 50	261. 28	26. 8	27. 10	
13	F.	21	17. 8	269. 4	276. 36	27. 47	27. 58	
14	Sa.	22	18. 4	284. 0	291. 13	27. 46	27. 11	
15	Su.	23	18. 56	298. 15	305. 3	26. 15	25. 0	
16	M.	24	19. 44	311. 37	317. 57	23. 27	21. 41	
17	Tu.	25	20. 30	324. 4	329. 59	19. 41	17. 30	
18	W.	26	21. 12	335. 43	341. 17	15. 10	12. 42	
19	Th.	27	21. 51	346. 44	352. 5	10. 8	7. 29	
20	F.	28	22. 31	357. 21	2. 35	4. 46 S	2. 1 S	
21	Sa.	29	23. 10	7. 48	13. 3	0. 46 N	3. 32 N	
22	Su.	30	23. 51	18. 20	23. 41	6. 17	8. 59	
23	M.	1	0	29. 9	34. 44	11. 37	14. 9	
24	Tu.	2	0. 33	40. 28	46. 22	16. 35	18. 51	
25	W.	3	1. 19	52. 28	58. 47	20. 57	22. 50	
26	Th.	4	2. 9	65. 18	72. 1	24. 28	25. 50	
27	F.	5	3. 1	78. 55	86. 0	26. 53	27. 36	
28	Sa.	6	3. 57	93. 13	100. 31	27. 57	27. 55	
29	Su.	7	4. 54	107. 51	115. 12	27. 31	26. 42	
30	M.	8	5. 51	122. 30	129. 43	25. 30	23. 56	

VII.		A P R I L 1781.				[43]	
Days of the Month.	Days of the Week.	Semid. ☽ at Noon.	Semid. ☽ at Mid-night.	Hor. Par. ☽ at Noon.	Hor. Par. ☽ at Midnight.	Propor. Lo- gar. at Noon.	Propor. Lo- gar. at Midn.
		M. S.	M. S.	M. S.	M. S.		
1	Su.	15. 33	15. 40	57. 5	57. 29	4987	4957
2	M.	15. 47	15. 54	57. 56	58. 22	4923	4891
3	Tu.	16. 2	16. 9	58. 49	59. 17	4858	4823
4	W.	16. 16	16. 23	59. 42	60. 6	4793	4764
5	Th.	16. 29	16. 34	60. 28	60. 48	4737	4714
6	F.	16. 38	16. 42	61. 5	61. 17	4693	4679
7	Sa.	16. 44	16. 45	61. 26	61. 30	4669	4664
8	Su.	16. 45	16. 43	61. 29	61. 22	4665	4673
9	M.	16. 40	16. 36	61. 11	60. 56	4686	4704
10	Tu.	16. 31	16. 25	60. 36	60. 14	4728	4754
11	W.	16. 18	16. 10	59. 48	59. 21	4786	4819
12	Th.	16. 2	15. 55	58. 52	58. 23	4854	4890
13	Fr.	15. 47	15. 39	57. 55	57. 26	4924	4961
14	Sa.	15. 31	15. 24	56. 58	56. 32	4996	5029
15	Su.	15. 18	15. 12	56. 8	55. 45	5060	5090
16	M.	15. 6	15. 1	55. 25	55. 7	5116	5140
17	Tu.	14. 57	14. 54	54. 52	54. 40	5159	5175
18	W.	14. 51	14. 49	54. 30	54. 22	5189	5199
19	Th.	14. 47	14. 46	54. 15	54. 11	5209	5214
20	F.	14. 45	14. 45	54. 9	54. 8	5217	5218
21	Sa.	14. 45	14. 46	54. 9	54. 11	5217	5214
22	Su.	14. 47	14. 48	54. 15	54. 20	5209	5202
23	M.	14. 50	14. 52	54. 27	54. 34	5193	5183
24	Tu.	14. 55	14. 57	54. 43	54. 53	5171	5158
25	W.	15. 0	15. 4	55. 4	55. 16	5144	5128
26	Th.	15. 7	15. 11	55. 29	55. 43	5111	5093
27	F.	15. 15	15. 19	55. 58	56. 14	5073	5053
28	Sa.	15. 24	15. 29	56. 32	56. 50	5029	5006
29	Su.	15. 34	15. 40	57. 9	57. 30	4983	4956
30	M.	15. 46	15. 52	57. 51	58. 12	4930	4903

Distances of β 's Center from Sun, and from Stars west of her.

Days.	Stars Names.	Noon.	3 Hours.	6 Hours.	9 Hours.	12 Hours.	15 Hours.	18 Hours.	21 Hours.
		D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.
1	The Sun.	83. 54. 34	85. 24. 59	86. 55. 49	88. 26. 59	89. 58. 31	91. 30. 25	93. 2. 41	94. 35. 20
2		96. 8. 21	97. 41. 45	99. 15. 33	100. 49. 44	102. 24. 19	103. 59. 18	105. 34. 43	107. 10. 31
3		108. 46. 44	110. 23. 22	112. 0. 24	113. 37. 50	115. 15. 42	116. 53. 58	118. 32. 39	120. 11. 45
1	Aldebaran.	43. 46. 31	45. 25. 11	47. 4. 21	48. 44. 1	37. 17. 0	38. 53. 35	40. 30. 43	42. 8. 21
3		57. 9. 36	58. 52. 7	60. 35. 5	62. 18. 30	50. 24. 11	52. 4. 49	53. 45. 57	55. 27. 32
4		71. 2. 21				64. 2. 23	65. 46. 43	67. 31. 29	69. 16. 42
4	Pollux.	26. 46. 7	28. 33. 14	30. 20. 46	32. 8. 43	33. 57. 4	35. 45. 49	37. 34. 57	39. 24. 27
5		41. 14. 20	43. 4. 35	44. 55. 11	46. 46. 7	48. 37. 24	50. 28. 59	52. 20. 52	54. 13. 2
6		56. 5. 30							
6	Regulus.	19. 59. 5	21. 49. 17	23. 40. 0	25. 31. 12	27. 22. 55	29. 15. 2	31. 7. 27	33. 0. 11
7		34. 53. 13	36. 46. 25	38. 39. 45	40. 33. 14	42. 26. 52	44. 20. 33	46. 14. 17	48. 8. 2
8		50. 1. 49	51. 55. 35	53. 49. 17	55. 42. 55	57. 36. 29	59. 29. 55	61. 23. 11	63. 16. 17
9		65. 9. 13	67. 1. 57	68. 54. 26	70. 46. 40	72. 38. 38			

Configurations of the SATELLITES of JUPITER
at 3 o' Clock in the Morning.

1		4.		2.	⊙	.1	.3	
2	4.			.2 1.	⊙			.3
3	.4				⊙	.1	.2	3.
4	.4			.1	3. ⊙	2.		
5		.4		3. 2.	⊙	1.		
6	2.0		.3	.4	.1 ⊙			
7	1●			.3	.4 ⊙	2.		
8				2.	⊙	.1	.3	.4
9				.2	1. ⊙			.3 .4
10					⊙	.1 .2	3.	.4
11	3●			.1	⊙	2.		.4
12			3.	2.	⊙	1.		4.
13	2.0		.3	.1	⊙			4.
14	1●			.3	⊙	2.	4.	
15	1.0			2.	⊙	4.	.3	
16			.2	4.	1. ⊙			.3
17		4.			⊙	.1 .2	3.	
18	4.			1.	⊙	3.	2.	
19	4.		3.2.		⊙	1.		
20	.4		.3	3.2.	.1 .2 ⊙			
21	.4		.3		⊙	1.	.2	
22	1.0		.4		⊙	.3		2●
23			2	4	1. ⊙		.3	
24					⊙	4 .1 .2	3.	
25				1.	⊙	3 . 2.	.4	
26			3.2.		⊙	.1		.4
27		3.		.1 .2	⊙			.4
28			.3		⊙	1.	.2	4.
29	2●			.1	⊙	.3		4.
30	1●		.2		⊙		.3	4.

Days of the Month.	Days of the Week.	Sundays, Holidays, &c.	Phases of the Moon.	
			D.H.M.	
1	Tu.	<i>St. Philip and St. James.</i>	Full Moon —	7. 12. 18
2	W.	Easter Term begins.	Last Quarter —	14. 16. 22
3	Th.	Invention of the Cross.	New Moon —	22. 20. 21
4	F.		First Quarter —	30. 3. 47
5	Sa.		Other Phenomena.	
6	Su.	<i>3d S. aft. East. John Eva.</i>	D.	
7	M.	<i>East. Ter. 2 ret. [a P. Lat.]</i>	1. $\alpha \nu \Omega$ 20 ^h . 47'.	
8	Tu.		4. $\alpha \gamma \Omega$ 18 ^h . 51'.	
9	W.		5. $\alpha \theta \Omega$ 7 ^h . 53'.	
10	Th.		7. $\alpha \iota \alpha \delta$ 12 ^h . 43'.	
11	F.		8. $\alpha \kappa \Omega$ 7 ^h . 39'.	
12	Sa.		10. $\alpha \rho \zeta$ 23 ^h . 39'.	
13	Su.	<i>4th Sunday after Easter.</i>	11. $\alpha \tau \zeta$ 7 ^h . 56'.	
14	M.	Easter Term 3 ret.	14. $\alpha \nu \psi$ 1 ^h . 55'.	
15	Tu.		16. $\alpha \iota \chi$ 5 ^h . 38'.	
16	W.		16. $\alpha \kappa \psi$ 6 ^h . 26'.	
17	Th.		16. $\alpha \lambda \psi$ 6 ^h . 34'.	
18	F.		21. \odot enters II at 6 ^h . 55'.	
19	Sa.	<i>2. Char. b. 1744. Dunst.</i>	21. $\alpha \delta \gamma$ 15 ^h . 47'.	
20	Su.	<i>5th S. aft. East. Rog. Su.</i>	23. $\eta \rho$ Serp. diff. Lat. 27'.	
21	M.	Easter Ter. 4 ret.	27. $\alpha \zeta \psi$ 0 ^h . 9'.	
22	Tu.	<i>Prs. Elizabeth born 1770.</i>	29. $\alpha \eta \Omega$ 2 ^h . 38'.	
23	W.			
24	Th.	<i>Ascension-day. H. Thurs.</i>		
25	F.	Easter Ter. 5 ret.		
26	Sa.	August. 1st Abp. of Cant.		
27	Su.	<i>Su. aft. Ascen. Ven. Bede.</i>		
28	M.	Easter Term ends.		
29	Tu.	<i>K. Charles II. restored.</i>		
30	W.			
31	Th.	Oxford Term ends.		

Days of the Month.	Days of the Week.	Sun's Longitude.	Sun's Right Asc. in Time.	Sun's Declin. North.	Equat. of Time. Sub.	Diff.
		S. D. M. S.	H. M. S.	D. M. S.	M. S.	S.
1	Tu.	1. 11. 24. 14	2. 35. 51, 7	15. 16. 19	3. 10, 8	
2	W.	1. 12. 22. 18	2. 39. 41, 0	15. 34. 10	3. 18, 1	7, 3
3	Th.	1. 13. 20. 20	2. 43. 30, 8	15. 51. 46	3. 24, 8	6, 7
4	F.	1. 14. 18. 21	2. 47. 21, 2	16. 9. 6	3. 31, 0	6, 2
5	Sa.	1. 15. 16. 21	2. 51. 12, 2	16. 26. 11	3. 36, 5	5, 5
6	Su.	1. 16. 14. 19	2. 55. 3, 7	16. 43. 0	3. 41, 6	5, 1
7	M.	1. 17. 12. 14	2. 58. 55, 6	16. 59. 32	3. 46, 1	4, 5
8	Tu.	1. 18. 10. 8	3. 2. 48, 3	17. 15. 46	3. 50, 0	3, 9
9	W.	1. 19. 8. 1	3. 6. 41, 6	17. 31. 43	3. 53, 3	3, 3
10	Th.	1. 20. 5. 52	3. 10. 35, 3	17. 47. 23	3. 56, 1	2, 8
11	F.	1. 21. 3. 42	3. 14. 29, 7	18. 2. 46	3. 58, 3	2, 2
12	Sa.	1. 22. 1. 30	3. 18. 24, 7	18. 17. 50	3. 59, 9	1, 6
13	Su.	1. 22. 59. 18	3. 22. 20, 2	18. 32. 36	4. 0, 9	1, 0
14	M.	1. 23. 57. 4	3. 26. 16, 3	18. 47. 3	4. 1, 3	0, 4
15	Tu.	1. 24. 54. 49	3. 30. 13, 1	19. 1. 12	4. 1, 0	0, 3
16	W.	1. 25. 52. 34	3. 34. 10, 5	19. 15. 1	4. 0, 1	0, 9
17	Th.	1. 26. 50. 17	3. 38. 8, 5	19. 28. 31	3. 58, 7	1, 4
18	F.	1. 27. 47. 9	3. 42. 7, 1	19. 41. 41	3. 56, 8	1, 9
19	Sa.	1. 28. 45. 41	3. 46. 6, 1	19. 54. 32	3. 54, 3	2, 5
20	Su.	1. 29. 43. 22	3. 50. 5, 7	20. 7. 2	3. 51, 3	3, 0
21	M.	2. 0. 41. 1	3. 54. 5, 9	20. 19. 12	3. 47, 6	3, 7
22	Tu.	2. 1. 38. 39	3. 58. 6, 6	20. 31. 0	3. 43, 5	4, 1
23	W.	2. 2. 36. 15	4. 2. 7, 9	20. 42. 28	3. 38, 8	4, 7
24	Th.	2. 3. 33. 51	4. 6. 9, 8	20. 53. 34	3. 33, 5	5, 3
25	F.	2. 4. 31. 26	4. 10. 12, 2	21. 4. 19	3. 27, 7	5, 8
26	Sa.	2. 5. 28. 59	4. 14. 15, 0	21. 14. 42	3. 21, 4	6, 3
27	Su.	2. 6. 26. 31	4. 18. 18, 3	21. 24. 43	3. 14, 7	6, 7
28	M.	2. 7. 24. 2	4. 22. 22, 0	21. 34. 22	3. 7, 6	7, 1
29	Tu.	2. 8. 21. 31	4. 26. 26, 2	21. 43. 39	3. 0, 0	7, 6
30	W.	2. 9. 18. 59	4. 30. 30, 8	21. 52. 33	2. 52, 0	8, 0
31	Th.	2. 10. 16. 26	4. 34. 35, 8	22. 1. 4	2. 43, 6	8, 4

Days.	Semidia- meter of the Sun.	Time of D ^r passing the Meridian.	Hourly Motion of the Sun.	Logarithm of the Sun's Distance.	Place of the Moon's Node.
	M. S.	M. S.	M. S.		S. D. M.
1	15. 54, 4	1. 5, 9	2. 25, 2	0. 003777	1. 4. 19
7	15. 53, 1	1. 6, 4	2. 24, 9	0. 004373	1. 4. 0
13	15. 51, 9	1. 6, 9	2. 24, 5	0. 004946	1. 3. 41
19	15. 50, 8	1. 7, 5	2. 24, 2	0. 005478	1. 3. 22
25	15. 49, 8	1. 7, 9	2. 23, 9	0. 005932	1. 3. 2

Eclipses of the SATELLITES of J U P I T E R.

I. Satellite Immersion.		II. Satellite. Immersion.		III. Satellite. Immersion.	
Days	H. M. S.	Days	H. M. S.	Days	H. M. S.
1	7. 43. 38	2	3. 18. 57	2	0. 16. 20
3	2. 12. 28	5	16. 35. 58	9	4. 15. 10
4	20. 41. 16	9	5. 52. 58	Emerfions.	
*6	15. 10. 0	Emerfions.		*16	9. 53. 46
*8	9. 38. 42	12	21. 29. 1	*23	13. 52. 32
10	4. 7. 22	*16	10. 45. 55	30	17. 51. 3
11	22. 36. 1	19	24. 2. 41	IV. Satellite. Conj.	
Emerfions.		*23	13. 19. 23	1	16. 17 Sup.
13	9. 12. 24	27	2. 36. 2	10	0. 37 Inf.
*15	13. 41. 2	30	15. 52. 36	18	6. 28 Sup.
*17	8. 9. 37			*26	14. 48 Inf.
19	2. 38. 12				
20	21. 6. 44				
22	15. 35. 17				
*24	10. 3. 47				
26	4. 32. 17				
27	23. 0. 46				
29	17. 29. 13				
*31	11. 57. 39				

DAYS	Heliocentric Longitude.	Heliocentric Latitude.	Geocentric Longitude.	Geocentric Latitude.	Declination.	Passage over Merid.
	S. D. M.	D. M.	S. D. M.	D. M.	D. M.	H. M.
M E R C U R Y. Gr. Elong. 1^d.						
1	9. 5. 55	5. 23 S	0. 14. 53	2. 58 S	3. 8 N	22. 23
4	9. 14. 40	6. 0	0. 18. 1	3. 4	4. 14	22. 24
7	9. 23. 46	6. 30	0. 21. 33	3. 4	5. 34	22. 26
10	10. 3. 22	6. 50	0. 25. 30	2. 58	7. 5	22. 30
13	10. 13. 36	7. 0	0. 29. 45	2. 49	8. 46	22. 34
16	10. 24. 35	6. 55	1. 4. 20	2. 33	10. 55	22. 39
19	11. 6. 31	6. 33	1. 9. 19	2. 12	12. 31	22. 47
22	11. 19. 32	5. 50	1. 14. 37	1. 48	14. 31	22. 56
25	0. 3. 49	4. 41	1. 20. 13	1. 20	16. 32	23. 6
28	0. 19. 26	3. 7	1. 26. 9	0. 49	18. 31	23. 19
31	1. 6. 24	1. 9	2. 2. 22	0. 17	20. 23	23. 32
V E N U S.						
1	0. 20. 49	2. 44 S	1. 2. 48	1. 10 S	11. 22 N	23. 28
7	1. 0. 24	2. 22	1. 10. 13	0. 59	13. 58	23. 34
13	1. 10. 0	1. 56	1. 17. 35	0. 48	16. 19	23. 39
19	1. 19. 38	1. 27	1. 24. 58	0. 36	18. 25	23. 45
25	1. 29. 16	0. 54	2. 2. 20	0. 23	20. 17	23. 51
M A R S.						
1	8. 8. 56	0. 40 S	9. 16. 50	1. 18 S	23. 41 S	16. 36
7	8. 12. 13	0. 46	9. 19. 3	1. 35	23. 40	16. 23
13	8. 15. 31	0. 51	9. 21. 0	1. 54	23. 42	16. 8
19	8. 18. 52	0. 57	9. 22. 40	2. 14	23. 47	15. 51
25	8. 22. 14	1. 2	9. 24. 3	2. 36	23. 54	15. 33
J U P I T E R. ♂ 12^d. 15^h.						
1	7. 21. 43	0. 58 N	7. 24. 4	1. 11 N	17. 40 S	12. 50
7	7. 22. 10	0. 58	7. 23. 19	1. 11	17. 29	12. 24
13	7. 22. 39	0. 57	7. 22. 34	1. 10	17. 18	11. 57
19	7. 23. 7	0. 57	7. 21. 48	1. 10	17. 7	11. 30
25	7. 23. 35	0. 56	7. 21. 4	1. 9	16. 56	11. 3
S A T U R N.						
1	8. 15. 40	1. 29 N	8. 19. 12	1. 36 N	21. 25 S	14. 35
7	8. 15. 51	1. 28	8. 18. 52	1. 37	21. 23	14. 11
13	8. 16. 2	1. 28	8. 18. 31	1. 37	21. 21	13. 46
19	8. 16. 13	1. 27	8. 18. 8	1. 37	21. 19	13. 21
25	8. 16. 23	1. 27	8. 17. 42	1. 37	21. 17	12. 55

V.

MAY 1781.

(52)

Days of the Month.	Days of the Week.	Moon's Longitude at Noon.	Moon's Longitude at Midnight.	Moon's Latitude at Noon.	Moon's Latitude at Midn.
		S. D. M. S.	S. D. M. S.	D. M. S.	D. M. S.
1	Tu.	4. 12. 45. 40	4. 19. 41. 38	5. 14. 14 N	5. 6. 26 N
2	W.	4. 26. 42. 34	5. 3. 48. 20	4. 53. 59	4. 36. 55
3	Th.	5. 10. 58. 43	5. 18. 13. 25	4. 15. 22	3. 49. 33
4	F.	5. 25. 37. 1	6. 2. 53. 55	3. 19. 45	2. 46. 27
5	Sa.	6. 10. 18. 29	6. 17. 44. 56	2. 10. 9	1. 31. 30
6	Su.	6. 25. 12. 22	7. 2. 39. 51	0. 51. 11 N	0. 10. 6 N
7	M.	7. 10. 6. 23	7. 17. 31. 0	0. 31. 15 S	1. 11. 45 S
8	Tu.	7. 24. 52. 42	8. 2. 10. 37	1. 50. 48	2. 27. 40
9	W.	8. 9. 23. 55	8. 16. 31. 58	3. 1. 45	3. 32. 32
10	Th.	8. 23. 34. 15	9. 0. 30. 21	3. 59. 39	4. 22. 49
11	F.	9. 7. 20. 4	9. 14. 3. 21	4. 41. 50	4. 56. 39
12	Sa.	9. 20. 40. 14	9. 27. 10. 56	5. 7. 15	5. 13. 42
13	Su.	10. 3. 35. 44	10. 9. 55. 0	5. 16. 7	5. 14. 38
14	M.	10. 16. 9. 12	10. 22. 18. 50	5. 9. 25	5. 0. 42
15	Tu.	10. 28. 24. 27	11. 4. 26. 38	4. 48. 41	4. 33. 33
16	W.	11. 10. 25. 58	11. 16. 23. 5	4. 15. 33	3. 54. 54
17	Th.	11. 22. 18. 33	11. 28. 12. 58	3. 31. 50	3. 6. 34
18	F.	0. 4. 6. 54	0. 10. 0. 53	2. 39. 22	2. 10. 27
19	Sa.	0. 15. 55. 28	0. 21. 51. 7	1. 40. 7	1. 8. 37
20	Su.	0. 27. 48. 16	1. 3. 47. 17	0. 36. 17 S	0. 3. 23 S
21	M.	1. 9. 48. 33	1. 15. 52. 20	0. 29. 43 N	1. 2. 42 N
22	Tu.	1. 21. 58. 56	1. 28. 8. 33	1. 35. 11	2. 6. 48
23	W.	2. 4. 21. 19	2. 10. 37. 23	2. 37. 9	3. 5. 50
24	Th.	2. 16. 56. 50	2. 23. 19. 45	3. 32. 28	3. 56. 41
25	F.	2. 29. 46. 7	3. 6. 15. 59	4. 18. 6	4. 36. 22
26	Sa.	3. 12. 49. 20	3. 19. 26. 8	4. 51. 10	5. 2. 14
27	Su.	3. 26. 6. 20	4. 2. 49. 52	5. 9. 19	5. 12. 13
28	M.	4. 9. 36. 41	4. 16. 26. 43	5. 10. 47	5. 4. 58
29	Tu.	4. 23. 19. 54	5. 0. 16. 9	4. 54. 43	4. 40. 6
30	W.	5. 7. 15. 19	5. 14. 17. 17	4. 21. 14	3. 58. 19
31	Th.	5. 21. 21. 54	5. 28. 29. 23	3. 31. 37	3. 1. 35

54		M A Y 1781.					VI	
Days of the Month.	Days of the Week.	D's Age.	D's Passage over Merid.	D's Right Ascen. at Noon.	D's Right Asc. at Midn.	D's Declinat. at Noon.	D's Declin. at Midn.	
			H. M.	D. M.	D. M.	D. M.	D. M.	
1	Tu.	9	6. 46	136. 50	143. 49	22. 1 N	19. 46 N	
2	W.	10	7. 39	150. 41	157. 26	17. 14	14. 25	
3	Th.	11	8. 30	164. 6	170. 41	11. 24	8. 11	
4	F.	12	9. 20	177. 13	183. 45	4. 50 N	1. 24 N	
5	Sa.	13	10. 11	190. 19	196. 57	2. 5 S	5. 34 S	
6	Su.	14	11. 3	203. 40	210. 31	8. 58	12. 15	
7	M.	15	11. 58	217. 31	224. 42	15. 22	18. 15	
8	Tu.	16	12. 56	232. 3	239. 33	20. 49	23. 2	
9	W.	17	13. 56	247. 12	254. 58	24. 53	26. 18	
10	Th.	18	14. 57	262. 47	270. 34	27. 18	27. 51	
11	F.	19	15. 56	278. 17	285. 51	27. 58	27. 38	
12	Sa.	20	16. 51	293. 14	300. 22	26. 56	25. 52	
13	Su.	21	17. 42	307. 16	313. 53	24. 29	22. 49	
14	M.	22	18. 29	320. 16	326. 24	20. 55	18. 49	
15	Tu.	23	19. 12	332. 19	338. 2	16. 33	14. 8	
16	W.	24	19. 53	343. 35	349. 1	11. 36	8. 59	
17	Th.	25	20. 32	354. 20	359. 35	6. 18	3. 34 S	
18	F.	26	21. 11	4. 50	10. 3	0. 48 S	1. 58 N	
19	Sa.	27	21. 50	15. 19	20. 38	4. 44 N	7. 28	
20	Su.	28	22. 33	26. 2	31. 34	10. 8	12. 44	
21	M.	29	23. 17	37. 14	43. 5	15. 14	17. 36	
22	Tu.	1	0	49. 7	55. 22	19. 49	21. 50	
23	W.	2	0. 4	61. 50	68. 32	23. 37	25. 8	
24	Th.	3	0. 57	75. 26	82. 30	26. 21	27. 15	
25	F.	4	1. 53	89. 44	97. 4	27. 47	27. 55	
26	Sa.	5	2. 59	104. 28	111. 51	27. 41	27. 3	
27	Su.	6	3. 47	119. 11	126. 26	26. 1	24. 37	
28	M.	7	4. 42	133. 34	140. 32	22. 52	20. 47	
29	Tu.	8	5. 35	147. 22	154. 4	18. 24	15. 45	
30	W.	9	6. 25	160. 37	167. 5	12. 53	9. 51	
31	Th.	10	7. 14	173. 28	179. 49	6. 41	3. 23	

Days of the Month.	Days of the Week.	Semid. ☽ at Noon.	Semid. ☽ at Mid-night.	Hor. Par. ☽ at Noon.	Hor. Par. ☽ at Midnight.	Proport. Lo- gar. at Noon.	Proport. Lo- gar. at Midn.
		M. S.	M. S.	M. S.	M. S.		
1	Tu.	15. 57	16. 3	58. 33	58. 55	4877	4850
2	W.	16. 9	16. 15	59. 16	59. 36	4844	4800
3	Th.	16. 20	16. 24	59. 56	60. 13	4776	4755
4	F.	16. 29	16. 32	60. 28	60. 40	4737	4723
5	Sa.	16. 35	16. 36	60. 50	60. 55	4711	4705
6	Su.	16. 37	16. 36	60. 57	60. 54	4703	4707
7	M.	16. 34	16. 31	60. 48	60. 37	4714	4727
8	Tu.	16. 27	16. 22	60. 23	60. 5	4743	4765
9	W.	16. 16	16. 10	59. 43	59. 19	4792	4821
10	Th.	16. 3	15. 56	58. 54	58. 27	4852	4885
11	F.	15. 48	15. 41	57. 59	57. 32	4919	4953
12	Sa.	15. 33	15. 26	57. 5	56. 40	4987	5019
13	Su.	15. 20	15. 14	56. 15	55. 53	5051	5080
14	M.	15. 8	15. 3	55. 32	55. 14	5107	5130
15	Tu.	14. 59	14. 55	54. 58	54. 45	5152	5169
16	W.	14. 52	14. 50	54. 34	54. 26	5183	5194
17	Th.	14. 48	14. 47	54. 20	54. 16	5202	5207
18	F.	14. 46	14. 47	54. 15	54. 16	5209	5207
19	Sa.	14. 48	14. 49	54. 19	54. 24	5203	5197
20	Su.	14. 51	14. 53	54. 30	54. 38	5189	5178
21	M.	14. 56	14. 59	54. 47	54. 58	5166	5152
22	Tu.	15. 7	15. 5	55. 10	55. 23	5136	5119
23	W.	15. 9	15. 13	55. 36	55. 50	5102	5084
24	Th.	15. 17	15. 21	56. 4	56. 19	5065	5046
25	F.	15. 25	15. 29	56. 34	56. 50	5027	5006
26	Sa.	15. 33	15. 38	57. 5	57. 20	4987	4968
27	Su.	15. 42	15. 46	57. 36	57. 51	4949	4930
28	M.	15. 50	15. 54	58. 7	58. 22	4910	4891
29	Tu.	15. 58	16. 2	58. 37	58. 51	4872	4855
30	W.	16. 6	16. 10	59. 5	59. 18	4838	4822
31	Th.	16. 13	16. 16	59. 29	59. 41	4809	4794

Distances of β's Center from Sun, and from Stars east of her.

Days	Stars Names	Noon.		3 Hours.		6 Hours.		9 Hours.		12 Hours.		15 Hours.		18 Hours.		21 Hours.	
		D.	M. S.	D.	M. S.	D.	M. S.	D.	M. S.	D.	M. S.	D.	M. S.	D.	M. S.	D.	M. S.
1	Spica in	68.	20.41	66.	37.47	64.	54.34	63.	11.2	61.	27.11	59.	43.1	57.	58.32	56.	13.44
2		54.	28.37	52.	43.12	50.	57.28	49.	11.27	47.	25.8	45.	38.31	43.	51.137	42.	4.26
3		40.	16.59	38.	29.14	36.	41.15	34.	53.2	33.	4.34	31.	15.52	29.	27.2	27.	38.3
4		25.	48.54	23.	59.40	22.	10.21	20.	20.59	18.	31.36	16.	42.48	14.	53.12	13.	64.10
5	Antares.	56.	45.30	54.	53.46	53.	1.56	51.	9.59	49.	17.50	47.	25.48	45.	33.38	43.	41.46
6		41.	49.11	39.	56.56	38.	4.42	36.	12.30	34.	20.21	32.	28.16	30.	36.18	28.	44.27
7		26.	52.43	25.	1.8	23.	9.45	21.	18.36	19.	27.40	17.	37.3	15.	46.44	13.	56.47
8		12.	7.13	9.	18.37	7.	26.14	6.	33.25	5.	41.53	3.	50.30	2.	59.32	1.	68.35
9	Fomalhaut.	80.	52.9	79.	8.59	77.	26.14	75.	43.53	74.	1.58	72.	20.30	70.	39.32	68.	59.2
10		67.	19.2	65.	39.33	64.	0.37	62.	22.14	60.	44.24	59.	7.9	57.	30.30	55.	54.29
11		54.	19.5	52.	44.27	51.	10.15	49.	36.54	48.	4.16	46.	22.24	45.	1.16	43.	51.1
12		42.	1.38	40.	33.7	39.	5.33	37.	39.4	36.	13.44	34.	27.12	32.	15.40	30.	27.29
13	α-Arietis.	91.	53.38	90.	20.8	88.	46.57	87.	14.6	85.	41.34	84.	9.21	82.	27.27	81.	5.50
14		79.	34.31	78.	3.29	76.	32.44	75.	2.15	73.	32.2	71.	21.15	69.	10.15	67.	1.15

Day	Stars Names.	Noon.		3 Hours.		6 Hours.		9 Hours.		12 Hours.		15 Hours.		18 Hours.		21 Hours.	
		(D.	M. S.	D.	M. S.	D.	M. S.	D.	M. S.	D.	M. S.	D.	M. S.	D.	M. S.	D.	M. S.
12		121. 12. 54	119. 42. 15	118. 12. 0	116. 42. 9	115. 12. 41	113. 43. 35	112. 14. 51	110. 46. 28								
13		109. 18. 26	107. 50. 46	105. 23. 25	104. 56. 24	103. 29. 42	102. 3. 19	100. 37. 14	99. 11. 27								
14		97. 45. 57	96. 20. 44	94. 55. 46	93. 31. 4	92. 6. 37	90. 42. 24	89. 18. 25	87. 54. 39								
15	The Sun.	86. 31. 16	85. 7. 45	83. 44. 35	82. 21. 36	80. 58. 47	79. 36. 8	78. 13. 38	76. 51. 46								
16		75. 29. 13	74. 6. 57	72. 44. 57	71. 23. 4	70. 1. 16	68. 39. 34	67. 17. 56	65. 56. 21								
17		64. 34. 51	63. 13. 24	61. 51. 58	60. 30. 34	59. 9. 12	57. 47. 51	56. 26. 30	55. 5. 9								
18		53. 43. 48	52. 22. 26	51. 1. 3	49. 39. 37	48. 18. 10	46. 56. 40	45. 35. 7	44. 13. 29								
19		42. 51. 48															
24																	
25		57. 5. 11	55. 28. 36	53. 51. 50	52. 14. 54	50. 37. 47	49. 0. 29	47. 23. 1	45. 45. 23								
26	Regulus.	44. 7. 35	42. 29. 38	40. 51. 31	39. 13. 15	37. 34. 50	35. 56. 15	34. 17. 32	32. 38. 42								
27		30. 59. 46	29. 20. 42	27. 41. 35	26. 2. 27	24. 23. 18	22. 44. 12	21. 5. 11	19. 26. 15								
28		17. 47. 16															
28		71. 28. 7	69. 46. 30	68. 4. 41	66. 22. 40	64. 40. 27	62. 58. 2	61. 15. 25	59. 32. 36								
29		57. 49. 35	56. 6. 21	54. 22. 56	52. 39. 19	50. 55. 31	49. 11. 31	47. 27. 20	45. 42. 58								
30	Spica ♀	43. 58. 25	42. 13. 41	40. 28. 47	38. 43. 44	36. 58. 31	35. 19. 8	33. 27. 37	31. 41. 59								
31		29. 50. 13	28. 10. 19	26. 24. 20	24. 38. 17	22. 52. 13	21. 6. 12	19. 20. 13	17. 34. 17								
R. 1		15. 48. 46															

Distances of γ 's Center from Sun, and from Stars west of her.

Days.	Stars Names.	Noon.	3 Hours.	6 Hours.	9 Hours.	12 Hours.	15 Hours.	18 Hours.	21 Hours.
		D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.
1	The Sun.	91. 21. 5	92. 56. 57	94. 33. 9	96. 9. 40	97. 45. 30	99. 23. 39	101. 1. 8	102. 38. 56
2		104. 17. 3	105. 55. 30	107. 34. 15	109. 13. 20	110. 52. 44	112. 32. 27	114. 12. 28	115. 52. 47
3		117. 33. 25	119. 14. 20	120. 55. 33	122. 37. 2	124. 18. 49			
1	Pollux.	22. 29. - 0	24. 11. 52	25. 55. 4	27. 38. 38	29. 22. 32	31. 6. 47	32. 51. 22	34. 36. 17
2		36. 21. 32	38. 7. 7	39. 53. 1	41. 39. 15	43. 25. 48	45. 12. 40	46. 59. 50	48. 47. 19
3		50. 35. 7	52. 23. 13	54. 11. 37	56. 0. 18	57. 49. 16	59. 38. 31	61. 28. 2	63. 17. 48
4		65. 7. 50							
4	Regulus.	28. 52. 3	30. 41. 3	32. 30. 21	34. 20. 0	36. 9. 55	38. 0. 8	39. 50. 36	41. 41. 18
5		43. 32. 14	45. 23. 21	47. 14. 38	49. 6. 4	50. 57. 38	52. 49. 19	54. 41. 4	56. 32. 53
6		58. 24. 46	60. 16. 41	62. 8. 36	64. 0. 30	65. 52. 23	67. 44. 15	69. 36. 1	71. 27. 42
7		73. 19. 17							
7	Spica α	19. 21. 58	21. 12. 19	23. 2. 42	24. 53. 5	26. 43. 26	28. 33. 43	30. 23. 54	32. 13. 57
8		34. 3. 50	35. 53. 30	37. 42. 56	39. 32. 7	41. 21. 4	43. 9. 42	44. 58. 2	46. 46. 3
9		48. 33. 46	50. 21. 8	52. 8. 8	53. 54. 47	55. 41. 5	57. 27. 0	59. 12. 31	60. 57. 39
10		62. 42. 24	64. 26. 43	66. 10. 38	67. 54. 8	69. 37. 14	71. 19. 54	73. 2. 9	74. 43. 59
11		76. 25. 23							

Days	Stars Names.	Noon.	3 Hours.	6 Hours.	9 Hours.	12 Hours.	15 Hours.	18 Hours.	21 Hours.
	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. M.	D. M. S.	D. M. S.	D. M. S.
11		30. 31. 7	32. 12. 7	33. 52. 42	35. 32. 53	37. 12. 39	38. 52. 1	40. 30. 59	42. 9. 33
12		43. 47. 44	45. 25. 30	47. 2. 54	48. 39. 54	50. 16. 32	51. 52. 48	53. 28. 43	55. 4. 17
13		50. 39. 30	58. 14. 20	59. 48. 51	61. 23. 3	62. 56. 55	64. 30. 29	66. 3. 45	67. 36. 44
14	Antares.	69. 9. 26	70. 41. 50	72. 13. 59	73. 45. 53	75. 17. 31	76. 48. 55	78. 20. 6	79. 51. 5
15		81. 21. 50	82. 52. 23	84. 22. 45	85. 52. 57	87. 22. 58	88. 52. 49	90. 22. 32	91. 52. 6
16		93. 21. 32	94. 50. 51	96. 20. 3	97. 49. 9	99. 18. 9	100. 47. 4	102. 15. 54	103. 44. 42
17		105. 13. 27							
17		60. 55. 1	62. 2. 49	63. 11. 4	64. 19. 45	65. 28. 51	66. 38. 21	67. 48. 14	68. 58. 28
18	z Aquila.	70. 9. 2	71. 19. 55	72. 31. 6	73. 42. 34	74. 54. 19	76. 6. 19	77. 18. 33	78. 31. 1
19		79. 43. 42	80. 56. 36	82. 9. 40	83. 22. 56	84. 36. 22	85. 49. 58	87. 3. 42	88. 17. 34
20		89. 31. 33	90. 45. 39	91. 59. 50	93. 14. 6	94. 28. 26			
26		37. 36. 28	39. 7. 38	40. 39. 0	42. 10. 35	43. 42. 22	45. 14. 22	46. 46. 34	48. 18. 59
27		49. 51. 36	51. 24. 26	52. 57. 29	54. 30. 44	56. 4. 11	57. 37. 50	59. 11. 42	60. 45. 46
28		62. 20. 2	63. 54. 31	65. 29. 13	67. 4. 8	68. 39. 15	70. 14. 34	71. 50. 6	73. 25. 50
29	The Sun.	75. 1. 46	76. 37. 55	78. 14. 17	79. 50. 51	81. 27. 37	83. 4. 35	84. 41. 46	86. 19. 8
30		87. 56. 42	89. 34. 28	91. 12. 25	92. 50. 34	94. 28. 55	96. 7. 27	97. 46. 11	99. 25. 5
31		101. 4. 11	102. 43. 28	104. 22. 56	106. 2. 33	107. 42. 21	109. 22. 18	111. 2. 25	112. 42. 41
J. 1		114. 23. 6							

Configurations of the SATELLITES of JUPITER at 11 o' Clock at Night.

1			1. ☉	4.	3. 2.
2			4. 3 6 2 ☉		1.
3		4. 3.	1. ☉		
4		3.	☉		1. 2.
5			1. 3 ☉		2.
6			2. ☉		1. 3.
7			1. 2 ☉		3.
8		4.	☉	2 6 3	1 6
9			4 2 6 3 ☉		1.
10			3. 2. 1. ☉		4.
11			☉	1 8 2	4.
12			1 6 3 ☉		2.
13			2. ☉		1. 3. 4.
14			1. 2 ☉		2.
15			☉	1. 2. 3.	4.
16	2 6 3		☉		1 6
17			3. 2. 1. ☉		4.
18			3. ☉		2. 1. 4 6
19			4. 3. 1. ☉		2.
20			4. 2. ☉		3. 1.
21			2 6 1 ☉		3.
22			☉		1. 2. 3.
23			1. ☉		2. 3.
24			3. 2. 1. ☉		
25			3. 4. ☉		2. 1.
26			3. 1. 4. ☉		2.
27			2. ☉		3. 4 6 1
28			2. 1. ☉		3. 4.
29			☉		1. 2. 3. 4.
30			1. ☉		2. 3. 4.
31	1 6		2. 1. ☉		4.

Days of the Month.	Days of the Week.	Sundays, Holidays, &c.	Phases of the Moon.	
				D. H. M.
1	F.	Nicomede. Oxf T. ends,	Full Moon	— 5. 20. 53
2	Sa.		Last Quarter	— 13. 9. 5
			New Moon	— 21. 8. 34
			First Quarter	— 28. 8. 28
3	Su.	<i>Whit-Sunday.</i> <i>Whit Mon. K. Geo. III. b.</i> <i>Whit-Tuesday. Pr. Ern.</i> <i>[Aug. b. Boniface.</i>	Other Phenomena.	
4	M.		D.	
5	Tu.		1. ☾ ♁ 2 ^h . 28'.	
6	W.		☽ ♁ 15 ^h . 55'.	
7	Th.		2. ☾ ♁ 22 ^h . 56'.	
8	F.		3. ☾ ♁ 12 ^h . 24'.	
9	Sa.		☽ 1 ad ♁ 22 ^h . 12'.	
10	Su.	<i>Tr. Su. Prs. Amelia born.</i> <i>St. Barn. On mor. of H.</i> [Trin. 1 ret.	4. ☽ ♁ 17 ^h . 25'.	
11	M.		7. ☽ ♁ 9 ^h . 25'.	
12	Tu.	Oxford Term begins.	☽ ♁ 17 ^h . 37'.	
13	W.		10. ☽ ♁ 10 ^h . 25'.	
14	Th.	Trinity Term begins.	11. ☽ Stationary.	
15	F.		12. ☽ 1 ad ↓ ♁ 13 ^h . 21'.	
16	Sa.		☽ 2 ad ↓ ♁ 14 ^h . 15'.	
			☽ 3 ad ↓ ♁ 1m. 13 ^h . 34 ¹ / ₂ . * 3 ¹ / ₂ N. of ☽ cent. Em. 14 ^h . 45'.	
17	Su.	<i>1st Su. aft. Tr. St. Alban.</i> <i>In 8 days of H. Tr. 2 ret.</i> <i>Transl. Ed. K. of W. Sax.</i>	* 0 ¹ / ₄ S.	
18	M.		16. ♁ = ♀ diff. Lat. 11'.	
19	Tu.		17. ☽ ♁ ♁ 23 ^h . 19'.	
20	W.		20. ☽ enters ♁ at 15 ^h . 40'.	
21	Th.		23. ☽ 2 ad ↓ ♁ 6 ^h . 15'.	
22	F.		25. ☽ ♁ ♁ 8 ^h . 2'.	
23	Sa.		27. ☽ ♁ ♁ 23 ^h . 2'.	
24	Su.	<i>2^d S. aft. Tr. St. John Bap.</i> <i>In 15 days of H. T. 3 ret.</i> <i>St. Peter.</i>	28. ☽ ♁ ♁ 8 ^h . 6'.	
25	M.		☽ ♁ ♁ 21 ^h . 47'.	
26	Tu.		30. ☽ ♁ ♁ 5 ^h . 31'.	
27	W.		☽ ♁ ♁ 19 ^h . 20'.	
28	Th.			
29	F.			
30	Sa.			

Days of the Month.	Days of the Week.	Sun's Longitude.	Sun's Right Asc. in Time.	Sun's Declin. North.	Equat. of Time Sub.	Diff.
		S. D. M. S.	H. M. S.	D. M. S.	M. S.	S.
1	F.	2. 11. 13. 51	4. 38. 41, 1	22. 9. 12	2. 34, 8	
2	Sa.	2. 12. 11. 15	4. 42. 46, 9	22. 16. 57	2. 25, 6	9, 2
3	Su.	2. 13. 8. 38	4. 46. 53, 0	22. 24. 19	2. 16, 0	9, 6
4	M.	2. 14. 6. 0	4. 50. 59, 5	22. 31. 17	2. 6, 1	9, 9
5	Tu.	2. 15. 3. 21	4. 55. 6, 3	22. 37. 52	1. 55, 9	10, 2
6	W.	2. 16. 0. 41	4. 59. 13, 4	22. 44. 3	1. 45, 4	10, 5
7	Th.	2. 16. 58. 0	5. 3. 20, 8	22. 49. 50	1. 34, 6	10, 8
8	F.	2. 17. 55. 19	5. 7. 28, 5	22. 55. 13	1. 23, 5	11, 1
9	Sa.	2. 18. 52. 37	5. 11. 36, 5	23. 0. 12	1. 12, 1	11, 4
10	Su.	2. 19. 49. 55	5. 15. 44, 8	23. 4. 47	1. 0, 4	11, 7
11	M.	2. 20. 47. 12	5. 19. 53, 3	23. 8. 57	0. 48, 5	11, 9
12	Tu.	2. 21. 44. 29	5. 24. 2, 0	23. 12. 43	0. 36, 3	12, 2
13	W.	2. 22. 41. 46	5. 28. 11, 0	23. 16. 5	0. 23, 9	12, 4
14	Th.	2. 23. 39. 2	5. 32. 20, 1	23. 19. 2	0. 11, 4	12, 5
15	F.	2. 24. 36. 18	5. 36. 29, 3	23. 21. 35	Ad: 1, 2	12, 6
16	Sa.	2. 25. 33. 34	5. 40. 38, 6	23. 23. 43	0. 13, 9	12, 7
17	Su.	2. 26. 30. 50	5. 44. 48, 1	23. 25. 26	0. 26, 8	12, 9
18	M.	2. 27. 28. 6	5. 48. 57, 7	23. 26. 44	0. 39, 8	13, 0
19	Tu.	2. 28. 25. 22	5. 53. 7, 4	23. 27. 37	0. 52, 9	13, 1
20	W.	2. 29. 22. 37	5. 57. 17, 0	23. 28. 6	1. 5, 9	13, 0
21	Th.	3. 0. 19. 52	6. 1. 26, 6	23. 28. 10	1. 19, 0	13, 1
22	F.	3. 1. 17. 7	6. 5. 36, 3	23. 27. 49	1. 32, 0	13, 0
23	Sa.	3. 2. 14. 21	6. 9. 45, 8	23. 27. 3	1. 45, 0	13, 0
24	Su.	3. 3. 11. 35	6. 13. 55, 3	23. 25. 52	1. 57, 9	12, 9
25	M.	3. 4. 8. 49	6. 18. 4, 6	23. 24. 17	2. 10, 7	12, 8
26	Tu.	3. 5. 6. 2	6. 22. 13, 8	23. 22. 17	2. 23, 3	12, 6
27	W.	3. 6. 3. 15	6. 26. 22, 9	23. 19. 52	2. 35, 7	12, 4
28	Th.	3. 7. 0. 27	6. 30. 31, 8	23. 17. 3	2. 48, 0	12, 3
29	F.	3. 7. 57. 39	6. 34. 40, 4	23. 13. 49	3. 0, 1	12, 1
30	Sa.	3. 8. 54. 51	6. 38. 48, 8	23. 10. 11	3. 11, 9	11, 8
						11, 5

Days.	Semidia- meter of the Sun.	Time of D ^c passing the Meridian.	Hourly Motion of the Sun.	Logarithm of the Sun's Diftance.	Place of the Moon's Node.
	M. S.	M. S.	M. S.		S. D. M.
1	15. 48, 8	1. 8, 4	2. 23, 6	0, 006359	1. 2. 40
7	15. 48, 1	1. 8, 6	2. 23, 3	0, 006666	1. 2. 21
13	15. 47, 5	1. 8, 7	2. 23, 2	0, 006925	1. 2. 2
19	15. 47, 2	1. 8, 8	2. 23, 1	0, 007119	1. 1. 43
25	15. 46, 9	1. 8, 8	2. 23, 0	0, 007217	1. 1. 24

Eclipses of the SATELLITES of J U P I T E R.

I. Satellite. Emerfions.		II. Satellite. Emerfions.		III. Satellite.	
Days	H. M. S.	Days	H. M. S.	Days	H. M. S.
2	6. 26. 5	3	5. 9. 15	6	20. 6. 55 I.
4	0. 54. 30	6	18. 25. 38	6	21. 49. 11 E.
5	19. 22. 54	10	7. 42. 5	14	0. 4. 14 I.
7	13. 51. 19	13	20. 58. 30	14	1. 47. 20 E.
9	8. 19. 43	17	10* 14. 56	21	4. 1. 36 I.
11	2. 48. 5	20	23. 31. 34	21	5. 45. 31 E.
12	21. 16. 27	24	12. 48. 0	28	7. 59. 4 I.
14	15. 44. 49	28	2. 4. 33	28	9* 43. 48 E.
16	10* 13. 11			IV. Satellite. Conj.	
18	4. 41. 34			3	20. 44 Sup.
19	23. 9. 57			12	5. 22 Inf.
21	17. 38. 20			20	11* 33 Sup.
23	12* 6. 43			28	20. 37 Inf.
25	6. 35. 6				
27	1. 3. 31				
28	19. 31. 55				
30	14. 0. 22				

Days.	Heliocentric Longitude.		Heliocentric Latitude.		Geocentric Longitude.		Geocentric Latitude.		Declination.	Passage over Merid.
	S.	D.	M.	D.	M.	S.	D.	M.	D.	H.
MERCURY. Sup. δ 6 ^d . 12 ^h $\frac{1}{2}$.										
1	1.	12.	20	0. 25 S	4.	4.	29	0. 6 S	20. 58 N	23. 36
4	2.	0.	43	1. 49 N	2.	10.	59	0. 26 N	22. 32	23. 52
7	2.	19.	37	3. 55	4.	17.	35	0. 55	23. 47	0. 2
10	3.	8.	24	5. 34	2.	24.	9	1. 19	24. 39	0. 18
13	3.	26.	26	6. 37	3.	0.	35	1. 38	25. 6	0. 34
16	4.	13.	15	7. 0	3.	6.	47	1. 51	25. 8	0. 49
19	4.	28.	40	6. 49	3.	12.	42	1. 57	24. 48	1. 3
22	5.	12.	39	6. 16	3.	18.	18	1. 56	24. 8	1. 15
25	5.	25.	21	5. 24	3.	23.	35	1. 49	23. 12	1. 25
28	6.	6.	56	4. 24	3.	28.	31	1. 37	22. 4	1. 33
31	6.	14.	8	3. 41	4.	1.	39	1. 26	21. 13	1. 38
VENUS. Sup. δ 2 ^d . 2 ^h $\frac{1}{2}$.										
1	2.	10.	32	0. 15 S	2.	10.	56	0. 6 S	22. 0 N	0. 0
7	2.	20.	12	0. 20 N	2.	18.	18	0. 8 N	23. 5	0. 6
13	2.	29.	54	0. 53	2.	25.	41	0. 22	23. 46	0. 13
19	3.	9.	37	1. 25	3.	3.	3	0. 35	24. 1	0. 20
25	3.	19.	20	1. 56	3.	10.	26	0. 48	23. 52	0. 27
MARS.										
1	8.	26.	13	1. 9 S	9.	25.	10	3. 4 S	24. 8 S	15. 9
7	8.	29.	40	1. 14	9.	25.	44	3. 30	24. 28	14. 48
13	9.	3.	9	1. 19	9.	25.	50	3. 57	24. 53	14. 24
19	9.	6.	40	1. 23	9.	25.	30	4. 24	25. 23	13. 58
25	9.	10.	12	1. 28	9.	24.	40	4. 50	25. 58	13. 29
JUPITER.										
1	7.	24.	7	0. 56 N	7.	20.	15	1. 8 N	16. 44 S	10. 31
7	7.	24.	35	0. 55	7.	19.	36	1. 7	16. 35	10. 4
13	7.	25.	3	0. 55	7.	19.	2	1. 5	16. 27	9. 37
19	7.	25.	31	0. 54	7.	18.	33	1. 4	16. 21	9. 10
25	7.	25.	59	0. 54	7.	18.	10	1. 2	16. 15	8. 44
SATURN. δ 6 ^d . 19 ^h $\frac{1}{2}$.										
1	8.	16.	36	1. 27 N	8.	17.	12	1. 37 N	21. 14 S	12. 24
7	8.	16.	47	1. 26	8.	16.	46	1. 37	21. 12	11. 58
13	8.	16.	58	1. 26	8.	16.	20	1. 36	21. 10	11. 31
19	8.	17.	9	1. 25	8.	15.	54	1. 35	21. 9	11. 4
25	8.	17.	19	1. 25	8.	15.	27	1. 34	21. 7	10. 37

V. JUNE 1781. [65]

Days of the Month.	Days of the Week.	Moon's Longitude at Noon.	Moon's Longitude at Midnight.	Moon's Latitude at Noon.	Moon's Latitude at Midn.
		S. D. M. S.	S. D. M. S.	D. M. S.	D. M. S.
1	F.	6. 5. 38. 28	6. 12. 49. 52	2. 28. 21 N	1. 52. 47 N
2	Sa.	6. 20. 2. 54	6. 27. 17. 12	1. 15. 14 N	0. 36. 25 N
3	Su.	7. 4. 32. 13	7. 11. 47. 29	0. 3. 2 S	0. 42. 26 S
4	M.	7. 19. 2. 16	7. 26. 15. 58	1. 21. 3	1. 58. 14
5	Tu.	8. 3. 27. 50	8. 10. 37. 13	2. 33. 19	3. 5. 45
6	W.	8. 17. 43. 19	8. 24. 45. 34	3. 34. 59	4. 0. 39
7	Th.	9. 1. 43. 26	9. 8. 36. 22	4. 22. 26	4. 40. 5
8	F.	9. 15. 24. 1	9. 22. 6. 9	4. 53. 32	5. 2. 44
9	Sa.	9. 28. 42. 37	10. 5. 13. 25	5. 7. 45	5. 8. 40
10	Su.	10. 11. 38. 42	10. 17. 58. 40	5. 5. 39	4. 58. 54
11	M.	10. 24. 13. 40	11. 0. 24. 5	4. 48. 42	4. 35. 11
12	Tu.	11. 6. 30. 24	11. 12. 33. 7	4. 18. 41	3. 59. 29
13	W.	11. 18. 32. 56	11. 24. 30. 19	3. 37. 45	3. 13. 47
14	Th.	0. 0. 26. 7	0. 6. 20. 48	2. 47. 51	2. 20. 10
15	F.	0. 12. 15. 5	0. 18. 9. 43	1. 51. 2	1. 20. 42
16	Sa.	0. 24. 5. 11	1. 0. 2. 13	0. 49. 26 S	0. 17. 32 S
17	Su.	1. 6. 1. 20	1. 12. 3. 3	0. 14. 45 N	0. 47. 3 N
18	M.	1. 18. 7. 50	1. 24. 16. 9	1. 19. 3	1. 50. 25
19	Tu.	2. 0. 28. 19	2. 6. 44. 36	2. 20. 46	2. 49. 40
20	W.	2. 13. 5. 7	2. 19. 30. 2	3. 16. 48	3. 41. 40
21	Th.	2. 25. 59. 22	3. 2. 33. 3	4. 4. 0	4. 23. 17
22	F.	3. 9. 10. 55	3. 15. 52. 48	4. 39. 13	4. 51. 30
23	Sa.	3. 22. 38. 20	3. 29. 27. 17	4. 59. 50	5. 3. 58
24	Su.	4. 6. 19. 15	4. 13. 13. 54	5. 3. 46	4. 59. 8
25	M.	4. 20. 10. 44	4. 27. 9. 33	4. 50. 4	4. 36. 40
26	Tu.	5. 4. 9. 51	5. 11. 11. 26	4. 19. 2	3. 57. 27
27	W.	5. 18. 13. 59	5. 25. 17. 12	3. 32. 12	3. 3. 38
28	Th.	6. 2. 21. 6	6. 9. 25. 19	2. 32. 16	1. 58. 29
29	F.	6. 16. 29. 45	6. 23. 34. 19	1. 22. 52	0. 46. 0 N
30	Sa.	7. 0. 38. 48	7. 7. 43. 3	0. 8. 22	0. 29. 19 S

Days of the Month.	Days of the Week.	D's Age.	D's Passage over Merid.	D's Right Ascen. at Noon.	D's Right Asc. at Midn.	D's Declinat. at Noon.	D's Declin. at Midn.
			H. M.	D. M.	D. M.	D. M.	D. M.
1	F.	11	8. 2	186. 9	192. 32	0. 2 N	3. 21 S
2	Sa.	12	8. 51	198. 59	205. 32	6. 41 S	9. 57
3	Su.	13	9. 43	212. 15	219. 7	13. 6	16. 4
4	M.	14	10. 38	226. 11	233. 27	18. 48	21. 16
5	Tu.	15	11. 36	240. 54	248. 32	23. 23	25. 8
6	W.	16	12. 36	256. 17	264. 7	26. 28	27. 22
7	Th.	17	13. 37	271. 57	279. 43	27. 50	27. 51
8	F.	18	14. 35	287. 21	294. 47	27. 26	26. 38
9	Sa.	19	15. 29	302. 0	308. 57	25. 27	23. 58
10	Su.	20	16. 17	315. 38	322. 3	22. 12	20. 12
11	M.	21	17. 3	328. 13	334. 10	17. 59	15. 38
12	Tu.	22	17. 45	339. 54	345. 28	13. 8	10. 32
13	W.	23	18. 25	350. 54	356. 15	7. 52	5. 9 S
14	Th.	24	19. 4	1. 31	6. 45	2. 24 S	0. 23 N
15	F.	25	19. 43	11. 59	17. 16	3. 9 N	5. 53
16	Sa.	26	20. 24	22. 36	28. 3	8. 35	11. 13
17	Su.	27	21. 7	33. 37	39. 21	13. 46	16. 13
18	M.	28	21. 54	45. 16	51. 25	18. 31	20. 39
19	Tu.	29	22. 44	57. 46	64. 22	22. 34	24. 15
20	W.	30	23. 40	71. 12	78. 15	25. 39	26. 44
21	Th.	1	0	85. 29	92. 53	27. 28	27. 50
22	F.	2	0. 37	100. 21	107. 52	27. 47	27. 21
23	Sa.	3	1. 35	115. 22	122. 47	26. 30	25. 14
24	Su.	4	2. 32	130. 5	137. 14	23. 37	21. 38
25	M.	5	3. 26	144. 13	151. 1	19. 21	16. 48
26	Tu.	6	4. 17	157. 40	164. 11	14. 1	11. 2
27	W.	7	5. 5	170. 35	176. 54	7. 55	4. 41 N
28	Th.	8	5. 53	183. 10	189. 26	1. 23 N	1. 55 S
29	F.	9	6. 41	195. 44	202. 6	5. 13 S	8. 27
30	Sa.	10	7. 31	208. 35	215. 11	11. 35	14. 34

VII. JUNE 1781. [67]

Days of the Month.	Days of the Week.	Semid. ☽ at Noon.	Semid. ☽ at Mid-night.	Hor. Par. ☽ at Noon.	Hor. Par. ☽ at Midnight.	Proport. Lo-ear. at Noon.	Proport. Lo-ear. at Midn.
		M. S.	M. S.	M. S.	M. S.		
1	F.	16. 18	16. 20	59. 51	59. 53	4782	4773
2	Sa.	16. 22	16. 23	60. 4	60. 8	4766	4761
3	Su.	16. 23	16. 23	60. 8	60. 6	4761	4764
4	M.	16. 21	16. 19	60. 0	59. 52	4771	4781
5	Tu.	16. 16	16. 12	59. 40	59. 27	4795	4811
6	W.	16. 7	16. 2	59. 10	58. 51	4832	4855
7	Th.	15. 56	15. 50	58. 30	58. 8	4881	4908
8	F.	15. 44	15. 38	57. 45	57. 22	4937	4966
9	Sa.	15. 32	15. 25	56. 59	56. 35	4995	5026
10	Su.	15. 19	15. 13	56. 13	55. 52	5054	5081
11	M.	15. 8	15. 4	55. 33	55. 16	5106	5128
12	Tu.	15. 0	14. 56	55. 1	54. 48	5148	5165
13	W.	14. 53	14. 51	54. 38	54. 30	5178	5189
14	Th.	14. 50	14. 49	54. 25	54. 22	5195	5199
15	F.	14. 49	14. 49	54. 22	54. 24	5199	5197
16	Sa.	14. 51	14. 53	54. 29	54. 36	5190	5181
17	Su.	14. 55	14. 58	54. 45	54. 56	5169	5154
18	M.	15. 2	15. 6	55. 9	55. 23	5137	5119
19	Tu.	15. 10	15. 14	55. 38	55. 54	5099	5079
20	W.	15. 19	15. 23	56. 11	56. 28	5056	5035
21	Th.	15. 28	15. 33	56. 46	57. 3	5012	4990
22	F.	15. 38	15. 42	57. 21	57. 37	4967	4947
23	Sa.	15. 46	15. 50	57. 52	58. 7	4928	4910
24	Su.	15. 54	15. 57	58. 20	58. 32	4893	4878
25	M.	16. 0	16. 3	58. 44	58. 53	4864	4853
26	Tu.	16. 5	16. 7	59. 2	59. 9	4842	4833
27	W.	16. 9	16. 10	59. 15	59. 20	4826	4820
28	Th.	16. 11	16. 12	59. 24	59. 26	4815	4812
29	F.	16. 12	16. 12	59. 28	59. 28	4810	4810
30	Sa.	16. 12	16. 11	59. 27	59. 25	4811	4813

Distances of β 's Center from Sun, and from Stars west of her.

Days.	Stars Names.	Noon.	3 Hours.	6 Hours.	9 Hours.	12 Hours.	15 Hours.	18 Hours.	21 Hours.
		D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.
1	The Sun.	114. 23. 6	116. 3. 39	117. 44. 22	119. 25. 13	121. 6. 12			
1		38. 53. 18	40. 40. 29	42. 27. 52	44. 15. 25	46. 3. 8	47. 51. 1	49. 39. 2	51. 27. 11
2	Regulus.	53. 15. 28	55. 3. 53	56. 52. 23	58. 40. 59	60. 29. 49	62. 18. 25	64. 7. 13	65. 56. 3
3		67. 44. 56	69. 33. 50	71. 22. 45	73. 11. 39	75. 0. 34			
3						21. 1. 58	22. 49. 56	24. 38. 0	26. 26. 9
4		28. 14. 20	30. 2. 32	31. 50. 44	33. 38. 54	35. 27. 0	37. 14. 58	39. 2. 50	40. 50. 34
5	Spica α	42. 38. 11	44. 25. 39	46. 12. 57	48. 0. 4	49. 46. 59	51. 33. 41	53. 20. 8	55. 6. 22
6		56. 52. 21	58. 38. 4	60. 23. 30	62. 8. 40	63. 53. 34	65. 38. 10	67. 22. 28	69. 6. 27
7		70. 50. 8							
7		24. 55. 56	26. 39. 12	28. 22. 9	30. 4. 47	31. 47. 6	33. 29. 5	35. 10. 44	36. 52. 2
8		38. 33. 0	40. 13. 37	41. 53. 52	43. 33. 47	45. 13. 20	46. 52. 31	48. 31. 20	50. 9. 49
9		51. 47. 56	53. 25. 42	55. 3. 7	56. 40. 12	58. 16. 56	59. 53. 19	61. 29. 22	63. 5. 5
10	Antares.	64. 40. 28	66. 15. 31	67. 50. 16	69. 24. 42	70. 58. 49	72. 32. 39	74. 6. 11	75. 39. 27
11		77. 12. 25	78. 45. 6	80. 17. 32	81. 49. 43	83. 21. 39	84. 53. 21	86. 24. 49	87. 56. 4
12		89. 27. 5	90. 57. 53	92. 28. 30	93. 58. 56	95. 29. 11	96. 59. 17	98. 29. 15	99. 59. 4
13		101. 28. 44	102. 58. 15	104. 27. 40	105. 56. 50	107. 26. 5			

XI.

JUNE 1781.

[71]

Days.	Stars Names.	Noon.	3 Hours.	6 Hours.	9 Hours.	12 Hours.	15 Hours.	18 Hours.	21 Hours.
		D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.
13						62. 30. 37	63. 39. 35	64. 48. 56	65. 58. 37
14	<i>α</i> Aquila.	67. 8. 39	68. 19. 0	69. 29. 39	70. 40. 36	71. 51. 49	73. 3. 18	74. 15. 4	75. 27. 3
15		76. 39. 15	77. 51. 39	79. 4. 15	80. 17. 2	81. 30. 0	82. 43. 8	83. 56. 25	85. 9. 53
16		86. 23. 28							
16	Fomalhaut.	55. 45. 56	57. 10. 0	58. 34. 21	59. 58. 57	61. 23. 49	62. 48. 57	64. 14. 20	65. 39. 59
17		67. 5. 53	68. 32. 2	69. 58. 25	71. 25. 3	72. 51. 56	74. 19. 3	75. 46. 25	77. 14. 1
18		78. 41. 52	80. 9. 57	81. 38. 18	83. 6. 53	84. 35. 43			
18						21. 9. 51	22. 32. 41	23. 56. 44	25. 21. 56
19	<i>α</i> Arietis.	26. 48. 11	28. 15. 25	29. 43. 32	31. 12. 28	32. 42. 7	34. 12. 25	35. 43. 18	37. 14. 40
20		38. 46. 25							
24						39. 49. 25	41. 25. 11	43. 1. 10	44. 37. 20
25		46. 13. 41	47. 50. 12	49. 26. 53	51. 3. 42	52. 40. 40	54. 17. 44	55. 54. 55	57. 32. 13
26		59. 9. 39	60. 47. 12	62. 24. 52	64. 2. 38	65. 40. 30	67. 18. 28	68. 56. 31	70. 34. 38
27	The Sun.	72. 12. 51	73. 51. 7	75. 29. 27	77. 7. 51	78. 46. 19	80. 24. 53	82. 3. 31	83. 42. 12
28		85. 20. 56	86. 59. 42	88. 38. 30	90. 17. 20	91. 56. 12	93. 35. 6	95. 14. 1	96. 52. 58
29		98. 31. 56	100. 10. 56	101. 49. 57	103. 28. 58	105. 7. 59	106. 46. 59	108. 25. 59	110. 4. 58
30		111. 43. 56	113. 22. 53	115. 1. 48	116. 40. 41	118. 19. 32	119. 58. 20	121. 37. 4	
28						42. 38. 58	44. 24. 46	46. 10. 38	47. 56. 33
29	Regulus.	49. 42. 32	51. 28. 34	53. 14. 38	55. 0. 44	56. 46. 52	58. 33. 0	60. 19. 9	62. 5. 18
30		63. 51. 28	65. 37. 38	67. 23. 48	69. 9. 57	70. 56. 5	72. 42. 11	74. 28. 16	76. 14. 18
J. 1		78. 0. 17							

Configurations of the SATELLITES of JUPITER at 10 o'Clock at Night.

1	2.0			⊙	.1			
2		2.					4.	
3			.3	⊙	1.	2.	4.	
4			2.	⊙	.3 .1			
5			4.	⊙			.3	
6		4.		⊙	1.	.2	3.	
7	4.			⊙	2.3.			
8	4.		2.3.	⊙	1.			2.0 1.0
9	4.		3.	⊙				
10		4.		⊙	1.			3.0
11			2 0 4.1.	⊙			.3	
12				⊙	.4	1.	.2	3.
13				⊙	2.3.		.4	
14			0	⊙				.4.
15			3.	⊙	.2.1			1.4
16	1 0		.3	⊙		.2		4.
17	2 0 3.9			⊙	.1			4.
18			.2	⊙	1.		.3	4.
19				⊙	1 0 2	4.	3.	9
20	4 0		.1	⊙		2.3.		
21			2 0 4.3.	⊙	1.			
22		4.	3.	⊙	.2.1			
23	4.		.3	⊙		.2		1 0
24	4.			⊙	.1			2 0
25	4.		.2	⊙	1.		.3	
26	4.			⊙	.2 1		.3	
27		4.	.1	⊙		2. 3.		
28			2. 3.	⊙	1.			
29			.1.	⊙	.2.1		.4	
30			.3	⊙	1.	2.	.4.	

Days of the Month.	Days of the Week.	Sundays, Holidays, &c.	Phases of the Moon.
			D. H. M.
			Full Moon — 5. 6. 18
			Last Quarter — 13. 2. 25
			New Moon — 20. 18. 33
			First Quarter — 27. 13. 5
			Other Phenomena.
			D.
1	Su.	3d Sunday after Trinity.	1. ☾ 1 ad ☽ 5 ^h . 24 ^l .
2	M.	Visitation of V. Mary.	2. ☾ ☽ 1 ^h . 7 ^l .
3	Tu.	Camb. Commencement.	☽ ☽ 10 ^h . 4 ^l .
4	W.	Transl. of S. Martin. Tr.	4. ☾ ☽ 18 ^h . 15 ^l .
5	Th.	[Term ends	☽ ☽ 22 ^h . 8 ^l .
6	F.	Cam. Term ends.	5. ☽ ☽ 2 ^h . 30 ^l .
7	Sa.		☽ ☽ 21 ^h . 21 ^l .
8	Su.	4th Sunday after Trinity.	7. ☽ ☽ 19 ^h . 7 ^l .
9	M.	Oxford Act.	9. ☽ 1 ad ☽ 21 ^h . 31 ^l .
10	Tu.		☽ 2 ad ☽ 22 ^h . 24 ^l .
11	W.		☽ 3 ad ☽ 22 ^h . 32 ^l .
12	Th.		15. ☽ ☽ 7 ^h . 30 ^l .
13	F.		16. ☽ Stationary.
14	Sa.	Oxford Term ends.	22. ☽ enters ♋ at 2 ^h . 30 ^l .
15	Su.	5th Sunday after Trinity.	☽ ♋ 14 ^h . 53 ^l .
16	M.	[Swithin.	25. ☽ ♋ 4 ^h . 37 ^l .
17	Tu.		☽ ♋ 13 ^h . 35 ^l .
18	W.		26. ☽ ♋ 3 ^h . 8 ^l .
19	Th.		27. ☽ ♋ 10 ^h . 51 ^l .
20	F.	Margaret.	☽ Stationary.
21	Sa.		28. ☽ ♋ 0 ^h . 47 ^l .
22	Su.	6th Sunday after Trinity.	☽ 1 ad ♋ 10 ^h . 57 ^l .
23	M.	[Magdalen.	29. ☽ ♋ 6 ^h . 58 ^l .
24	Tu.		☽ ♋ 16 ^h . 4 ^l .
25	W.	St. James.	
26	Th.	St. Anne.	
27	F.		
28	Sa.		
29	Su.	7th Sunday after Trinity.	
30	M.		
31	Tu.		

Days of the Month.	Days of the Week.	Sun's Longitude.	Sun's Right Asc. in Time.	Sun's Declin. South.	Equat. of Time. Add.	Diff.
		S. D. M. S.	H. M. S.	D. M. S.	M. S.	
1	Su.	3. 9. 52. 1	6. 42. 56, 8	23. 6. 10	3. 23, 4	11, 3
2	M.	3. 10. 49. 12	6. 47. 4. 8	23. 1. 43	3. 34, 7	11, 0
3	Tu.	3. 11. 46. 24	6. 51. 12, 4	22. 56. 52	3. 45, 7	10, 6
4	W.	3. 12. 43. 34	6. 55. 19, 5	22. 51. 37	3. 56, 3	10, 2
5	Th.	3. 13. 40. 44	6. 59. 26, 4	22. 45. 59	4. 6, 5	10, 0
6	F.	3. 14. 37. 55	7. 3. 33, 0	22. 39. 57	4. 16, 5	9, 6
7	Sa.	3. 15. 35. 6	7. 7. 39, 2	22. 33. 31	4. 26, 1	9, 2
8	Su.	3. 16. 32. 17	7. 11. 45, 0	22. 27. 42	4. 35, 3	8, 8
9	M.	3. 17. 29. 28	7. 15. 50, 4	22. 19. 29	4. 44, 1	8, 5
	Tu.	3. 18. 26. 40	7. 19. 55, 5	22. 11. 54	4. 52, 6	8, 1
11	W.	3. 19. 23. 53	7. 24. 0, 1	22. 3. 55	5. 0, 7	7, 6
12	Th.	3. 20. 21. 6	7. 28. 4, 3	21. 55. 34	5. 8, 3	7, 2
13	F.	3. 21. 18. 20	7. 32. 8, 1	21. 46. 50	5. 15, 5	6, 7
14	Sa.	3. 22. 15. 34	7. 36. 11, 3	21. 37. 44	5. 22, 2	6, 3
15	Su.	3. 23. 12. 50	7. 40. 14, 2	21. 28. 15	5. 28, 5	5, 9
16	M.	3. 24. 10. 6	7. 44. 16, 5	21. 18. 24	5. 34, 4	5, 3
17	Tu.	3. 25. 7. 24	7. 48. 18, 5	21. 8. 12	5. 39, 7	4, 7
18	W.	3. 25. 4. 41	7. 52. 19, 8	20. 57. 38	5. 44, 4	4, 2
19	Th.	3. 27. 1. 59	7. 56. 20, 6	20. 46. 43	5. 48, 6	3, 7
20	F.	3. 27. 59. 19	8. 0. 20, 9	20. 35. 26	5. 52, 3	3, 2
21	Sa.	3. 28. 56. 39	8. 4. 20, 7	20. 23. 49	5. 55, 5	2, 6
22	Su.	3. 29. 53. 59	8. 8. 19, 8	20. 11. 52	5. 58, 1	2, 1
23	M.	4. 0. 51. 20	8. 12. 18, 4	19. 59. 34	6. 0, 2	1, 4
24	Tu.	4. 1. 48. 41	8. 16. 16, 4	19. 46. 56	6. 1, 6	0, 9
25	W.	4. 2. 46. 3	8. 20. 13, 8	19. 33. 58	6. 2, 5	0, 2
26	Th.	4. 3. 43. 26	8. 24. 10, 6	19. 20. 41	6. 2, 7	0, 5
27	F.	4. 4. 40. 49	8. 28. 6, 7	19. 7. 5	6. 2, 2	1, 0
28	Sa.	4. 5. 38. 12	8. 32. 2, 2	18. 53. 10	6. 1, 2	1, 6
29	Su.	4. 6. 35. 36	8. 35. 57, 2	18. 38. 56	5. 59, 6	2, 3
30	M.	4. 7. 33. 0	8. 39. 51, 4	18. 24. 24	5. 57, 3	2, 9
31	Tu.	4. 8. 30. 25	8. 43. 45, 1	18. 9. 34	5. 54, 4	3, 4

Days.	Semidia- meter of the Sun.	Time of D ^o passing the Meridian.	Hourly Motion of the Sun.	Logarithm of the Sun's Dittance.	Place of the Moon's Node.
	M. S.	M. S.	M. S.		S. D. M.
1	15. 46,9	1. 8,6	2. 23,0	0. 007225	1. 1. 5
7	15. 47,0	1. 8,4	2. 23,0	0. 007174	1. 0. 46
13	15. 47,2	1. 8,0	2. 23,1	0. 007072	1. 0. 27
19	15. 47,6	1. 7,6	2. 23,2	0. 006896	1. 0. 8
25	15. 48,2	1. 7,1	2. 23,4	0. 006628	0. 29. 49

ECLIPSES of the SATELLITES of JUPITER.

I. Satellite. Emerfions.		II. Satellite. Emerfions.		III. Satellite.	
Days	H. M. S.	Days	H. M. S.	Days.	H. M. S.
2	8. 28. 48	1	15. 21. 14	5	11. 56. 41 I
4	2. 57. 17	5	4 38. 2	5	13. 42. 41 E
5	21. 25. 48	8	17. 54. 54	12	15. 54. 43 I
7	15. 54. 18	12	7. 11. 56	12	17. 41. 39 E
9	10*22. 49	15	20. 29. 8	19	19. 53. 6 I
11	4. 51. 22	19	9*46. 22	19	21. 40. 59 E
12	23. 19. 58	22	23. 3. 48	26	23. 51. 59 I
14	17. 48. 34	26	12. 21. 23	27	1. 40. 48 E
16	12. 17. 13	30	1. 39. 9	IV. Satellite. Conj.	
18	6. 45. 51			7	3. 13 Sup.
20	1. 14. 33			15	12. 46 Inf.
21	19. 43. 14			23	19. 52 Sup.
23	14. 11. 59				
25	8. 40. 44				
27	3. 9. 34				
28	21. 38. 23				
30	16. 7. 19				

Days.	Heliocentric Longitude.	Heliocentric Latitude.	Geocentric Longitude.	Geocentric Latitude.	Declination.	Passage over Merid.
	S. D. M.	D. M.	S. D. M.	D. M.	D. M.	H. M.
MERCURY. Gr. Elong. 13 ^d .						
1	6. 17. 37	3. 19 N	4. 3. 9	1. 19 N	20. 46 N	1. 40
4	6. 27. 32	2. 12	4. 7. 25	0. 57	19. 21	1. 45
7	7. 6. 53	1. 5 N	4. 11. 20	0. 30 N	17. 53	1. 48
10	7. 15. 47	0. 0	4. 14. 53	0. 0	16. 23	1. 49
13	7. 24. 22	1. 3 S	4. 18. 1	0. 34 S	14. 55	1. 49
16	8. 2. 44	2. 3	4. 20. 41	1. 10	13. 31	1. 47
19	8. 11. 0	3. 0	4. 22. 52	1. 49	12. 12	1. 42
22	8. 19. 14	3. 53	4. 24. 28	2. 29	11. 3	1. 35
25	8. 27. 33	4. 41	4. 25. 25	3. 8	10. 7	1. 27
28	9. 6. 2	5. 24	4. 25. 39	3. 44	9. 28	1. 15
31	9. 14. 46	6. 1	4. 25. 5	4. 16	9. 8	1. 0
VENUS.						
1	3. 29. 5	2. 22 N	3. 17. 48	1. 0 N	23. 16 N	0. 34
7	4. 8. 50	2. 45	3. 25. 11	1. 10	22. 16	0. 42
13	4. 18. 36	3. 3	4. 2. 33	1. 18	20. 52	0. 49
19	4. 28. 21	3. 15	4. 9. 56	1. 24	19. 8	0. 55
25	5. 8. 7	3. 22	4. 17. 19	1. 28	17. 4	1. 1
MARS. ♂ 12 ^d . 6 ^h $\frac{1}{2}$.						
1	9. 13. 48	1. 32 S	9. 23. 32	5. 15 S	26. 34 S	13. 0
7	9. 17. 25	1. 36	9. 22. 3	5. 37	27. 12	12. 28
13	9. 21. 3	1. 39	9. 20. 24	5. 54	27. 45	11. 57
19	9. 24. 43	1. 42	9. 18. 43	6. 4	28. 10	11. 26
25	9. 28. 24	1. 45	9. 17. 10	6. 9	28. 28	10. 55
JUPITER.						
1	7. 26. 27	0. 53 N	7. 17. 52	1. 1 N	16. 12 S	8. 18
7	7. 26. 55	0. 52	7. 17. 41	1. 0	16. 11	7. 53
13	7. 27. 23	0. 52	7. 17. 36	0. 58	16. 10	7. 28
19	7. 27. 51	0. 51	7. 17. 38	0. 57	16. 13	7. 4
25	7. 28. 19	0. 51	7. 17. 47	0. 55	16. 16	6. 40
SATURN.						
1	8. 17. 30	1. 25 N	8. 15. 4	1. 33 N	21. 5 S	10. 11
7	8. 17. 41	1. 25	8. 14. 42	1. 32	21. 4	9. 45
13	8. 17. 52	1. 24	8. 14. 23	1. 32	21. 2	9. 19
19	8. 18. 2	1. 24	8. 14. 6	1. 31	21. 1	8. 54
25	8. 18. 13	1. 23	8. 13. 51	1. 29	21. 0	8. 29

V. JULY 1781. [77]

Days of the Month.	Days of the Week.	Moon's Longitude at Noon.	Moon's Longitude at Midnight.	Moon's Latitude at Noon.	Moon's Latitude at Midn.
		S. D. M. S.	S. D. M. S.	D. M. S.	D. M. S.
1	Sa.	7. 14. 46. 52	7. 21. 49. 59	1. 6. 31 S	1.42.30 S
2	M.	7. 28. 52. 7	8. 5. 52. 59	2. 16. 50	2.48.59
3	Tu.	8. 12. 52. 8	8. 19. 49. 10	3. 18. 23	3.44.38
4	W.	8. 26. 43. 39	9. 3. 35. 11	4. 7. 23	4.26.21
5	Th.	9. 10. 23. 18	9. 17. 7. 40	4. 41. 21	4.52.16
6	F.	9. 23. 47. 56	10. 0. 23. 49	4. 59. 2	5. 1. 42
7	Sa.	10. 6. 55. 12	10. 13. 21. 57	5. 0. 22	4.55.13
8	Su.	10. 19. 44. 3	10. 26. 1. 36	4. 46. 25	4.34.13
9	M.	11. 2. 14. 49	11. 8. 23. 56	4. 18. 50	4. 0. 37
10	Tu.	11. 14. 29. 21	11. 20. 31. 29	3. 39. 47	3.16.38
11	W.	11. 26. 30. 50	0. 2. 27. 59	2. 51. 29	2.24.35
12	Th.	0. 8. 23. 29	0. 14. 18. 2	1. 56. 14	1.26.41
13	F.	0. 20. 12. 19	0. 26. 6. 58	0. 56. 12 S	0.25. 5 S
14	Sa.	1. 2. 2. 43	1. 8. 0. 14	0. 6. 23 N	0.37.57 N
15	Su.	1. 14. 0. 13	1. 20. 3. 15	1. 9. 16	1.40. 4
16	M.	1. 26. 9. 55	2. 2. 20. 54	2. 9. 59	2.38.42
17	Tu.	2. 8. 36. 32	2. 14. 57. 16	3. 5. 51	3.31. 2
18	W.	2. 21. 23. 18	2. 27. 54. 54	3. 53. 52	4.13.57
19	Th.	3. 4. 32. 9	3. 11. 14. 53	4. 30. 53	4.44.21
20	F.	3. 18. 2. 56	3. 24. 55. 59	4. 53. 57	4.59.24
21	Sa.	4. 1. 53. 36	4. 8. 55. 13	5. 0. 29	4.57. 3
22	Su.	4. 16. 0. 10	4. 23. 7. 46	4. 49. 2	4.36.29
23	M.	5. 0. 17. 20	5. 7. 28. 6	4. 19. 30	3.58.22
24	Tu.	5. 14. 39. 27	5. 21. 50. 44	3. 33. 23	3. 5. 0
25	W.	5. 29. 1. 27	6. 6. 11. 9	2. 33. 41	1.59.58
26	Th.	6. 13. 19. 28	6. 20. 26. 8	1. 24. 26	0.47.42 N
27	F.	6. 27. 31. 1	7. 4. 33. 58	0. 10. 22 N	0.26.58 S
28	Sa.	7. 11. 34. 52	7. 18. 33. 40	1. 3. 42 S	1.39.17
29	Su.	7. 25. 30. 21	8. 2. 24. 53	2. 13. 12	2.44.58
30	M.	8. 9. 17. 10	8. 16. 7. 8	3. 14. 7	3.40.17
31	Tu.	8. 22. 54. 41	8. 29. 39. 43	4. 3. 7	4.22.25

Days of the Month.	Days of the Week.	D's Age.	D's Passage over Merid.	D's Right Ascen. at Noon.	D's Right Asc. at Midn.	D's Declinat. at Noon.	D's Declin. at Midn.
			H. M.	D. M.	D. M.	D. M.	D. M.
1	Su.	11	8. 23	221. 58	228. 56	17. 21 S	19. 54 S
2	M.	12	9. 19	236. 6	243. 27	22. 9	24. 5
3	Tu.	13	10. 17	250. 58	258. 36	25. 39	25. 48
4	W.	14	11. 17	266. 19	274. 3	27. 33	27. 51
5	Th.	15	12. 16	281. 43	289. 16	27. 44	27. 12
6	F.	16	13. 11	296. 38	303. 47	26. 16	24. 59
7	Sa.	17	14. 3	310. 42	317. 21	23. 24	21. 32
8	Su.	18	14. 51	323. 45	329. 54	19. 27	17. 9
9	M.	19	15. 35	335. 50	341. 34	14. 42	12. 9
10	Tu.	20	16. 15	347. 9	352. 36	9. 29	6. 46
11	W.	21	16. 55	357. 56	3. 13	4. 1 S	1. 14 S
12	Th.	22	17. 34	8. 28	13. 43	1. 33 N	4. 19 N
13	F.	23	18. 14	19. 1	24. 22	7. 2	9. 42
14	Sa.	24	18. 56	29. 50	35. 25	12. 18	14. 48
15	Su.	25	19. 41	41. 11	47. 8	17. 10	19. 23
16	M.	26	20. 30	53. 18	59. 42	21. 25	23. 14
17	Tu.	27	21. 23	66. 22	73. 14	24. 50	26. 7
18	W.	28	22. 20	80. 21	87. 39	27. 5	27. 41
19	Th.	29	23. 19	95. 7	102. 41	27. 54	27. 43
20	F.	1	♂	110. 17	117. 53	27. 6	26. 5
21	Sa.	2	0. 18	125. 23	132. 46	24. 38	22. 49
22	Su.	3	1. 14	140. 0	147. 4	20. 39	18. 10
23	M.	4	2. 8	153. 57	160. 41	15. 26	12. 28
24	Tu.	5	2. 59	167. 16	173. 44	9. 19	6. 4 N
25	W.	6	3. 47	180. 8	186. 28	2. 44 N	0. 37 S
26	Th.	7	4. 36	192. 48	199. 10	3. 58 S	7. 15
27	F.	8	5. 25	205. 36	212. 8	10. 27	13. 29
28	Sa.	9	6. 16	218. 48	225. 37	16. 20	18. 57
29	Su.	10	7. 10	232. 36	239. 45	21. 19	23. 22
30	M.	11	8. 7	247. 3	254. 30	25. 4	26. 24
31	Tu.	12	9. 5	262. 2	269. 37	27. 20	27. 50

VII.

JULY 1781.

[79]

Days of the Month.	Days of the Week.	Semidr. Day at Noon.	Semidr. Day at Mid-night.	Hor. Par. Day at Noon.	Hor. Par. Day at Midnight.	Propor. Lo- gar. at Noon.	Propor. Lo- gar. at Mida.
		M. S.	M. S.	M. S.	M. S.		
1	Su.	16. 10	16. 8	59. 20	59. 15	4820	4826
2	M.	16. 7	16. 4	59. 7	58. 58	4835	4846
3	Tu.	16. 1	15. 58	58. 47	58. 34	4860	4876
4	W.	15. 54	15. 49	58. 20	58. 4	4893	4913
5	Th.	15. 45	15. 40	57. 48	57. 30	4933	4956
6	F.	15. 35	15. 30	57. 11	56. 52	4980	5004
7	Sa.	15. 24	15. 19	56. 32	56. 14	5029	5053
8	Su.	15. 14	15. 10	55. 56	55. 38	5076	5099
9	M.	15. 5	15. 1	55. 22	55. 7	5120	5140
10	Tu.	14. 58	14. 55	54. 55	54. 45	5155	5169
11	W.	14. 52	14. 51	54. 35	54. 29	5182	5190
12	Th.	14. 50	14. 49	54. 25	54. 23	5195	5198
13	F.	14. 49	14. 50	54. 24	54. 28	5197	5191
14	Sa.	14. 52	14. 55	54. 34	54. 43	5183	5171
15	Su.	14. 58	15. 1	54. 54	55. 6	5157	5141
16	M.	15. 5	15. 10	55. 22	55. 40	5120	5097
17	Tu.	15. 15	15. 20	55. 59	56. 18	5072	5048
18	W.	15. 26	15. 32	56. 40	57. 1	5019	4992
19	Th.	15. 38	15. 44	57. 23	57. 45	4965	4937
20	F.	15. 50	15. 55	58. 5	58. 25	4912	4887
21	Sa.	16. 0	16. 4	58. 43	58. 59	4865	4845
22	Su.	16. 8	16. 11	59. 13	59. 25	4828	4813
23	M.	16. 14	16. 16	59. 34	59. 41	4802	4794
24	Tu.	16. 17	16. 17	59. 45	59. 46	4789	4788
25	W.	16. 17	16. 17	59. 47	59. 44	4787	4790
26	Th.	16. 16	16. 14	59. 40	59. 35	4795	4801
27	F.	16. 12	16. 10	59. 27	59. 19	4811	4821
28	Sa.	16. 7	16. 4	59. 9	58. 59	4833	4845
29	Su.	16. 1	15. 58	58. 48	58. 36	4859	4874
30	M.	15. 55	15. 51	58. 24	58. 11	4889	4905
31	Tu.	15. 47	15. 44	57. 57	57. 43	4922	4949

Distances of γ 's Center from Sun, and from Stars east of her.

Days	Stars Names.	Noon.	3 Hours.	6 Hours.	9 Hours.	12 Hours.	15 Hours.	18 Hours.	21 Hours.
		D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.
1	α Aquilæ.	76. 34. 38	75. 8. 17	73. 42. 16	72. 16. 37	70. 51. 23	69. 26. 36	68. 2. 23	66. 38. 44
2		65. 15. 39	63. 53. 15	62. 31. 33	61. 10. 37	59. 50. 26			
3	Fomalhaut.	77. 32. 22	75. 52. 29	74. 12. 50	72. 33. 26	84. 13. 51	82. 33. 13	80. 52. 45	79. 12. 28
4		64. 20. 37	62. 43. 0	61. 5. 49	59. 28. 59	70. 54. 17	69. 15. 24	67. 36. 49	65. 58. 34
5		51. 31. 34	49. 57. 38	48. 24. 17	46. 51. 32	57. 52. 35	56. 16. 35	54. 41. 5	53. 6. 5
6	α Pegasi.	60. 48. 29	59. 19. 47	57. 51. 42	56. 24. 14	66. 48. 34	65. 17. 49	63. 47. 31	62. 17. 44
7		45. 17. 15				54. 57. 24	53. 31. 16	52. 5. 50	50. 41. 9
8	α Arietis.	88. 35. 34	87. 0. 11	85. 25. 5	83. 50. 16	82. 15. 44	80. 41. 29	79. 7. 32	77. 33. 51
9		76. 0. 28	74. 27. 22	72. 54. 34	71. 22. 2	69. 49. 47	68. 17. 49	66. 46. 8	65. 14. 41
10		63. 43. 36	62. 12. 45	60. 42. 10	59. 11. 51	57. 41. 49	56. 12. 3	54. 42. 32	53. 13. 18
		51. 44. 19							
11	Aldebaran.	81. 56. 23	80. 26. 34	78. 56. 57	77. 27. 30	75. 58. 15	74. 29. 9	73. 0. 13	71. 31. 25
12		70. 2. 47	68. 34. 16	67. 5. 53	65. 37. 38	64. 9. 31	62. 41. 32	61. 13. 40	59. 45. 53
13		58. 18. 13	56. 50. 36	55. 23. 5	53. 55. 38	52. 28. 16	51. 0. 58	49. 33. 44	48. 6. 34
		46. 39. 27							

Days.	Stars Names.	Noon.	3 Hours.	6 Hours.	9 Hours.	12 Hours.	15 Hours.	18 Hours.	21 Hours.
		D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.
15	α Arietis	22. 47. 38	24. 11. 39	25. 36. 47	27. 3. 2	17. 27. 1	18. 44. 39	20. 4. 3	21. 25. 6
16		34. 26. 43	35. 57. 28	37. 28. 46	39. 0. 40	28. 30. 24	29. 58. 22	31. 27. 5	32. 56. 34
17		46. 47. 33	48. 22. 20	49. 57. 34	51. 33. 14	40. 33. 5	42. 6. 0	43. 39. 21	45. 13. 13
18		59. 37. 48	61. 15. 53	62. 54. 21	64. 33. 10	53. 9. 20	54. 45. 51	56. 22. 46	58. 0. 5
19						66. 12. 20			
23	The Sun.	42. 57. 54	44. 37. 45	46. 17. 40	47. 57. 37	49. 37. 37	51. 17. 38	52. 57. 39	54. 37. 40
24		56. 17. 42	57. 57. 42	59. 37. 39	61. 17. 35	62. 57. 28	64. 37. 18	66. 17. 4	67. 56. 46
25		69. 36. 25	71. 15. 58	72. 55. 26	74. 34. 49	76. 14. 6	77. 53. 17	79. 32. 22	81. 11. 20
26		82. 50. 12	84. 28. 57	86. 7. 35	87. 46. 5	89. 24. 28	91. 2. 43	92. 40. 49	94. 18. 47
27		95. 56. 37	97. 34. 18	99. 11. 50	100. 49. 13	102. 26. 27	104. 3. 32	105. 40. 28	107. 17. 15
28	Spica ♀	108. 53. 52	110. 30. 20	112. 6. 37	113. 42. 45	115. 18. 42	116. 54. 29	118. 30. 5	120. 5. 31
29									
27						13. 51. 42	15. 35. 41	17. 19. 49	19. 4. 0
28						27. 45. 86	29. 29. 34	31. 13. 37	32. 57. 34
29						41. 35. 27	43. 18. 37	45. 1. 38	46. 44. 30
30					55. 16. 30	56. 58. 24	58. 40. 8	60. 21. 42	
31					68. 46. 56	70. 27. 26	72. 7. 45	73. 47. 52	
A. 1									

Configurations of the SATELLITES of JUPITER
at Half an Hour past 9 o' Clock in the Evening.

1	I.O	3	⊙	2.	4
2		2	⊙	1.	3
3			⊙	2. 1	3
4		1.	⊙	2. 7.	4.
5	3●	2.	⊙	1.	4.
6		2. 1	⊙	4.	
7		3.	⊙	1.	2
8		4. 3	⊙	2.	
9		4.	⊙	3	1●
10	4.		⊙	1	3
11	4	1.	⊙	2.	3.
12	4	2.	⊙	3.	1
13	4	1. 2. 1	⊙		
14		3 4	⊙	1.	2
15		3	⊙	1. 2	
16	1●	2.	⊙	3 4	
17			⊙	2 1	3 4
18		1.	⊙	2.	7.
19	2●		⊙	3. 1	4
20		3. 1.	⊙		4.
21		3.	⊙	1. 2	4.
22		3 4	⊙	2.	4.
23		2.	⊙	1. 4.	
24	I.O	4.	⊙	2.	3
25		4.	⊙	1.	2 3.
26		4.	⊙	3.	2●
27	4.	2.	⊙	1.	
28	4	3.	⊙	2	1.
29	4	3	⊙	1.	2.
30	3.O	4	⊙	2.	1.
31		4 2 1	⊙	3	

Days of the Month.	Days of the Week.	Sundays, Holidays, &c.	Phases of the Moon.	
				D.H.M.
1	W.	Lammas-Day,	Full Moon	3. 17. 31
2	Th.		Last Quarter	11. 19. 47
3	F.		New Moon	19. 3. 20
4	Sa.		First Quarter	25. 19. 3
			Other Phenomena.	
5	Su.	8th Sunday after Trinity.	D.	
6	M.	Transfig. of our Lord.	1. ☉ ♄ 1 ^h . 22'.	
7	Tu.	Name of Jesus.	☉ ♄ 9 ^h . 46'.	
8	W.		☉ ♄ 16 ^h . 48'.	
9	Th.		4. ☉ ♃ 3 ^h . 6'.	
10	F.	St. Lawrence.	6. ☉ ♃ ad ♄ 5 ^h . 28'.	
11	Sa.	Pr. of Brunſwick born.	☉ ♃ ad ♄ 6 ^h . 21'.	
			☉ ♃ ad ♄ 6 ^h . 29'.	
12	Su.	9th Sunday after Trinity.	11. ☉ ♃ ♃ 15 ^h . 40'.	
13	M.	[Pr. of Wales born 1752.	13. ♀ ♃ ♃ diff. Lat. 2'.	
14	Tu.		14. ♀ Stationary.	
15	W.		16. ☉ ♃ ♃ 5 ^h . 45'.	
16	Th.	Prince Frederick born.	♃ Stationary.	
17	F.		☉ ♃ ad ♄ 23 ^h . 47'.	
18	Sa.		17. ♀ ♃ ♃ diff. Lat. 22'.	
			20. ♀ Stationary.	
19	Su.	10th Sunday after Trinity.	21. ☉ ♃ ♃ 12 ^h . 9'.	
20	M.		☉ ♃ ♃ 20 ^h . 51'.	
21	Tu.	Pr. William Henry born.	22. ☉ enters ♃ at 8 ^h . 50'.	
22	W.		☉ ♃ ♃ 10 ^h . 2'.	
23	Th.		23. ☉ ♃ ♃ 17 ^h . 0'.	
24	F.	St. Bartholomew.	♀ ♃ ♃ diff. Lat. 29'.	
25	Sa.		24. ☉ ♃ ad ♃ 16 ^h . 41'.	
			25. ☉ ♃ ♃ 12 ^h . 29'.	
26	Su.	11th Sunday after Trinity.	☉ ♃ ♃ 21 ^h . 34'.	
27	M.		26. ☉ ♃ ♃ 0 ^h . 58'.	
28	Tu.	St. Augustine.	28. ☉ ♄ 7 ^h . 10'.	
29	W.	Beheading St. John Bapt.	☉ ♄ 15 ^h . 40'.	
30	Th.		30. ♀ ♃ ♃ diff. Lat. 24'.	
31	F.		31. ☉ ♃ ♃ 9 ^h . 53'.	

Days of the Month.	Days of the Week.	Sun's Longitude.	Sun's Right Asc. in Time.	Sun's Declin. North.	Equat. of Time. Add.	Diff.
		S. D. M. S.	H. M. S.	D. M. S.	M. S.	S.
1	W.	4 9. 27. 51	8. 47. 38, 2	17. 54. 25	5. 51, 0	4, 1
2	Th.	4 10. 25. 18	8. 51. 30, 6	17. 38. 59	5. 46, 9	4, 8
3	F.	4 11. 22. 45	8. 55. 22, 4	17. 23. 17	5. 42, 1	5, 4
4	Sa.	4 12. 20. 13	8. 59. 13, 5	17. 7. 18	5. 36, 7	5, 9
5	Sa.	4 13. 17. 42	9. 3. 4, 2	16. 51. 2	5. 30, 8	6, 5
6	M.	4 14. 15. 12	9. 6. 54, 2	16. 34. 29	5. 24, 3	7, 0
7	Tu.	4 15. 12. 43	9. 10. 43, 7	16. 17. 40	5. 17, 3	7, 7
8	W.	4 16. 10. 16	9. 14. 32, 6	16. 0. 36	5. 9, 6	8, 3
9	Th.	4 17. 7. 51	9. 18. 20, 8	15. 43. 16	5. 1, 3	8, 8
10	F.	4 18. 5. 27	9. 22. 8, 6	15. 25. 40	4. 52, 5	9, 4
11	Sa.	4 19. 3. 4	9. 25. 55, 7	15. 7. 50	4. 43, 1	9, 8
12	Su.	4 20. 0. 43	9. 29. 42, 4	14. 49. 45	4. 33, 3	10, 3
13	M.	4 20. 58. 24	9. 33. 28, 6	14. 31. 26	4. 23, 0	10, 9
14	Tu.	4 21. 56. 6	9. 37. 14, 2	14. 12. 53	4. 12, 1	11, 5
15	W.	4 22. 53. 50	9. 40. 59, 3	13. 54. 6	4. 0, 6	11, 9
16	Th.	4 23. 51. 35	9. 44. 43, 9	13. 35. 6	3. 48, 7	12, 9
17	F.	4 24. 49. 22	9. 48. 27, 9	13. 15. 52	3. 36, 2	13, 0
18	Sa.	4 25. 47. 11	9. 52. 11, 5	12. 56. 26	3. 23, 2	13, 4
19	Su.	4 26. 45. 1	9. 55. 54, 6	12. 36. 47	3. 9, 8	13, 8
20	M.	4 27. 42. 52	9. 59. 37, 3	12. 16. 57	2. 56, 0	14, 3
21	Tu.	4 28. 40. 45	10. 3. 19, 5	11. 56. 55	2. 41, 7	14, 8
22	W.	4 29. 38. 39	10. 7. 1, 2	11. 36. 41	2. 26, 9	15, 2
23	Th.	5. 0. 36. 35	10. 10. 42, 5	11. 16. 16	2. 11, 7	15, 7
24	F.	5. 1. 34. 32	10. 14. 23, 3	10. 55. 41	1. 56, 0	16, 1
25	Sa.	5. 2. 32. 30	10. 18. 3, 6	10. 34. 56	1. 39, 8	16, 6
26	Su.	5. 3. 30. 30	10. 21. 43, 6	10. 14. 0	1. 23, 2	17, 0
27	M.	5. 4. 28. 31	10. 25. 23, 2	9. 52. 54	1. 6, 2	17, 4
28	Tu.	5. 5. 26. 33	10. 29. 2, 3	9. 31. 39	0. 48, 8	17, 7
29	W.	5. 6. 24. 36	10. 32. 41, 0	9. 10. 16	0. 31, 1	18, 0
30	Th.	5. 7. 22. 40	10. 36. 19, 5	8. 48. 44	0. 13, 1	18, 4
31	F.	5. 8. 20. 46	10. 39. 57, 6	8. 27. 3	Sub. 5, 3	18, 8

III. AUGUST 1781. [87]

Days of the Month.	Semidiameter of the Sun.	Time of Day passing the Meridian.	Hourly Motion of the Sun.	Logarithm of the Sun's Distance.	Place of the Moon's Node.
	M. S.	M. S.	M. S.		S. D. M.
1	15. 49. 0	1. 6. 5	2. 23. 6	0. 006215	α 29. 26
7	15. 49. 9	1. 6. 0	2. 23. 9	0. 005810	α 29. 7
13	15. 51. 0	1. 5. 5	2. 24. 3	0. 005364	α 28. 48
19	15. 52. 2	1. 5. 0	2. 24. 6	0. 004851	α 28. 29
25	15. 53. 4	1. 4. 7	2. 25. 0	0. 004264	α 28. 10

Eclipses of the SATELLITES of J U P I T E R.

I. Satellite. Emerfions.		II. Satellite.		III. Satellite.	
Days	H. M. S.	Days	H. M. S.	Days	H. M. S.
1	10. 36. 12	2	12. 35. 3 I	3	3. 51. 25 I
3	5. 5. 9	2	14. 57. 5 E	3	5. 41. 8 E
4	23. 34. 7	6	1. 53. 2 I	10	7. 54. 22 I
6	18. 3. 8	6	4. 15. 12 E	10	9. 42. 6 E
8	12. 32. 7	9	15. 11. 9 I	17	11. 54. 48 I
10	7. 1. 12	9	17. 33. 28 E	17	13. 43. 32 E
12	4. 30. 18	13	4. 29. 27 I	24	15. 52. 37 I
13	19. 59. 21	13	6. 51. 56 E	24	17. 45. 21 E
15	14. 28. 33	16	17. 47. 55 I	31	19. 53. 47 I
17	8. 57. 40	16	20. 10. 32 E	31	21. 47. 27 E
19	3. 26. 56	20	7. 6. 29 I		
20	21. 56. 4	20	9. 29. 14 E	IV. Satellite. Conj.	
22	16. 25. 16	23	20. 25. 18 I	I	5. 58 Inf.
24	10. 54. 30	23	22. 48. 10 E	9	13. 26 Sup.
26	5. 23. 48	27	9. 44. 9 I	18	0. 0 Inf.
27	23. 53. 1	27	12. 7. 10 E	26	7. 54 Sup.
29	18. 22. 18	30	23. 3. 7 I		
30	12. 51. 37	31	1. 26. 18 E		

Days.	Heliocentric Longitude.	Heliocentric Latitude.	Geocentric Longitude.	Geocentric Latitude.	Declination.	Passage over Merid.
	S. D. M.	D. M.	S. D. M.	D. M.	D. M.	H. M.
Gr. El. 28 ^d . M E R C U R Y. Inf. 6 10 ^d . 7 ^h $\frac{1}{4}$.						
1	9. 17. 46	6. 11 S	4. 24. 45	4. 25 S	9. 7 N	0. 54
4	9. 27. 2	6. 38	4. 23. 13	4. 46	9. 17	0. 36
7	10. 6. 50	6. 55	4. 21. 4	4. 51	9. 54	0. 17
10	10. 17. 18	7. 0	4. 18. 37	4. 41	10. 48	23. 50
13	10. 28. 36	6. 50	4. 16. 15	4. 15	11. 56	23. 30
16	11. 10. 53	6. 21	4. 14. 24	3. 34	13. 7	23. 14
19	11. 24. 19	5. 29	4. 13. 24	2. 44	14. 12	23. 1
22	0. 9. 3	4. 12	4. 13. 31	1. 50	15. 2	22. 53
25	0. 25. 9	2. 28	4. 14. 49	0. 56	15. 30	22. 50
28	1. 12. 31	0. 24 S	4. 17. 17	0. 8 S	15. 32	22. 50
31	2. 0. 55	1. 50 N	4. 20. 48	0. 34 N	15. 6	22. 54
V E N U S.						
1	5. 19. 28	3. 23 N	4. 25. 54	1. 29 N	14. 18 N	1. 7
7	5. 29. 12	3. 17	5. 3. 17	1. 28	11. 41	1. 12
13	6. 8. 54	3. 6	5. 10. 39	1. 24	8. 53	1. 17
19	6. 18. 35	2. 49	5. 18. 0	1. 18	5. 57	1. 22
25	6. 28. 14	2. 27	5. 25. 22	1. 9	2. 54	1. 27
M A R S.						
1	10. 2. 45	1. 47 S	9. 15. 46	6. 7 S	28. 36 S	10. 21
7	10. 6. 29	1. 49	9. 14. 59	6. 0	28. 34	9. 55
13	10. 10. 14	1. 50	9. 14. 41	5. 48	28. 25	9. 31
19	10. 14. 0	1. 51	9. 14. 52	5. 34	28. 10	9. 9
25	10. 17. 47	1. 51	9. 15. 32	5. 18	27. 49	8. 50
J U P I T E R. □ 10 ^d . 16 ^h .						
1	7. 28. 52	0. 51 N	7. 18. 5	0. 53 N	16. 23 S	6. 14
7	7. 29. 20	0. 50	7. 18. 27	0. 52	16. 30	5. 52
13	7. 29. 48	0. 50	7. 18. 55	0. 50	16. 39	5. 32
19	8. 0. 16	0. 49	7. 19. 29	0. 49	16. 50	5. 12
25	8. 0. 44	0. 49	7. 20. 8	0. 48	17. 2	4. 52
S A T U R N.						
1	8. 18. 26	1. 23 N	8. 13. 39	1. 28 N	21. 1 S	8. 1
7	8. 18. 37	1. 22	8. 13. 31	1. 27	21. 1	7. 37
13	8. 18. 48	1. 22	8. 13. 27	1. 26	21. 1	7. 13
19	8. 18. 59	1. 21	8. 13. 27	1. 24	21. 3	6. 51
25	8. 19. 9	1. 21	8. 13. 31	1. 23	21. 5	6. 29

V. AUGUST 1781. [89]

Days of the Month.	Days of the Week.	Moon's Longitude at Noon.	Moon's Longitude at Midnight.	Moon's Latitude at Noon.	Moon's Latitude at Midn.
		S. D. M. S.	S. D. M. S.	D. M. S.	D. M. S.
1	W.	9. 6. 22. 3	9. 13. 1. 33	4. 37. 54 S	4. 49. 29 S
2	Th.	9. 19. 38. 2	9. 26. 11. 21	4. 57. 5	5. 0. 41
3	F.	10. 2. 41. 19	10. 9. 7. 52	5. 0. 20	4. 56. 8
4	Sa.	10. 15. 30. 52	10. 21. 50. 18	4. 48. 14	4. 36. 50
5	Su.	10. 28. 6. 5	11. 4. 18. 22	4. 22. 11.	4. 4. 31
6	M.	11. 10. 27. 12	11. 16. 32. 47	3. 44. 8	3. 21. 19
7	Tu.	11. 22. 35. 23	11. 28. 35. 21	2. 56. 22	2. 29. 36
8	W.	0. 4. 33. 2	0. 10. 28. 53	2. 1. 18	1. 31. 48
9	Th.	0. 16. 23. 23	0. 22. 17. 12	1. 1. 23 S	0. 30. 19 S
10	F.	0. 28. 10. 51	1. 4. 5. 1	0. 1. 4 N	0. 32. 32 N
11	Sa.	1. 10. 0. 16	1. 15. 57. 25	1. 3. 46	1. 34. 27
12	Su.	1. 21. 57. 3	1. 27. 59. 54	2. 4. 18	2. 33. 3
13	M.	2. 4. 6. 32	2. 10. 17. 43	3. 0. 19	3. 25. 50
14	Tu.	2. 16. 33. 56	2. 22. 55. 42	3. 49. 11	4. 10. 3
15	W.	2. 29. 23. 28	3. 5. 57. 34	4. 28. 4	4. 42. 51
16	Th.	3. 12. 38. 12	3. 19. 25. 30	4. 54. 2	5. 1. 16
17	F.	3. 26. 19. 15	4. 3. 19. 13	5. 4. 17	5. 2. 49
18	Sa.	4. 10. 2. 58	4. 17. 35. 56	4. 56. 42	4. 45. 50
19	Su.	4. 24. 51. 17	5. 2. 10. 11	4. 30. 15	4. 10. 87
20	M.	5. 9. 31. 37	5. 16. 54. 41	3. 45. 41	3. 17. 24
21	Tu.	5. 24. 18. 16	6. 1. 41. 30	2. 45. 40	2. 11. 11
22	W.	6. 9. 3. 26	6. 16. 23. 23	1. 34. 31	0. 56. 25 N
23	Th.	6. 23. 40. 40	7. 0. 54. 50	0. 17. 36 N	0. 21. 19 S
24	F.	7. 8. 5. 27	7. 15. 12. 20	0. 59. 35 S	1. 36. 35
25	Sa.	7. 22. 15. 18	7. 29. 14. 20	2. 11. 48	2. 44. 43
26	Su.	8. 6. 9. 20	8. 13. 0. 27	3. 14. 50	3. 41. 53
27	M.	8. 19. 47. 40	8. 26. 31. 8	4. 5. 31	4. 25. 31
28	Tu.	9. 3. 10. 54	9. 9. 47. 9	4. 41. 44	4. 54. 0
29	W.	9. 16. 19. 54	9. 22. 49. 21	5. 2. 21	5. 6. 38
30	Th.	9. 29. 15. 30	10. 5. 38. 30	5. 7. 2	5. 3. 34
31	F.	10. 11. 58. 23	10. 18. 15. 16	4. 56. 25	4. 45. 43

Days of the Month.	Days of the Week.	D's Age.	D's Pass- age over Merid.	D's Right Ascen. at Noon.	D's Right Ascen. at Midn.	D's De- clination at Noon.	D's De- clination at Midn.
			H. M.	D. M.	D. M.	D. M.	D. M.
1	W.	13	10. 3	277. 11	284. 41	27. 57 S	27. 38 S
2	Th.	14	11. 1	292. 3	299. 15	26. 55	25. 51
3	F.	15	11. 53	306. 13	312. 59	24. 27	22. 45
4	Sa.	16	12. 42	319. 30	325. 47	20. 48	18. 36
5	Su.	17	13. 28	331. 51	337. 43	16. 15	13. 44
6	M.	18	14. 10	343. 24	348. 57	11. 7	8. 24
7	Tu.	19	14. 50	354. 22	359. 42	5. 39	2. 51 S
8	W.	20	15. 30	4. 58	10. 14	0. 3 S	2. 45 N
9	Th.	21	16. 9	15. 29	20. 48	5. 31 N	8. 13
10	F.	22	16. 51	26. 10	31. 38	10. 51	13. 24
11	Sa.	23	17. 35	37. 14	43. 0	15. 50	18. 8
12	Su.	24	18. 22	48. 58	55. 7	20. 17	22. 13
13	M.	25	19. 13	61. 30	68. 7	23. 57	25. 25
14	Tu.	26	20. 8	74. 58	82. 3	26. 36	27. 27
15	W.	27	21. 5	89. 18	96. 44	27. 56	28. 3
16	Th.	28	22. 4	104. 16	111. 50	27. 45	27. 2
17	F.	29	23. 3	119. 23	126. 55	25. 53	24. 19
18	Sa.	30	23. 59	134. 20	141. 36	22. 24	20. 7
19	Su.	1	0	148. 44	155. 42	17. 29	14. 36
20	M.	2	0. 52	162. 32	169. 15	11. 29	8. 12
21	Tu.	3	1. 43	175. 51	182. 25	4. 48 N	1. 20 N
22	W.	4	2. 33	188. 57	195. 28	2. 9 S	5. 35 S
23	Th.	5	3. 24	202. 2	208. 40	8. 56	12. 8
24	F.	6	4. 17	215. 23	222. 15	15. 10	17. 57
25	Sa.	7	5. 11	229. 14	236. 23	20. 28	22. 41
26	Su.	8	6. 7	243. 39	251. 3	24. 33	26. 3
27	M.	9	7. 5	258. 33	266. 4	27. 9	27. 50
28	Tu.	10	8. 4	273. 35	281. 3	28. 7	27. 59
29	W.	11	9. 0	288. 24	295. 36	27. 28	26. 34
30	Th.	12	9. 53	302. 35	309. 22	25. 20	23. 47
31	F.	13	10. 43	315. 56	322. 15	21. 58	19. 54

VII. AUGUST 1781. [91]

Days of the Month.	Days of the Week.	Semid. Δ at Noon.	Semid. Δ at Mid-night.	Hor. Par. Δ at Noon.	Hor. Par. Δ at Midnight.	Proport. Lo- gar. at Noon.	Proport. Lo- gar. at Midn.
		M. S.	M. S.	M. S.	M. S.		
1	W.	15. 40	15. 36	57. 29	57. 14	4957	4976
2	Th.	15. 32	15. 27	56. 59	56. 43	4995	5015
3	F.	15. 23	15. 19	56. 28	56. 12	5035	5055
4	Sa.	15. 15	15. 11	55. 58	55. 42	5073	5094
5	Su.	15. 7	15. 3	55. 29	55. 15	5111	5129
6	M.	15. 0	14. 57	55. 2	54. 50	5146	5162
7	Tu.	14. 54	14. 52	54. 41	54. 33	5174	5185
8	W.	14. 50	14. 49	54. 26	54. 22	5194	5199
9	Th.	14. 48	14. 48	54. 19	54. 19	5203	5203
10	F.	14. 49	14. 50	54. 22	54. 26	5199	5194
11	Sa.	14. 52	14. 54	54. 33	54. 42	5185	5173
12	Su.	14. 58	15. 2	54. 54	55. 9	5157	5137
13	M.	15. 6	15. 11	55. 26	55. 45	5115	5090
14	Tu.	15. 17	15. 23	56. 7	56. 29	5062	5033
15	W.	15. 30	15. 37	56. 54	57. 19	5002	4970
16	Th.	15. 44	15. 51	57. 45	58. 11	4937	4905
17	F.	15. 58	16. 5	58. 36	59. 0	4874	4844
18	Sa.	16. 11	16. 16	59. 22	59. 43	4817	4792
19	Su.	16. 21	16. 25	60. 0	60. 14	4771	4754
20	M.	16. 28	16. 30	60. 25	60. 32	4741	4733
21	Tu.	16. 31	16. 31	60. 36	60. 35	4728	4729
22	W.	16. 29	16. 28	60. 31	60. 24	4734	4742
23	Th.	16. 25	16. 22	60. 14	60. 2	4754	4769
24	F.	16. 17	16. 13	59. 47	59. 32	4787	4805
25	Sa.	16. 8	16. 4	59. 14	58. 57	4827	4848
26	Su.	15. 59	15. 54	58. 38	58. 20	4871	4893
27	M.	15. 48	15. 43	58. 1	57. 42	4917	4941
28	Tu.	15. 38	15. 34	57. 24	57. 7	4964	4985
29	W.	15. 29	15. 25	56. 50	56. 33	5006	5028
30	Th.	15. 20	15. 16	56. 17	56. 2	5049	5068
31	F.	15. 12	15. 9	55. 49	55. 35	5085	5103

Distances of β 's Center from Sun, and from Stars east of her.

D.ys.	Stars Names.	Noon.	3 Hours.	6 Hours.	9 Hours.	12 Hours.	15 Hours.	18 Hours.	21 Hours.
		D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.
1	β omal- haut.	55. 14. 30 43. 2. 19	53. 41. 10 41. 33. 38	52. 8. 18 40. 5. 45	50. 35. 53 38. 38. 42	49. 3. 57 37. 12. 26	47. 32. 34	46. 1. 50	44. 31. 45
2						99. 8. 5	97. 31. 59	95. 56. 6	94. 20. 24
3	α Arietis.	92. 44. 55 80. 8. 29	91. 9. 37 78. 34. 54	89. 34. 32 77. 1. 38	87. 59. 39 75. 28. 25	86. 24. 59 73. 55. 31	84. 50. 32 72. 22. 51	83. 16. 18 70. 50. 25	81. 42. 17 69. 18. 13
4		67. 46. 14	66. 14. 29	67. 42. 58	63. 11. 41	61. 40. 38	60. 9. 50	58. 39. 16	57. 8. 57
5		55. 38. 52	54. 9. 2	52. 39. 26	51. 10. 5	49. 40. 58			
6						79. 55. 29	78. 25. 35	76. 55. 51	75. 26. 18
7		73. 56. 54	72. 27. 40	70. 58. 36	69. 29. 41	68. 0. 55	66. 32. 18	65. 3. 50	63. 35. 31
8	Aldeba- ran.	62. 7. 20 50. 26. 31	60. 39. 17 48. 59. 26	59. 11. 22 47. 32. 28	57. 43. 35 46. 5. 36	56. 15. 56 44. 38. 51	54. 48. 24 43. 12. 12	53. 21. 0 41. 45. 41	51. 53. 42 40. 19. 17
9		38. 53. 1	37. 26. 50	36. 0. 50	34. 35. 1	33. 9. 22	31. 43. 51	30. 18. 39	28. 53. 44
10		27. 29. 8	26. 4. 41	24. 40. 51	23. 17. 40	21. 55. 6	20. 33. 25	19. 12. 52	17. 53. 28
11		16. 35. 9							
12									
9	The Sun.	120. 44. 8	119. 22. 55	118. 1. 44	116. 40. 33	115. 19. 23	113. 58. 13	112. 37. 2	111. 15. 50
10		109. 54. 36	108. 33. 20	107. 12. 0	105. 50. 38	104. 29. 12	103. 7. 45	101. 46. 8	100. 24. 28
11		99. 2. 42	97. 40. 49	96. 18. 48	94. 56. 39	93. 34. 23	92. 11. 58	90. 49. 23	89. 26. 39

Configurations of the SATELLITES of JUPITER
at Half an Hour past 8 o' Clock in the Evening.

1	I●			⊙ ⁴	.2	3.	
2				⊙ ^{2.}	.7	3.	.4
3		2.	Iδ3	⊙			.4
4		.2.		⊙	.2	.1	.4
5		.3	.1	⊙		3.	.4
6			3.	⊙ ^{1.}		1.	4.
7			.2	⊙	.1	.3	4.
8				⊙ ^{1.}	.2	4.	.3
9				⊙ ^{4.2.}		3.	
10		2.4.	Iδ3	⊙			
11		4.	3.	⊙		.1	2.0
12	4.		.3	⊙		2.	
13	4.		.2	⊙		1.	
14	.4		.2	⊙	.1	.3	
15	.4			⊙	1.	.2	.3
16	I.0		.4	⊙	2.	3.	
17	3●		2.	⊙	.4	1.	
18		3.		⊙ ^{2.}		Iδ4	
19		.3		⊙	1.	2.	.4

Configurations at 8 o'Clock in the Evening.

20	2.●		.3	⊙	.1		.4
21			.2	⊙	.1	.3	.4
22				⊙	1.	.2	.3
23				⊙	1.	2.	3.
24	I●		2.	⊙	2.		4.
25			3.	⊙	.2	.1	.4
26	4.δ		.3	⊙	1.		.2
27	2●		.4.	⊙		.1	
28		4.	.2	⊙	.1	.3	
29	4.			⊙	1.	.2	.3
30	4.			⊙	2.	3.	
31	.4		2.	⊙	1.	3.	

I. S E P T E M B E R 1781: [97]

Days of the Month.	Days of the Week.	Sundays, Holidays, &c.	Phases of the Moon.	
				D. H. M.
1	Sa.	Giles.	Full Moon	— 2. 7. 25
2	Su.	12th Sunday after Trinity.	Last Quarter	— 10. 12. 11
3	M.	[Lond. burnt 1666, @.S.]	New Moon	— 17. 11. 5 ^h
4	Tu.		First Quarter	— 24. 3. 34
5	W.		Other Phenomena.	
6	Th.		D.	
7	F.	Enurachus.	2. ☾ 1 ad ↓ ☽ Im. 13 ^h . 12'. * 11' N. of ☽ cent. Em. 14 ^h . 15 ^h 1/2. * 5' N.	
8	Sa.	Nativity of B. V. Mary.	☾ 2 ad ↓ ☽ Im. 14 ^h . 29 ^h 1/2. * 13 ^h 1/2 S. ☽ cent. Em. 14 ^h . 42'. * 14 ^h 1/2 S.	
9	Su.	13th Sunday after Trinity.	☾ 3 ad ↓ ☽ Im. 13 ^h . 42'	
10	M.		4. ☽ α S. diff. Lat. 47'	
11	Tu.		5. ☾ ☿ 8 ^h . 9'	
12	W.		7. ☾ ♃ 23 ^h . 10'	
13	Th.		10. ☾ β 14 ^h . 5'	
14	F.	Holy Cross.	12. ☾ ♃ 15 ^h . 23'	
15	Sa.		13. ☾ 2 ad ↓ ☽ 9 ^h . 48'	
16	Su.	14th Sunday after Trinity.	15. ☾ η S. 10 ^h . 39'	
17	M.	Lambert.	19. ☾ ♀ 13 ^h . 44'	
18	Tu.		20. ☾ λ ♁ 1 ^h . 29'	
19	W.		21. ☾ 1 ad ↓ ☽ 0 ^h . 22'	
20	Th.		☾ ♃ 19 ^h . 36'	
21	F.	St. Matthew.	22. ☽ enters ♋ at 5 ^h . 14'	
22	Sa.	K. Geo. III. crown'd 1761.	☾ α ♁ 7 ^h . 45'	
23	Su.	15th Sunday after Trinity.	24. ☾ φ ♃ 12 ^h . 59'	
24	M.		☾ τ ♃ 21 ^h . 26'	
25	Tu.		25. ♃ x ☽ diff. Lat. 41'	
26	W.	St. Cyprian.	♀ λ ♁ diff. Lat. 38'	
27	Th.		27. ☽ ♃ 15 ^h . 49'	
28	F.	[born.	29. ☾ 1 ad ↓ ☽ 19 ^h . 1'	
29	Sa.	St. Mich. Pr: Char. Aug.	☾ 2 ad ↓ ☽ 19 ^h . 54'	
30	Su.	16th Sunday after Trinity. [S Jerome.]	☾ 3 ad ↓ ☽ 20 ^h . 2'	

Days of the Month.	Days of the Week.	Sun's Longitude.				Sun's Right Asc. in Time.			Sun's Declin. North.			Equat. of Time. Sub.		Diff. S.	
		S.	D.	M.	S.	H.	M.	S.	D.	M.	S.	M.	S.		
1	Sa.	5.	9.	18.	54	10.	43.	35,4	8.	5.	14	0.	24,1		
2	Su.	5.	10.	17.	3	10.	47.	12,8	7.	43.	17	0.	43,1	19,0	
3	Mo.	5.	11.	15.	13	10.	50.	50,0	7.	21.	14	1.	2,4	19,3	
4	Tu.	5.	12.	13.	26	10.	54.	27,0	6.	59.	2	1.	22,0	19,6	
5	W.	5.	13.	11.	40	10.	58.	3,7	6.	36.	44	1.	41,7	19,7	
														20,0	
6	Th.	5.	14.	9.	57	11.	1.	40,2	6.	14.	19	2.	1,7	20,2	
7	F.	5.	15.	8.	15	11.	5.	16,6	5.	51.	48	2.	21,9	20,2	
8	Sa.	5.	16.	6.	36	11.	8.	52,8	5.	29.	11	2.	42,2	20,3	
9	Su.	5.	17.	4.	59	11.	12.	28,8	5.	6.	28	3.	2,7	20,5	
10	Mo.	5.	18.	3.	24	11.	16.	4,7	4.	43.	40	3.	23,3	20,6	
														20,6	
11	Tu.	5.	19.	1.	51	11.	19.	40,5	4.	20.	47	3.	43,9	20,8	
12	W.	5.	20.	0.	20	11.	23.	16,3	3.	57.	49	4.	4,7	20,8	
13	Th.	5.	20.	58.	52	11.	26.	52,0	3.	34.	46	4.	25,5	20,9	
14	F.	5.	21.	57.	26	11.	30.	27,6	3.	11.	40	4.	46,4	20,9	
15	Sa.	5.	22.	56.	2	11.	34.	3,2	2.	48.	30	5.	7,3	20,9	
														20,9	
16	Su.	5.	23.	54.	40	11.	37.	38,8	2.	25.	16	5.	28,2	20,9	
17	Mo.	5.	24.	53.	20	11.	41.	14,4	2.	2.	0	5.	49,1	20,9	
18	Tu.	5.	25.	52.	2	11.	44.	50,0	1.	38.	41	6.	10,0	20,9	
19	W.	5.	26.	50.	47	11.	48.	25,6	1.	15.	20	6.	30,9	20,9	
20	Th.	5.	27.	49.	32	11.	52.	1,3	0.	51.	57	6.	51,7	20,8	
														20,7	
21	F.	5.	28.	48.	21	11.	55.	37,1	0.	28.	32	7.	12,4	20,6	
22	Sa.	5.	29.	47.	10	11.	59.	12,9	0.	5.	7	7.	33,0	20,6	
23	Su.	6.	0.	46.	2	12.	2.	48,9	SOUTH.	0.	18.	20	7.	53,6	20,4
24	Mo.	6.	1.	44.	55	12.	6.	25,0	0.	41.	47	8.	14,0	20,3	
25	Tu.	6.	2.	43.	49	12.	10.	1,2	1.	5.	13	8.	34,3	20,3	
														20,1	
26	W.	6.	3.	42.	46	12.	13.	37,5	1.	28.	40	8.	54,4	20,0	
27	Th.	6.	4.	41.	44	12.	17.	14,1	1.	52.	7	9.	14,4	20,0	
28	F.	6.	5.	40.	44	12.	20.	50,8	2.	15.	31	9.	34,1	19,7	
29	Sa.	6.	6.	39.	45	12.	24.	27,8	2.	38.	54	9.	53,6	19,5	
30	Su.	6.	7.	38.	49	12.	28.	5,0	3.	2.	17	10.	12,9	19,3	

VII. S E P T E M B E R 1781. [99]

Days.	Semidia- meter of the Sun.	Time of D ^o passing the Meridian.	Hourly Motion of the Sun.	Logarithm of the Sun's Distance.	Place of the Moon's Node.
	M. S.	M. S.	M. S.		S. D. M.
1	15. 55, 0	1. 4, 3	2. 25, 4	0, 003515	0. 27. 48
7	15. 56, 5	1. 4, 0	2. 25, 8	0, 002856	0. 27. 29
13	15. 58, 0	1. 4, 0	2. 26, 3	0, 002178	0. 27. 10
19	15. 59, 6	1. 4, 0	2. 26, 8	0, 001459	0. 26. 51
25	16. 1, 2	1. 4, 1	2. 27, 3	0, 000703	0. 26. 32

ECLIPSES of the SATELLITES of J U P I T E R.

I. Satellite. Emerfions.		II. Satellite.		III. Satellite.	
Days	H. M. S.	Days	H. M. S.	Days	H. M. S.
2	7. 20. 57	3	12. 22. 5 I.	7	23. 54. 58 I.
4	1. 50. 18	3	14. 45. 25 E.	8	1. 49. 46 E.
5	20. 19. 39	7	1. 41. 15 I.	15	3. 56. 19 I.
7	14. 49. 1	7	4. 4. 41 E.	15	5. 52. 7 E.
9	9. 18. 19	10	15. 0. 31 I.	22	7. 57. 29 I.
11	3. 47. 42	10	17. 24. 5 E.	22	9. 54. 28 E.
12	22. 17. 0	14	4. 19. 50 I.	29	11. 58. 47 I.
14	16. 45. 23	14	6. 43. 32 E.	29	13. 56. 43 E.
16	11. 15. 41	17	17. 39. 9 I.		
18	5. 45. 1	17	20. 3. 3 E.	IV. SateHite. Conj.	
20	0. 14. 23	21	6*58. 29 I.	3	18. 54 Inf.
21	18. 43. 41	21	9. 22. 31 E.	12	3. 5 Sup.
23	13. 13. 0	24	20. 17. 52 I.	20	14. 26 Inf.
25	7. 42. 20	24	22. 42. 2 E.	28	22. 51 Sup.
27	2. 11. 36	28	12. 1. 31 E.		
28	20. 40. 52				
30	15. 10. 8				

[100] SEPTEMBER 1781. IV.

Days	Heliocentric Longitude.	Heliocentric Latitude.	Geocentric Longitude.	Geocentric Latitude.	Declination.	Passage over Merid.
	S. D. M.	D. M.	S. D. M.	D. M.	D. M.	H. M.

MERCURY. Sup. δ 22^d. 3^h.

1	2. 7. 11	2. 34 N	4. 22. 10	0. 46 N	14. 50 N	22. 57
4	2. 26. 7	4. 33	4. 26. 47	1. 15	13. 46	23. 6
7	3. 14. 42	6. 0	5. 1. 56	1. 35	12. 17	23. 16
10	4. 2. 21	6. 49	5. 7. 24	1. 46	10. 27	23. 26
13	4. 18. 42	6. 59	5. 13. 1	1. 49	8. 22	23. 37
16	5. 3. 36	6. 40	5. 18. 39	1. 46	6. 7	23. 46
19	5. 17. 8	5. 59	5. 24. 13	1. 38	3. 48	23. 55
22	5. 29. 26	5. 4	5. 29. 41	1. 25	1. 27 N	0. 1
25	6. 10. 41	4. 2	6. 5. 2	1. 10	0. 56 S	0. 10
28	6. 21. 4	2. 56	6. 10. 14	0. 53	3. 15	0. 18
30	6. 27. 37	2. 11	6. 13. 38	0. 40	4. 46	0. 23

VENUS.

1	7. 9. 28	1. 57 N	6. 3. 56	0. 56 N	0. 42 S	1. 32
7	7. 19. 3	1. 28	6. 11. 17	0. 43	3. 48	1. 37
13	7. 28. 37	0. 56	6. 18. 37	0. 28	6. 52	1. 43
19	8. 8. 10	0. 23 N	6. 25. 56	0. 12 N	9. 51	1. 48
25	8. 17. 41	0. 11 S	7. 3. 14	0. 6 S	12. 42	1. 54

MARS.

1	10. 22. 13	1. 51 S	9. 16. 56	4. 58 S	27. 18 S	8. 32
7	10. 26. 1	1. 50	9. 18. 34	4. 40	26. 48	8. 17
13	10. 29. 50	1. 49	9. 20. 33	4. 21	26. 12	8. 4
19	11. 3. 38	1. 47	9. 22. 53	4. 3	25. 31	7. 53
25	11. 7. 27	1. 45	9. 25. 29	3. 46	24. 46	7. 42

JUPITER.

1	8. 1. 18	0. 48 N	7. 21. 0	0. 46 N	17. 17 S	4. 31
7	8. 1. 46	0. 48	7. 21. 49	0. 45	17. 31	4. 13
13	8. 2. 14	0. 47	7. 22. 44	0. 44	17. 46	3. 55
19	8. 2. 43	0. 47	7. 23. 41	0. 43	18. 2	3. 37
25	8. 3. 11	0. 46	7. 24. 43	0. 42	18. 18	3. 20

SATURN. \square 5^d. 14^h.

1	8. 19. 22	1. 21 N	8. 13. 38	1. 22 N	21. 7 S	6. 5
7	8. 19. 33	1. 20	8. 13. 49	1. 20	21. 9	5. 44
13	8. 19. 44	1. 20	8. 14. 2	1. 19	21. 12	5. 24
19	8. 19. 54	1. 19	8. 14. 19	1. 18	21. 15	5. 3
25	8. 20. 5	1. 19	8. 14. 39	1. 17	21. 19	4. 43

V. S E P T E M B E R 1781. [101]

Days of the Month.	Days of the Week.	Moon's Longitude at Noon.	Moon's Longitude at Midnight.	Moon's Latitude at Noon.	Moon's Latitude at Midn.
		S. D. M. S.	S. D. M. S.	D. M. S.	D. M. S.
1	Sa.	10. 24. 29. 12	11. 0. 40. 21	4. 31. 40 S	4. 14. 30 S
2	Su.	11. 6. 48. 42	11. 12. 54. 27	3. 54. 30	3. 31. 55
3	M.	11. 18. 57. 43	11. 24. 58. 41	3. 7. 2	2. 40. 13
4	Tu.	0. 0. 57. 32	0. 6. 54. 34	2. 11. 42	1. 41. 52
5	W.	0. 12. 50. 3	0. 18. 44. 20	1. 11. 0	0. 39. 27 S
6	Th.	0. 24. 37. 49	1. 0. 30. 56	0. 7. 29 S	0. 24. 33 N
7	F.	1. 6. 24. 9	1. 12. 18. 1	0. 56. 22 N	1. 27. 40
8	Sa.	1. 18. 13. 3	1. 24. 9. 53	1. 58. 9	2. 27. 31
9	Su.	2. 0. 9. 5	2. 6. 11. 18	2. 55. 29	3. 21. 45
10	M.	2. 12. 17. 7	2. 18. 27. 13	3. 45. 58	4. 7. 52
11	Tu.	2. 24. 42. 8	3. 1. 2. 28	4. 27. 7	4. 43. 24
12	W.	3. 7. 28. 44	3. 14. 1. 23	4. 56. 23	5. 5. 44
13	Th.	3. 20. 40. 43	3. 27. 27. 43	5. 11. 11	5. 12. 25
14	F.	4. 4. 20. 26	4. 11. 20. 49	5. 9. 13	5. 1. 21
15	Sa.	4. 18. 27. 58	4. 25. 41. 30	4. 48. 46	4. 31. 25
16	Su.	5. 3. 0. 39	5. 10. 24. 47	4. 9. 24	3. 42. 59
17	M.	5. 17. 52. 51	5. 25. 23. 49	3. 12. 30	2. 38. 29
18	Tu.	6. 2. 56. 27	6. 10. 29. 37	2. 1. 31	1. 22. 20
19	W.	6. 18. 2. 4	6. 25. 32. 47	0. 41. 45 N	0. 0. 32 N
20	Th.	7. 3. 0. 42	7. 10. 25. 0	0. 40. 27 S	1. 20. 26 S
21	F.	7. 17. 45. 0	7. 25. 0. 6	1. 58. 44	2. 34. 41
22	Sa.	8. 2. 9. 57	8. 9. 14. 19	3. 7. 46	3. 37. 32
23	Su.	8. 16. 13. 2	8. 23. 6. 11	4. 3. 40	4. 25. 53
24	M.	8. 29. 53. 46	9. 6. 36. 24	4. 44. 4	4. 58. 6
25	Tu.	9. 13. 13. 6	9. 19. 45. 19	5. 7. 57	5. 13. 41
26	W.	9. 26. 12. 54	10. 2. 36. 14	5. 15. 20	5. 13. 4
27	Th.	10. 8. 55. 32	10. 15. 11. 13	5. 6. 59	4. 57. 17
28	F.	10. 21. 23. 32	10. 27. 32. 49	4. 44. 10	4. 27. 52
29	Sa.	11. 3. 39. 21	11. 9. 43. 25	4. 8. 37	3. 46. 40
30	Su.	11. 15. 45. 15	11. 21. 45. 13	3. 22. 17	2. 55. 48

Days of the Month.	Days of the Week.	D's Age.	D's Passage over Merid.	D's Right Ascen. at Noon.	D's Right Ascen. at Midn.	D's Declination at Noon.	D's Declination at Midn.
			H. M.	D. M.	D. M.	D. M.	D. M.
1	Sa.	14	11. 31	328. 22	334. 18	17. 38 S	15. 13 S
2	Sa.	15	12. 14	340. 2	345. 37	12. 39	9. 59
3	M.	16	12. 55	351. 5	356. 27	7. 14	4. 27 S
4	Tu.	17	13. 34	1. 45	7. 1	1. 38 S	1. 11 N
5	W.	18	14. 14	12. 16	17. 32	3. 59 N	6. 44
6	Th.	19	14. 54	22. 51	28. 15	9. 26	12. 3
7	F.	20	15. 37	33. 45	39. 23	14. 33	16. 56
8	Sa.	21	16. 22	45. 10	51. 8	19. 10	21. 13
9	Sa.	22	17. 11	57. 18	63. 40	23. 4	24. 41
10	M.	23	18. 4	70. 15	77. 2	26. 2	27. 5
11	Tu.	24	18. 59	84. 2	91. 11	27. 48	28. 10
12	W.	25	19. 57	98. 28	105. 50	28. 11	27. 48
13	Th.	26	20. 55	113. 15	120. 40	27. 0	25. 48
14	F.	27	21. 51	128. 1	135. 18	24. 12	22. 13
15	Sa.	28	22. 46	142. 29	149. 33	19. 54	17. 14
16	Su.	29	23. 38	156. 30	163. 21	14. 18	11. 7
17	M.	1	0	170. 8	176. 50	7. 45	4. 15 N
18	Tu.	2	0. 30	183. 30	190. 11	0. 41 N	2. 54 S
19	W.	3	1. 22	196. 54	203. 41	5. 27 S	9. 53
20	Th.	4	2. 15	210. 34	217. 33	13. 9	16. 14
21	F.	5	3. 10	224. 41	231. 58	19. 2	21. 32
22	Sa.	6	4. 8	239. 24	246. 56	23. 41	25. 27
23	Su.	7	5. 8	254. 34	262. 14	26. 48	27. 43
24	M.	8	6. 8	269. 53	277. 28	28. 12	28. 16
25	Tu.	9	7. 6	284. 56	292. 14	27. 55	27. 11
26	W.	10	8. 1	299. 20	306. 12	26. 5	24. 41
27	Th.	11	8. 52	312. 49	319. 13	22. 58	21. 2
28	F.	12	9. 38	325. 23	331. 21	18. 52	16. 32
29	Sa.	13	10. 22	337. 7	342. 44	14. 2	11. 26
30	Su.	14	11. 3	348. 12	353. 35	8. 44	5. 58

VII. SEPTEMBER 1781. [209]

Days of the Month.	Days of the Week.	Semidr. at Noon.	Semidr. at Mid-night.	Hor. Par. at Noon.	Hor. Par. at Midnight.	Prop. Lo. at Noon.	Prop. Lo. at Mid-night.
		M. S.	M. S.	M. S.	M. S.		
1	Sa.	15. 5	15. 2	55. 22	55. 20	5120	5136
2	Su.	14. 59	14. 56	54. 58	54. 48	5152	5165
3	M.	14. 53	14. 51	54. 39	54. 31	5177	5187
4	Tu.	14. 49	14. 48	54. 24	54. 18	5197	5205
5	W.	14. 47	14. 46	54. 15	54. 12	5209	5213
6	Th.	14. 46	14. 46	54. 13	54. 13	5213	5211
7	F.	14. 47	14. 49	54. 16	54. 21	5207	5201
8	Sa.	14. 50	14. 53	54. 28	54. 38	5191	5178
9	Su.	14. 56	15. 1	54. 50	55. 5	5162	5142
10	M.	15. 5	15. 10	55. 22	55. 41	5120	5095
11	Tu.	15. 16	15. 23	56. 2	56. 26	5068	5037
12	W.	15. 29	15. 37	56. 51	57. 18	5005	4971
13	Th.	15. 44	15. 52	57. 45	58. 14	4937	4901
14	F.	16. 0	16. 8	58. 42	59. 11	4865	4831
15	Sa.	16. 15	16. 22	59. 37	60. 2	4792	4769
16	Su.	16. 28	16. 33	60. 24	60. 43	4742	4719
17	M.	16. 37	16. 40	60. 57	61. 9	4703	4689
18	Tu.	16. 41	16. 42	61. 15	61. 17	4682	4679
19	W.	16. 41	16. 39	61. 13	61. 6	4684	4692
20	Th.	16. 36	16. 32	60. 55	60. 40	4705	4723
21	F.	16. 27	16. 21	60. 22	60. 1	4745	4770
22	Sa.	16. 15	16. 8	59. 38	59. 14	4798	4827
23	Su.	16. 2	15. 55	58. 49	58. 24	4859	4889
24	M.	15. 48	15. 42	58. 0	57. 36	4918	4949
25	Tu.	15. 35	15. 29	57. 13	56. 50	4977	5006
26	W.	15. 24	15. 18	56. 30	56. 10	5032	5058
27	Th.	15. 13	15. 9	55. 52	55. 36	5081	5102
28	F.	15. 5	15. 1	55. 21	55. 8	5122	5138
29	Sa.	14. 58	14. 55	54. 56	54. 45	5154	5169
30	Su.	14. 52	14. 50	54. 35	54. 27	5182	5193

Distances of D's Center from Sun, and from Stars east of her.

Days.	Stars Names.	Noon.	3 Hours.	6 Hours.	9 Hours.	12 Hours.	15 Hours.	18 Hours.	21 Hours.
		D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.
1	♄ Arietis.	71. 19. 40	69. 48. 9	68. 16. 49	66. 45. 40	65. 14. 43	63. 43. 57	62. 13. 23	60. 43. 0
2		59. 12. 48	57. 42. 48	56. 12. 59	54. 43. 22	53. 13. 56			
3						83. 31. 52	82. 1. 53	80. 32. 2	79. 2. 20
4	♂ Aldebaran.	77. 32. 46	76. 3. 20	74. 34. 2	73. 4. 53	71. 35. 52	70. 6. 59	68. 38. 14	67. 9. 37
5		65. 41. 8	64. 12. 46	62. 44. 32	61. 16. 26	59. 48. 28	58. 20. 37	56. 52. 54	55. 25. 18
6		53. 57. 50	52. 30. 29	51. 3. 16	49. 36. 11	48. 9. 13	46. 42. 23	45. 15. 42	43. 49. 9
7		42. 22. 45	40. 56. 29	39. 30. 24	38. 4. 30	36. 38. 47	35. 13. 13	33. 47. 55	32. 22. 53
		30. 58. 6	29. 33. 40	28. 9. 34	26. 45. 52	25. 22. 34			
8	♂ Pollux.	64. 57. 7	60. 27. 53	58. 58. 38	57. 29. 5	55. 59. 31	54. 29. 49	52. 59. 58	51. 29. 58
9		49. 59. 49	48. 29. 30	46. 58. 59	45. 28. 18	43. 57. 26	42. 26. 21	40. 55. 4	39. 23. 33
10		37. 51. 49	36. 19. 50	34. 47. 35	33. 15. 5	31. 42. 19			
7									
8		117. 52. 29	116. 30. 41	115. 8. 47	113. 46. 45	112. 24. 35	111. 2. 18	120. 35. 45	119. 14. 10
9	♂ The Sun.	106. 54. 32	105. 31. 36	104. 8. 29	102. 45. 11	101. 21. 41	99. 57. 59	98. 34. 4	97. 9. 54
10		95. 45. 31	94. 20. 53	92. 55. 59	91. 30. 49	90. 5. 23	88. 39. 40	87. 13. 40	85. 47. 21
11		84. 20. 45	82. 53. 49	81. 26. 32	79. 58. 56	78. 31. 0	77. 2. 42	75. 34. 2	74. 5. 1

IX. SEPTEMBER 1781. [105]

Days.	Stars Names.	Noon.		3 Hours.		6 Hours.		9 Hours.		12 Hours.		15 Hours.		18 Hours.		21 Hours.	
		D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.
12		72. 35. 37	71. 5. 50	69. 35. 39	68. 5. 5	66. 34. 8	65. 2. 46	63. 30. 59	61. 58. 47								
13	The Sun.	60. 26. 10	58. 53. 7	57. 19. 38	55. 45. 43	54. 11. 23	52. 36. 36	51. 1. 23	49. 25. 44								
14		47. 49. 39	46. 13. 7	44. 36. 10	42. 58. 47	41. 20. 59	39. 42. 46										
19	Antares.	48. 54. 46	47. 1. 26	45. 8. 15	43. 15. 12	41. 22. 20	39. 29. 38	37. 37. 8	35. 44. 51								
20		33. 52. 47	32. 0. 58	30. 9. 23	28. 18. 6	26. 27. 5											
20	α Aquilæ.	74. 28. 35	73. 0. 10	71. 32. 25	70. 5. 23	68. 39. 2	67. 13. 29	65. 48. 45	64. 24. 52								
21		63. 1. 55															
22		87. 35. 23	85. 53. 11	84. 11. 24	82. 30. 0	80. 49. 0	79. 8. 25	77. 28. 14	75. 48. 30								
23	Fomal-	74. 9. 10	72. 30. 16	70. 51. 50	69. 13. 51	67. 36. 19	65. 59. 16	64. 22. 42	62. 46. 39								
24	haut.	64. 11. 4	59. 35. 59	58. 1. 26	56. 27. 26	54. 53. 59	53. 21. 5	51. 48. 47	50. 17. 7								
25		48. 46. 3	47. 15. 36	45. 45. 52	44. 16. 52	42. 48. 37	41. 21. 6	39. 54. 30	38. 28. 50								
26		37. 4. 8	35. 40. 30	34. 17. 59	32. 56. 40	31. 36. 35											
26																	
27	α Arietis.	86. 39. 23	85. 6. 38	83. 34. 9	82. 1. 51	80. 29. 47	78. 57. 54	77. 26. 14	75. 54. 45								
28		74. 23. 28	72. 52. 22	71. 21. 27	69. 50. 43	68. 20. 10	66. 49. 48	65. 19. 37	63. 49. 36								
29		62. 19. 46	60. 50. 6	59. 20. 36	57. 51. 16	56. 22. 6											
29	Aldebaran.	80. 43. 4	79. 13. 57	77. 44. 57	76. 16. 3	86. 40. 34	85. 11. 2	83. 41. 36	82. 12. 17								
30		68. 53. 10				74. 47. 16	73. 18. 35	71. 50. 0	70. 21. 32								
O. 1																	

Distances of β 's Center. from Sun, and from Stars west of her.

Days.	Stars Names.	Noon.		3 Hours.		6 Hours.		9 Hours.		12 Hours.		15 Hours.		18 Hours.		21 Hours.	
		D.	M. S.	D.	M. S.	D.	M. S.	D.	M. S.	D.	M. S.	D.	M. S.	D.	M. S.	D.	M. S.
1		77.	29. 2	79.	1. 53	80.	34. 33	82.	7. 4	83.	39. 25	85.	11. 37	86.	43. 39	88.	15. 33
2	α Antares.	89.	47. 18	91.	18. 54	92.	50. 22	94.	21. 41	95.	52. 53	97.	23. 56	98.	54. 51	100.	25. 39
3		101.	56. 19	103.	26. 51	104.	57. 16	106.	27. 33	107.	57. 44						
3						62.	34. 7			62.	34. 7			64.	53. 48	66.	4. 8
4	α Aquilæ.	67.	14. 49	68.	25. 47	69.	37. 2	70.	48. 30	72.	0. 12	73.	12. 3	74.	24. 9	75.	36. 22
5		76.	48. 45	78.	1. 15	79.	13. 51	80.	26. 33	81.	39. 21	82.	52. 13	84.	5. 8	85.	18. 6
6		86.	31. 6														
6	Fomalhaut.	56.	33. 1	57.	56. 16	59.	19. 39	60.	43. 18	62.	6. 52	63.	30. 41	64.	54. 37	66.	18. 41
7		67.	42. 53	69.	7. 12	70.	31. 39	71.	56. 13	73.	20. 55	74.	45. 44	76.	10. 40	77.	35. 44
8		79.	0. 56	80.	26. 16	81.	51. 44	83.	17. 20	84.	43. 5						
8						20.	49. 14			22.	10. 15			23.	32. 15	24.	55. 12
9	α Arictis.	26.	18. 59	27.	43. 35	29.	8. 54	30.	34. 55	32.	1. 34	33.	28. 41	34.	56. 19	36.	24. 26
10		37.	53. 3	39.	22. 4	40.	51. 32	42.	21. 25	43.	51. 45	45.	22. 28	46.	53. 36	48.	35. 9
11		49.	57. 6	51.	29. 28	53.	2. 14	54.	35. 24	56.	8. 58						
11	Aldebaran.	32.	25. 6	33.	58. 22	35.	32. 18	37.	6. 57	38.	42. 15	40.	18. 7	41.	54. 34	43.	31. 36
12		45.	9. 14	46.	47. 25	48.	26. 8	50.	5. 24	51.	45. 13	53.	23. 32	55.	6. 22	56.	47. 42

XI. SEPTEMBER 1781. [107]

Days.	Starts Names.	Noon.		3 Hours.		6 Hours.		9 Hours.		12 Hours.		15 Hours.		18 Hours.		21 Hours.			
		D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.		
14	Aldebaran.	58. 29. 33	60. 11. 54	61. 54. 44	68. 38. 4	65. 21. 52	67. 6. 10	65. 21. 52	67. 6. 10	65. 21. 52	67. 6. 10	65. 21. 52	67. 6. 10	65. 21. 52	67. 6. 10	65. 21. 52	67. 6. 10		
15		72. 21. 47	74. 7. 54	75. 54. 25	77. 41. 21	79. 28. 41	81. 16. 25	79. 28. 41	81. 16. 25	79. 28. 41	81. 16. 25	79. 28. 41	81. 16. 25	79. 28. 41	81. 16. 25	79. 28. 41	81. 16. 25	79. 28. 41	
16		86. 41. 47																	
20	Spica	48. 58. 26	50. 40. 30	52. 22. 13	54. 3. 38	55. 44. 42	57. 25. 25	55. 44. 42	57. 25. 25	55. 44. 42	57. 25. 25	55. 44. 42	57. 25. 25	55. 44. 42	57. 25. 25	55. 44. 42	57. 25. 25	55. 44. 42	
21		62. 25. 27	64. 4. 44	65. 43. 38	67. 22. 11	69. 0. 21	70. 38. 7	69. 0. 21	70. 38. 7	69. 0. 21	70. 38. 7	69. 0. 21	70. 38. 7	69. 0. 21	70. 38. 7	69. 0. 21	70. 38. 7	69. 0. 21	70. 38. 7
22		75. 29. 14	77. 5. 32	78. 41. 27	80. 17. 1	81. 52. 12	83. 27. 0	81. 52. 12	83. 27. 0	81. 52. 12	83. 27. 0	81. 52. 12	83. 27. 0	81. 52. 12	83. 27. 0	81. 52. 12	83. 27. 0	81. 52. 12	83. 27. 0
23		88. 9. 14	89. 42. 36	91. 15. 39	92. 48. 20	94. 20. 41	95. 52. 41	94. 20. 41	95. 52. 41	94. 20. 41	95. 52. 41	94. 20. 41	95. 52. 41	94. 20. 41	95. 52. 41	94. 20. 41	95. 52. 41	94. 20. 41	95. 52. 41
24		100. 26. 44	101. 57. 27	103. 27. 52	104. 57. 58	106. 27. 47	107. 57. 17	106. 27. 47	107. 57. 17	106. 27. 47	107. 57. 17	106. 27. 47	107. 57. 17	106. 27. 47	107. 57. 17	106. 27. 47	107. 57. 17	106. 27. 47	107. 57. 17
25		112. 24. 9	113. 52. 34	115. 20. 43	116. 48. 38	118. 16. 17	119. 43. 42	118. 16. 17	119. 43. 42	118. 16. 17	119. 43. 42	118. 16. 17	119. 43. 42	118. 16. 17	119. 43. 42	118. 16. 17	119. 43. 42	118. 16. 17	119. 43. 42
26		23. 6. 27	24. 47. 8	26. 27. 29	28. 7. 29	29. 47. 9	31. 26. 29	29. 47. 9	31. 26. 29	29. 47. 9	31. 26. 29	29. 47. 9	31. 26. 29	29. 47. 9	31. 26. 29	29. 47. 9	31. 26. 29	29. 47. 9	31. 26. 29
27	36. 22. 34	38. 0. 38	39. 38. 24	41. 15. 53	42. 53. 3	44. 29. 55	42. 53. 3	44. 29. 55	42. 53. 3	44. 29. 55	42. 53. 3	44. 29. 55	42. 53. 3	44. 29. 55	42. 53. 3	44. 29. 55	42. 53. 3	44. 29. 55	
28	49. 18. 53	50. 54. 40	52. 30. 12	54. 5. 29	55. 40. 31	57. 15. 18	55. 40. 31	57. 15. 18	55. 40. 31	57. 15. 18	55. 40. 31	57. 15. 18	55. 40. 31	57. 15. 18	55. 40. 31	57. 15. 18	55. 40. 31	57. 15. 18	
29	61. 58. 16	63. 32. 8	65. 5. 48	66. 39. 15	68. 12. 30	69. 45. 34	68. 12. 30	69. 45. 34	68. 12. 30	69. 45. 34	68. 12. 30	69. 45. 34	68. 12. 30	69. 45. 34	68. 12. 30	69. 45. 34	68. 12. 30	69. 45. 34	
30	74. 23. 39	75. 56. 0	77. 28. 10	79. 0. 11	80. 32. 2	82. 3. 44	80. 32. 2	82. 3. 44	80. 32. 2	82. 3. 44	80. 32. 2	82. 3. 44	80. 32. 2	82. 3. 44	80. 32. 2	82. 3. 44	80. 32. 2	82. 3. 44	
O. I.	86. 37. 58	88. 9. 6	89. 40. 7	91. 11. 0	92. 41. 46	94. 12. 24	92. 41. 46	94. 12. 24	92. 41. 46	94. 12. 24	92. 41. 46	94. 12. 24	92. 41. 46	94. 12. 24	92. 41. 46	94. 12. 24	92. 41. 46	94. 12. 24	
	98. 43. 39	100. 13. 52	101. 44. 0	103. 14. 2	104. 43. 59	106. 13. 50	104. 43. 59	106. 13. 50	104. 43. 59	106. 13. 50	104. 43. 59	106. 13. 50	104. 43. 59	106. 13. 50	104. 43. 59	106. 13. 50	104. 43. 59	106. 13. 50	
	110. 42. 51																		

Configurations of the SATELLITES of JUPITER
at Half an Hour past 7 o' Clock in the Evening.

1		3.	4.	⊙				I.O
2		3.	4.	1.	⊙		2.	
3		3.	4.	⊙	2.	1.		
4	3.O		2.	1.	⊙		4.	
5					⊙	2.	1.	3. 4.
6				1.	⊙		2.	3. 4.
7			2.	⊙		1.	3.	4.
8			2.	1.	⊙			4.
9	I●		3.		⊙		2.	4.
10		3.			⊙	1.		4.
11			2.	1.	⊙		4.	
12	2.O			4.	⊙	1.	3.	
13		4.		1.	⊙		2.	3.
14		4.		2.	⊙		1.	3.
15	4.		2.	3.	1.	⊙		
16	4.		3.		⊙	1.	2.	

Configurations at 7 o' Clock in the Evening.

17	4.		3.		⊙		2.	I.O
18		4.		2.	1.	⊙		
19			4.		2.	⊙	1.	3.
20				1.	4.	⊙		2. 3.
21	2●					⊙	1.	4. 3.
22			2.	1.	3.	⊙		4.
23		3.				⊙	1.	2. 4.
24	I.O		3.			⊙		2. 4.
25	I●			2.	3.	⊙		4.
26				2.		⊙	1.	3. 4.
27				1.		⊙		2. 3. 4.
28						⊙	2.	4. 1. 3.
29			2.	1.	4.	⊙	3.	
30						⊙	2.	1.

I. OCTOBER 1781. [109]

Days of the Month.	Days of the Week.	Sundays, Holidays, &c.	Phases of the Moon.
			D. H. M.
			Full Moon — 2. 0. 2
			Last Quarter — 10. 2. 50
			New Moon — 16. 21. 9
			First Quarter — 23. 15. 35
			Full Moon. — 31. 18. 29
			Other Phenomena.
			D.
			2. ♀ α = diff. Lat. 50'.
			2. ☾ ☿ 14 ^h . 41'.
			5. ☾ ♃ 5 ^h . 43'.
			7. ♀ ι ad ι = diff. Lat. 1° 7'.
			10. ♃ λ = diff. Lat. 33'.
			10. ☾ ad ♃ = 18 ^h . 33'.
			12. ☾ η Ω 21 ^h . 0'.
			15. ☾ η ♃ 9 ^h . 26'.
			16. ♀ ♃ diff. Lat. 1° 47'.
			17. ♀ δ ♃ diff. Lat. 44'.
			17. ☾ ♀ 22 ^h . 44'.
			17. ☉ eclipsed, visible.
			18. ☾ ι ad ι = 10 ^h . 33'.
			19. ☾ σ ♃ 13 ^h . 35'.
			22. ♀ ι ad ι = diff. Lat. 1'.
			22. ☾ τ ♃ 4 ^h . 36'.
			22. ☉ enters ♃ at 13 ^h . 5'.
			23. ♃ β ♃ diff. Lat. 24'.
			24. ☾ σ ♃ 21 ^h . 52'.
			27. ☾ ι ♃ 1 ^h . 0'.
			27. ☾ ε ♃ 1 ^h . 54'.
			29. ☾ ζ ♃ 20 ^h . 55'.
1	M.	Remigius.	
2	Tu.		
3	W.		
4	Th.		
5	F.		
6	Sa.	Faith.	
7	Su.	17th Sunday after Trinity.	
8	M.		
9	Tu.	St. Denys.	
10	W.	Oxford and Cam. Terms [begin.	
11	Th.		
12	F.		
13	Sa.	Transf. of K. Edw. Conf.	
14	Su.	18th Sunday after Trinity.	
15	M.		
16	Tu.		
17	W.	Etheldred.	
18	Th.	St. Luke.	
19	F.		
20	Sa.		
21	Su.	19th Sunday after Trinity.	
22	M.		
23	Tu.		
24	W.		
25	Th.	K. Geo. III. Acces. Crisp.	
26	F.	K. Geo. III. procl. 1760.	
27	Sa.		
28	Su.	20th Sunday after Trinity.	
29	M.	[St. Simon and St. Jude.	
30	Tu.		
31	W.		

[110] O C T O B E R 1781. II.

Days of the Month.	Days of the Week.	Sun's Longitude.			Sun's Right Asc. in Time.		Sun's Declin. South.		Equat. of Time. Sub.		Diff.		
		S.	D.	M.	S.	H.	M.	S.	D.	M.		S.	
1	M.	6.	8.	37.54	12.	31.	42.5	3.	25.	37	10.	32.0	18,6
2	Tu.	6.	9.	37.2	12.	35.	20.4	3.	48.	55	10.	50.6	18,3
3	W.	6.	10.	36.11	12.	38.	58.5	4.	12.	10	11.	8.9	18,1
4	Th.	6.	11.	35.22	12.	42.	37.0	4.	35.	22	11.	27.0	17,7
5	F.	6.	12.	34.36	12.	46.	15.8	4.	58.	30	11.	44.7	17,4
6	Sa.	6.	13.	33.52	12.	49.	54.9	5.	21.	35	12.	2.1	16,9
7	Sa.	6.	14.	33.10	12.	53.	34.5	5.	44.	36	12.	19.0	16,4
8	M.	6.	15.	32.31	12.	57.	14.6	6.	7.	33	12.	35.4	15,9
9	Tu.	6.	16.	31.54	13.	0.	55.2	6.	30.	25	12.	51.3	15,4
10	W.	6.	17.	31.20	13.	4.	36.3	6.	53.	13	13.	6.7	15,0
11	Th.	6.	18.	30.48	13.	8.	17.9	7.	15.	55	13.	21.7	14,4
12	F.	6.	19.	30.18	13.	12.	0.0	7.	38.	30	13.	36.1	13,9
13	Sa.	6.	20.	29.51	13.	15.	42.6	8.	1.	0	13.	50.0	13,4
14	Sa.	6.	21.	29.26	13.	19.	25.7	8.	23.	23	14.	3.4	12,8
15	M.	6.	22.	29.3	13.	23.	9.4	8.	45.	39	14.	16.2	12,2
16	Tu.	6.	23.	28.49	13.	26.	53.7	9.	7.	48	14.	28.4	11,7
17	W.	6.	24.	28.24	13.	30.	38.6	9.	29.	49	14.	40.1	11,0
18	Th.	6.	25.	28.8	13.	34.	24.1	9.	51.	41	14.	51.1	10,3
19	F.	6.	26.	27.54	13.	38.	10.3	10.	13.	25	15.	1.4	9,8
20	Sa.	6.	27.	27.41	13.	41.	57.1	10.	35.	0	15.	11.2	9,0
21	Sa.	6.	28.	27.31	13.	45.	44.5	10.	56.	25	15.	20.2	8,4
22	M.	6.	29.	27.22	13.	49.	32.6	11.	17.	40	15.	28.6	7,8
23	Tu.	7.	0.	27.15	13.	53.	21.4	11.	38.	44	15.	36.4	7,1
24	W.	7.	1.	27.9	13.	57.	10.8	11.	59.	39	15.	43.5	6,4
25	Th.	7.	2.	27.5	14.	1.	0.9	12.	20.	23	15.	49.9	5,8
26	F.	7.	3.	27.3	14.	4.	51.8	12.	40.	54	15.	55.7	4,9
27	Sa.	7.	4.	27.3	14.	8.	43.4	13.	1.	14	16.	0.6	4,3
28	Su.	7.	5.	27.2	14.	12.	35.6	13.	21.	21	16.	4.9	3,6
29	M.	7.	6.	27.4	14.	16.	28.5	13.	41.	15	16.	8.5	2,8
30	Tu.	7.	7.	27.8	14.	20.	22.3	14.	0.	56	16.	11.3	1,9
31	W.	7.	8.	27.15	14.	24.	17.0	14.	20.	25	16.	13.2	

III. OCTOBER 1781. [III]

Days of the Month.	Semidiameter of the Sun.	Time of D ^o passing the Meridian.	Hourly Motion of the Sun.	Logarithm of the Sun's Distance.	Place of the Moon's Node.
	M. S.	M. S.	M. S.		S. D. M.
1	16. 2, 9	1. 4, 3	2. 27, 8	9,999937	0. 26. 13
7	16. 4, 5	1. 4, 6	2. 28, 4	9,999190	0. 25. 54
13	16. 6, 2	1. 5, 0	2. 28, 9	9,998463	0. 25. 34
19	16. 7, 8	1. 5, 6	2. 29, 3	9,997735	0. 25. 15
25	16. 9, 5	1. 6, 2	2. 29, 8	9,997007	0. 24. 56

Eclipses of the SATELLITES of JUPITER.

I. Satellite. Emerfions.			II. Satellite. Emerfions.			III. Satellite.		
Days	H.	M. S.	Days	H.	M. S.	Days	H.	M. S.
2	9.	39. 28	2	1.	21. 6	6	15.	59. 48 I
4	4.	8. 41	5	14.	40. 37	6	17.	58. 52 E
5	22.	37. 52	9	3.	59. 59	13	20.	0. 11 I
7	17.	7. 1	12	17.	19. 16	13	22.	0. 21 E
9	11.	36. 8	*16	6.	38. 29	21	0.	0. 1 I
*11	6.	5. 14	19	19.	57. 35	21	2.	1. 17 E
13	0.	34. 18	23	9.	16. 34	28	3.	59. 12 I
14	19.	3. 19	26	22.	35. 25	28	6.	1. 35 E
16	13.	32. 18	30	11.	54. 10	IV. Satellite. Conj.		
18.	8.	1. 15				7	10.	29 Inf.
20	2.	30. 10				15	19.	6 Sup.
21	20.	59. 3				24	6.	53 Inf.
23	15.	27. 52						
25	9.	56. 40						
27	4.	25. 25						
28	22.	54. 9						
30	17.	22. 50						

Days	Heliocentric Longitude.	Heliocentric Latitude.	Geocentric Longitude.	Geocentric Latitude.	Declination.	Passage over Merid.
	S. D. M.	D. M.	S. D. M.	D. M.	D. M.	H. M.
MERCURY.						
1	7. 0. 47	1. 49 N	6. 15. 18	0. 34 N	5. 31 S	0. 26
4	7. 9. 58	0. 43 N	6. 20. 15	0. 14 N	7. 43	0. 33
7	7. 18. 44	0. 22 S	6. 25. 6	0. 7 S	9. 50	0. 39
10	7. 27. 14	1. 24	6. 29. 49	0. 28	11. 51	0. 46
13	8. 5. 33	2. 23	7. 4. 27	0. 49	13. 47	0. 52
16	8. 13. 48	3. 18	7. 8. 59	1. 9	15. 35	0. 58
19	8. 22. 3	4. 9	7. 13. 24	1. 28	17. 17	1. 4
22	9. 0. 24	4. 56	7. 17. 44	1. 46	18. 50	1. 10
25	9. 8. 56	5. 37	7. 21. 57	2. 3	20. 15	1. 15
28	9. 17. 49	6. 11	7. 26. 3	2. 18	21. 31	1. 20
31	9. 27. 5	6. 38	7. 29. 59	2. 30	22. 36	1. 25
VENUS.						
1	8. 27. 11	0. 44 S	7. 10. 33	0. 24 S	15. 23 S	2. 1
7	9. 6. 41	1. 16	7. 17. 50	0. 42	17. 50	2. 7
13	9. 16. 10	1. 46	7. 25. 6	1. 1	20. 2	2. 15
19	9. 25. 39	2. 13	8. 2. 22	1. 18	21. 56	2. 22
25	10. 5. 7	2. 37	8. 9. 36	1. 35	23. 29	2. 36
MARS.						
1	11. 11. 15	1. 42 S	9. 28. 20	3. 29 S	23. 55 S	7. 33
7	11. 15. 3	1. 39	10. 1. 24	3. 12	22. 59	7. 24
13	11. 18. 50	1. 35	10. 4. 38	2. 56	21. 58	7. 15
19	11. 22. 36	1. 31	10. 8. 1	2. 40	20. 52	7. 7
25	11. 26. 22	1. 27	10. 11. 34	2. 26	19. 40	6. 58
JUPITER.						
1	8. 3. 39	0. 46 N	7. 25. 46	0. 41 N	18. 33 S	3. 3
7	8. 4. 7	0. 45	7. 26. 53	0. 40	18. 50	2. 46
13	8. 4. 35	0. 45	7. 28. 3	0. 39	19. 7	2. 28
19	8. 5. 4	0. 44	7. 29. 16	0. 38	19. 24	2. 11
25	8. 5. 32	0. 43	8. 0. 31	0. 37	19. 40	1. 53
SATURN.						
1	8. 20. 16	1. 19 N	8. 15. 2	1. 16 N	21. 23 S	4. 24
7	8. 20. 26	1. 18	8. 15. 28	1. 15	21. 26	4. 4
13	8. 20. 38	1. 18	8. 15. 57	1. 14	21. 30	3. 44
19	8. 20. 49	1. 17	8. 16. 28	1. 13	21. 34	3. 24
25	8. 20. 59	1. 17	8. 17. 1	1. 12	21. 38	3. 3

V. OCTOBER 1781. [113]

Days of the Month.	Days of the Week.	Moon's Longitude at Noon.	Moon's Longitude at Midnight.	Moon's Latitude at Noon.	Moon's Latitude at Midn.
		S. D. M. S.	S. D. M. S.	D. M. S.	D. M. S.
1	M.	11. 27. 43. 27	0. 3. 40. 14	2. 27. 29 S	1. 57. 42 S
2	Tu.	0. 9. 35. 49	0. 15. 30. 29	1. 26. 34	0. 54. 42 S
3	W.	0. 21. 24. 26	0. 27. 18. 1	0. 22. 15 S	0. 10. 25 N
4	Th.	1. 3. 11. 29	1. 9. 5. 9	0. 43. 0 N	1. 15. 8
5	F.	1. 14. 59. 22	1. 20. 54. 31	1. 46. 32	2. 16. 53
6	Sa.	1. 26. 51. 0	2. 2. 49. 14	2. 45. 52	3. 13. 11
7	Su.	2. 8. 49. 42	2. 14. 52. 52	3. 38. 34	4. 1. 41
8	M.	2. 20. 59. 14	2. 27. 9. 17	4. 22. 16	4. 40. 3
9	Tu.	3. 3. 23. 33	3. 9. 42. 30	4. 54. 44	5. 6. 3
10	W.	3. 16. 6. 40	3. 22. 36. 27	5. 13. 45	5. 17. 35
11	Th.	3. 29. 12. 17	4. 5. 54. 28	5. 17. 20	5. 12. 47
12	F.	4. 12. 43. 16	4. 19. 38. 51	5. 3. 48	4. 50. 18
13	Sa.	4. 26. 41. 13	5. 3. 50. 11	4. 32. 14	4. 9. 42
14	Su.	5. 11. 5. 26	5. 18. 26. 31	3. 42. 48	3. 11. 55
15	M.	5. 25. 52. 46	6. 3. 23. 16	2. 37. 26	1. 59. 54
16	Tu.	6. 10. 57. 4	6. 18. 33. 2	1. 19. 59 N	0. 38. 27 N
17	W.	6. 26. 9. 56	7. 3. 46. 29	0. 3. 52 S	0. 46. 4 S
18	Th.	7. 11. 21. 28	7. 18. 53. 42	1. 27. 19	2. 6. 47
19	F.	7. 26. 22. 7	8. 3. 45. 50	2. 43. 43	3. 17. 30
20	Sa.	8. 11. 4. 3	8. 18. 16. 10	3. 47. 37	4. 13. 40
21	Su.	8. 25. 21. 50	9. 2. 20. 49	4. 35. 24	4. 52. 42
22	M.	9. 9. 13. 3	9. 15. 58. 38	5. 5. 29	5. 13. 47
23	Tu.	9. 22. 37. 46	9. 29. 10. 42	5. 17. 44	5. 17. 27
24	W.	10. 5. 37. 50	10. 11. 59. 35	5. 13. 8	5. 5. 2
25	Th.	10. 18. 16. 25	10. 24. 28. 48	4. 53. 22	4. 38. 21
26	F.	11. 0. 37. 15	11. 6. 42. 17	4. 20. 17	3. 59. 27
27	Sa.	11. 12. 44. 22	11. 18. 44. 0	3. 36. 7	3. 10. 35
28	Su.	11. 24. 41. 38	0. 0. 37. 43	2. 43. 8	2. 14. 1
29	M.	0. 6. 32. 40	0. 12. 26. 50	1. 43. 32	1. 12. 2
30	Tu.	0. 18. 20. 36	0. 24. 14. 18	0. 39. 48 S	0. 7. 10 S
31	W.	1. 0. 8. 12	1. 6. 2. 36	0. 25. 33 N	0. 58. 2 N

Days of the Month	Days of the Week.	D's Age.	D's Pass- age over Merid.	D's Right Ascen. at Noon.	D's Right Asc. at Midn.	D's De- clination at Noon.	D's De- clination at Midn.
			H. M.	D. M.	D. M.	D. M.	D. M.
1	M.	15	11. 42	358. 54	4. 9	3. 11 S	0. 20 S
2	Tu.	16	12. 22	9. 23	14. 35	2. 29 N	5. 16 N
3	W.	17	13. 2	19. 55	25. 16	8. 1	10. 41
4	Th.	18	13. 44	30. 43	36. 16	13. 16	15. 43
5	F.	19	14. 28	41. 58	47. 50	18. 3	20. 12
6	Sa.	20	15. 15	53. 52	60. 5	22. 10	23. 54
7	Su.	21	16. 6	66. 29	73. 5	25. 24	26. 37
8	M.	22	16. 59	79. 52	86. 47	27. 31	28. 6
9	Tu.	23	17. 55	93. 50	100. 59	28. 19	28. 12
10	W.	24	18. 50	108. 11	115. 23	27. 41	26. 48
11	Th.	25	19. 46	122. 34	129. 41	25. 31	23. 52
12	F.	26	20. 39	136. 44	143. 41	21. 52	19. 32
13	Sa.	27	21. 31	150. 32	157. 18	16. 54	14. 0
14	Su.	28	22. 22	164. 0	170. 38	10. 51	7. 31
15	M.	29	23. 14	177. 16	183. 54	4. 3 N	0. 29 N
16	Tu.	1	♄	190. 35	197. 21	3. 7 S	6. 41 S
17	W.	2	0. 6	204. 14	211. 16	10. 10	13. 31
18	Th.	3	1. 2	218. 27	225. 49	16. 39	19. 30
19	F.	4	2. 1	233. 22	241. 5	22. 1	24. 9
20	Sa.	5	3. 1	248. 55	256. 49	25. 53	27. 9
21	Su.	6	4. 2	264. 44	272. 38	27. 58	28. 19
22	M.	7	5. 4	280. 26	288. 2	28. 13	27. 42
23	Tu.	8	6. 2	295. 24	302. 32	26. 47	25. 31
24	W.	9	6. 54	309. 24	315. 59	23. 56	22. 6
25	Th.	10	7. 42	322. 20	328. 24	20. 1	17. 45
26	F.	11	8. 26	334. 16	339. 57	15. 19	12. 46
27	Sa.	12	9. 8	345. 30	350. 54	10. 7	7. 23
28	Su.	13	9. 48	356. 13	1. 28	4. 36 S	1. 48 S
29	M.	14	10. 27	6. 41	11. 55	1. 1 N	3. 49 N
30	Tu.	15	11. 7	17. 10	22. 29	6. 35	9. 18
31	W.	16	11. 47	27. 53	33. 24	11. 56	14. 28

VII. OCTOBER 1781. [115]

Days of the Month.	Days of the Week.	Semid ^r .		Hor. Par.		Proport. Lo- gar. at Noon.	Proport. Lo- gar. at Midn.
		at Noon.	at Midnight.	at Noon.	at Midnight.		
		M. S.	M. S.	M. S.	M. S.		
1	M.	14. 49	14. 47	54. 20	54. 15	5202	5209
2	Tu.	14. 46	14. 45	54. 11	54. 7	5214	5219
3	W.	14. 45	14. 44	54. 6	54. 6	5221	5221
4	Th.	14. 45	14. 45	54. 7	54. 9	5219	5217
5	F.	14. 47	14. 48	54. 14	54. 20	5210	5202
6	Sa.	14. 51	14. 53	54. 28	54. 37	5191	5179
7	Su.	14. 56	15. 0	54. 49	55. 3	5163	5145
8	M.	15. 4	15. 9	55. 18	55. 36	5125	5102
9	Tu.	15. 14	15. 20	55. 55	56. 17	5077	5049
10	W.	15. 27	15. 34	56. 41	57. 6	5018	4986
11	Th.	15. 41	15. 48	57. 33	58. 0	4952	4918
12	F.	15. 56	16. 4	58. 29	58. 57	4882	4848
13	Sa.	16. 12	16. 19	59. 26	59. 52	4812	4781
14	Su.	16. 25	16. 32	60. 17	60. 40	4751	4723
15	M.	16. 37	16. 41	60. 59	61. 15	4700	4682
16	Tu.	16. 44	16. 46	61. 26	61. 32	4669	4661
17	W.	16. 47	16. 46	61. 34	61. 30	4659	4664
18	Th.	16. 43	16. 40	61. 21	61. 8	4675	4690
19	F.	16. 35	16. 29	60. 50	60. 30	4711	4735
20	Sa.	16. 23	16. 16	60. 6	59. 40	4764	4795
21	Su.	16. 8	16. 0	59. 13	58. 44	4828	4864
22	M.	15. 53	15. 45	58. 15	57. 47	4898	4934
23	Tu.	15. 37	15. 30	57. 20	56. 54	4968	5002
24	W.	15. 23	15. 17	56. 29	56. 7	5033	5062
25	Th.	15. 11	15. 7	55. 45	55. 28	5090	5112
26	F.	15. 2	14. 58	55. 10	54. 56	5136	5154
27	Sa.	14. 55	14. 52	54. 43	54. 33	5171	5185
28	Su.	14. 49	14. 48	54. 24	54. 17	5197	5206
29	M.	14. 46	14. 46	54. 12	54. 9	5213	5217
30	Tu.	14. 45	14. 45	54. 7	54. 7	5219	5219
31	W.	14. 45	14. 46	54. 8	54. 10	5218	5215

Configurations of the SATELLITES of JUPITER at 1/2 past 6 o'Clock in the Evening.

1		4.	3.	1.	⊙	2.	
2		4.		3.	2.	⊙	10
3		4.		2.	⊙	1. 3.	
4		4.		1.	⊙	2. 3.	
5		4.			⊙	2. 1. 3.	
6			4.	1.	⊙	3.	
7			3.		4.	⊙	1. 02
8			3.		1.	⊙	2. 4.
9			3.	2.	⊙	1.	4.
10	⊙ I			2.	⊙	3.	4.
11				1.	⊙	2. 3.	4.
12					⊙	1. 2. 3.	4.
13			2. 1.		⊙	3.	4.
14			3.		2.	⊙	1. 4.
15			3.		1.	⊙	4. 2.
16			3.		4. 2.	⊙	1.

at 6 o'Clock in the Evening.

17			4.	2.	1. 3.	⊙		
18	⊙ I		4.			⊙	2. 3.	
19			4.			⊙	1. 2. 3.	
20			4.		2. 1.	⊙	3.	
21			4.		3.	2.	⊙	1.
22			4.		2.	1.	⊙	3.
23			3.	4.		⊙	1. 20	
24			2.	1. 3.		⊙	04	
25						⊙	1. 2. 3. 4.	
26						⊙	2. 3. 4. 01	
27			2. 1.			⊙	3. 4.	

I. NOVEMBER 1781. [121]

Days of the Month.	Days of the Week.	Sundays, Holidays, &c.	Phases of the Moon.
			D. H. M.
			Last Quarter — 8. 15. 21
			New Moon — 15. 7. 12
			First Quarter — 22. 7. 32
			Full Moon — 30. 12. 55
			Other Phenomena.
			D.
1	Th.	<i>All Saints.</i>	1. ☾ ♄ 11 ^h . 48'.
2	F.	<i>Pr. Edward born.</i> [ret.]	♀ ♃ Ophiu. diff. Lat. 6'.
3	Sa.	On mor. of All Souls, 1	4. ☾ ♃ 3 ^h . 3'.
4	Su.	21 st Sunday after Trinity.	♂ ♃ ♃ diff. Lat. 29'.
5	M.	<i>Powder-Plot, 1605.</i>	6. ☾ ♃ 5 ^h . 53'.
6	Tu.	Leonard. M. T. begins,	7. ☾ ♃ ♃ 1 ^h . 13'.
7	W.	<i>Duke of Cumberland born.</i>	9. ☾ ♃ ♃ 5 ^h . 2'.
8	Th.	<i>Pr. Aug. Sophia born.</i>	11. ☾ ♃ ♃ 19 ^h . 37'.
9	F.		12. ☾ ♃ ♃ 4 ^h . 29'.
10	Sa.		☾ ♃ ♃ 17 ^h . 33'.
11	Su.	22 ^d Su. aft. Tr. St. Mart.	13. ☾ ♃ ♃ 23 ^h . 31'.
12	M.	On mor. of S. Mart. 2 ret.	14. ♀ ♃ ♃ diff. Lat. 10'.
13	Tu.	Britius. Cam. T. div. m.	16. ☾ ♃ ♃ Ophiu. 23 ^h . 11'.
14	W.		♂ ♃ ♃ diff. Lat. 27'.
15	Th.	Machutus.	18. ☾ ♃ ♃ 5 ^h . 53'.
16	F.		☾ ♃ ♃ 13 ^h . 49'.
17	Sa.	Hugh Bp. of Lincoln.	19. ♀ Stationary.
18	Su.	23 ^d Su. aft. Tr. In 8 days	21. ☾ ♃ ♃ 5 ^h . 15'.
19	M.	[of St. Mart. 3 ret.]	22. ☾ enters ♃ at 9 ^h . 12'.
20	Tu.	Edmund K. and Mart.	23. ☾ ♃ ♃ Im. 8 ^h . 5' $\frac{2}{3}$.
21	W.		* 9' N. of ♃'s cent.
22	Th.	Cecilia.	Em. 9 ^h . 16'. * 2' N.
23	F.	St. Clement.	☾ ♃ ♃ 8 ^h . 29'.
24	Sa.		☾ ♃ ♃ 8 ^h . 37'.
25	Su.	24 th S. aft. Tr. D. of Gl. b.	26. ☾ ♃ ♃ 3 ^h . 22'.
26	M.	[In 15d. of St. Mart. 4 ret.]	28. ☾ ♃ ♃ 18 ^h . 13'.
27	Tu.		
28	W.	Michaelmas Term ends.	
29	Th.		
30	F.	St. Andrew.	

[122] NOVEMBER 1781. II.

Days of the Month.	Days of the Week.	Sun's Longitude.	Sun's Right Asc. in Time.	Sun's Declin. North.	Equat. of Time Sub.	Diff.
		S. D. M. S.	H. M. S.	D. M. S.	M. S.	S.
1	Th.	7. 9. 27. 23	14. 28. 12, 4	14. 39. 39	16. 14, 3	
2	F.	7. 10. 27. 33	14. 32. 8, 6	14. 58. 39	16. 14, 7	0, 4
3	Sa.	7. 11. 27. 44	14. 36. 5, 5	15. 17. 24	16. 14, 3	0, 4
4	Su.	7. 12. 27. 57	14. 40. 3, 4	15. 35. 54	16. 13, 0	1, 3
5	M.	7. 13. 28. 13	14. 44. 2, 0	15. 54. 9	16. 10, 9	2, 1
						3, 0
6	Tu.	7. 14. 28. 31	14. 48. 1, 6	16. 12. 8	16. 7, 9	
7	W.	7. 15. 28. 51	14. 52. 2, 0	16. 29. 51	16. 4, 0	3, 9
8	Th.	7. 16. 29. 12	14. 56. 3, 3	16. 47. 17	16. 59, 3	4, 7
9	F.	7. 17. 29. 36	15. 0. 5, 5	17. 4. 26	17. 53, 7	5, 6
10	Sa.	7. 18. 30. 2	15. 4. 8, 5	17. 21. 17	17. 47, 3	6, 4
						7, 3
11	Su.	7. 19. 30. 30	15. 8. 12, 3	17. 37. 51	17. 40, 0	
12	M.	7. 20. 31. 0	15. 12. 17, 1	17. 54. 7	17. 31, 8	8, 2
13	Tu.	7. 21. 31. 32	15. 16. 22, 7	18. 10. 4	17. 22, 8	9, 0
14	W.	7. 22. 32. 5	15. 20. 29, 2	18. 25. 42	17. 12, 9	9, 9
15	Th.	7. 23. 32. 40	15. 24. 36, 5	18. 41. 0	17. 2, 1	10, 8
						11, 6
16	F.	7. 24. 33. 17	15. 28. 44, 7	18. 55. 58	17. 50, 5	
17	Sa.	7. 25. 33. 56	15. 32. 53, 8	19. 10. 36	17. 38, 0	12, 5
18	Su.	7. 26. 34. 36	15. 37. 3, 7	19. 24. 53	17. 24, 7	13, 3
19	M.	7. 27. 35. 17	15. 41. 14, 4	19. 38. 49	17. 10, 7	14, 0
20	Tu.	7. 28. 35. 59	15. 45. 25, 9	19. 52. 24	17. 55, 8	14, 9
						15, 7
21	W.	7. 29. 36. 43	15. 49. 38, 1	20. 5. 37	17. 40, 1	
22	Th.	8. 0. 37. 27	15. 53. 51, 1	20. 18. 28	17. 23, 7	16, 4
23	F.	8. 1. 38. 12	15. 58. 4, 9	20. 30. 56	17. 6, 5	17, 2
24	Sa.	8. 2. 38. 59	16. 2. 19, 5	20. 43. 1	17. 48, 6	17, 9
25	Su.	8. 3. 39. 47	16. 6. 34, 8	20. 54. 42	17. 29, 9	18, 7
						19, 4
26	M.	8. 4. 40. 35	16. 10. 50, 8	21. 6. 0	17. 10, 5	
27	Tu.	8. 5. 41. 24	16. 15. 7, 5	21. 16. 54	17. 50, 4	20, 1
28	W.	8. 6. 42. 14	16. 19. 24, 9	21. 27. 24	17. 29, 6	20, 8
29	Th.	8. 7. 43. 6	16. 23. 43, 0	21. 37. 30	17. 8, 2	21, 4
30	F.	8. 8. 43. 58	16. 28. 1, 7	21. 47. 11	17. 46, 0	22, 2

III. NOVEMBER 1781. [123]

Days.	Semidia- meter of the Sun.	Time of D. passing the Meridian.	Hourly Motion of the Sun.	Logarithm of the Sun's Distance.	Place of the Moon's Node.
	M. S.	M. S.	M. S.		S. D. M.
1	16. 11, 2	1. 6, 9	2. 30, 4	9,996201	0. 24. 34
7	16. 12, 7	1. 7, 7	2. 30, 8	9,995577	0. 24. 15
13	16. 14, 0	1. 8, 3	2. 31, 3	9,995006	0. 23. 56
19	16. 15, 1	1. 9, 0	2. 31, 7	9,994467	0. 23. 37
25	16. 16, 2	1. 9, 7	2. 32, 1	9,993971	0. 23. 18

The Eclipses of JUPITER'S Satellites will not be visible this Month, JUPITER being too near the Sun.

[124] NOVEMBER 1781. IV.

Days	Heliocentric Longitude.	Heliocentric Latitude.	Geocentric Longitude.	Geocentric Latitude.	Declination.	Passage over Merid.
	S. D. M.	D. M.	S. D. M.	D. M.	D. M.	H. M.
Inf. ☿ 27 ^d . 21 ^h . M E R C U R Y. Gr. Elong. 7 ^d .						
1	10. 0. 17	6. 45 S	8. 1. 15	2. 33 S	22. 56 S	1. 26
4	10. 10. 18	6. 58	8. 4. 54	2. 40	23. 46	1. 30
7	10. 21. 2	6. 58	8. 8. 14	2. 43	24. 23	1. 32
10	11. 2. 39	6. 42	8. 11. 6	2. 40	24. 46	1. 32
13	11. 15. 18	6. 6	8. 13. 20	2. 29	24. 53	1. 31
16	11. 29. 11	5. 6	8. 14. 40	2. 8	24. 42	1. 23
19	0. 14. 23	3. 40	8. 14. 46	1. 35	24. 10	1. 12
22	1. 0. 55	1. 48 S	8. 13. 20	0. 48 S	23. 13	0. 53
25	1. 18. 42	0. 21 N	8. 10. 24	0. 10 N	21. 53	0. 28
28	2. 7. 20	2. 35	8. 6. 25	1. 10	20. 16	23. 50
30	2. 19. 58	3. 57	8. 3. 44	1. 46	19. 11	23. 31
V E N U S.						
1	10. 16. 11	2. 59 S	8. 18. 1	1. 51 S	24. 46 S	2. 39
7	10. 25. 41	3. 12	8. 25. 13	2. 5	25. 28	2. 47
13	11. 5. 11	3. 21	9. 2. 22	2. 15	25. 42	2. 54
19	11. 14. 42	3. 23	9. 9. 29	2. 22	25. 30	3. 1
25	11. 24. 14	3. 21	9. 16. 34	2. 26	24. 51	3. 7
M A R S. ☐ 15 ^d . 6 ^h $\frac{1}{2}$.						
1	0. 0. 44	1. 21 S	10. 15. 49	2. 9 S	18. 10 S	6. 47
7	0. 4. 27	1. 16	10. 19. 35	1. 56	16. 49	6. 38
13	0. 8. 9	1. 11	10. 23. 25	1. 44	15. 22	6. 29
19	0. 11. 49	1. 5	10. 27. 19	1. 31	13. 52	6. 19
25	0. 15. 28	1. 0	11. 1. 17	1. 20	12. 16	6. 8
J U P I T E R. ☽ 29 ^d . 15 ^h .						
1	8. 6. 6	0. 43 N	8. 2. 1	0. 37 N	20. 0 S	1. 32
7	8. 6. 35	0. 42	8. 3. 19	0. 36	20. 16	1. 14
13	8. 7. 3	0. 42	8. 4. 38	0. 35	20. 31	0. 55
19	8. 7. 31	0. 41	8. 5. 58	0. 35	20. 46	0. 36
25	8. 7. 59	0. 41	8. 7. 19	0. 34	21. 0	0. 16
S A T U R N.						
1	8. 21. 12	1. 17 N	8. 17. 42	1. 11 N	21. 43 S	2. 38
7	8. 21. 23	1. 16	8. 18. 19	1. 10	21. 47	2. 17
13	8. 21. 34	1. 16	8. 18. 58	1. 10	21. 51	1. 56
19	8. 21. 44	1. 15	8. 19. 38	1. 9	21. 55	1. 34
25	8. 21. 55	1. 15	8. 20. 19	1. 8	21. 59	1. 11

V. NOVEMBER 1781: [125]

Days of the Month.	Days of the Week.	Moon's Longitude at Noon.	Moon's Longitude at Midnight.	Moon's Latitude at Noon.	Moon's Latitude at Midn.
		S. D. M. S.	S. D. M. S.	D. M. S.	D.M.S.
1	Th.	1. 11. 57. 57	1. 17. 53. 59	1. 29. 56 N	2. 0. 56 N
2	F.	1. 23. 51. 24	1. 29. 50. 22	2. 30. 41	2. 58. 54
3	Sa.	2. 5. 51. 4	2. 11. 53. 45	3. 25. 16	3. 49. 26
4	Su.	2. 17. 58. 43	2. 24. 6. 12	4. 11. 11	4. 30. 10
5	M.	3. 0. 16. 30	3. 6. 30. 0	4. 46. 11	4. 58. 57
6	Tu.	3. 12. 46. 55	3. 19. 7. 40	5. 8. 16	5. 13. 55
7	W.	3. 25. 32. 30	4. 2. 1. 47	5. 15. 45	5. 13. 35
8	Th.	4. 8. 35. 49	4. 15. 14. 54	5. 7. 19	4. 56. 52
9	F.	4. 21. 59. 18	4. 28. 49. 10	4. 42. 12	4. 23. 23
10	Sa.	5. 5. 44. 39	5. 12. 45. 53	4. 0. 29	3. 33. 41
11	Su.	5. 19. 52. 43	5. 27. 5. 3	3. 3. 15	2. 29. 32
12	M.	6. 4. 22. 32	6. 11. 44. 44	1. 53. 0	1. 14. 13 N
13	Tu.	6. 19. 11. 0	6. 26. 40. 38	0. 33. 49 N	0. 7. 24 S
14	W.	7. 4. 12. 37	7. 11. 45. 55	0. 48. 41 S	1. 29. 12
15	Th.	7. 19. 19. 26	7. 26. 51. 51	2. 8. 7	2. 44. 41
16	F.	8. 4. 22. 3	8. 11. 48. 54	3. 18. 10	3. 47. 59
17	S.	8. 19. 11. 18	8. 26. 28. 25	4. 13. 39	4. 34. 52
18	Su.	9. 3. 39. 26	9. 10. 43. 52	4. 51. 26	5. 3. 14
19	M.	9. 17. 41. 23	9. 24. 31. 46	5. 10. 21	5. 12. 52
20	Tu.	10. 1. 15. 7	10. 7. 51. 30	5. 11. 1	5. 5. 2
21	W.	10. 14. 21. 15	10. 20. 44. 52	4. 55. 12	4. 41. 50
22	Th.	10. 27. 2. 44	11. 3. 15. 23	4. 25. 12	4. 5. 42
23	F.	11. 9. 23. 30	11. 15. 27. 34	3. 43. 34	3. 19. 10
24	Sa.	11. 21. 28. 20	11. 27. 26. 24	2. 52. 46	2. 24. 41
25	Su.	0. 3. 22. 24	0. 9. 16. 53	1. 55. 12	1. 24. 38
26	M.	0. 15. 10. 31	0. 21. 3. 47	0. 53. 14 S	0. 21. 22 S
27	Tu.	0. 28. 57. 15	1. 2. 51. 18	0. 10. 44 N	0. 42. 44 N
28	W.	1. 8. 46. 24	1. 14. 42. 56	1. 14. 20	1. 45. 11
29	Th.	1. 20. 41. 12	1. 26. 41. 27	2. 15. 1	2. 43. 27
30	F.	2. 2. 43. 56	2. 8. 48. 47	3. 10. 8	3. 34. 54

Days of the Month.	Days of the Week.	D's Age.	D's Passage over Merid.	D's Right Ascenf. at Noon.	D's Right Asc. at Midn.	D's Declination at Noon.	D's Declination at Midn.
			H. M.	D. M.	D. M.	D. M.	D. M.
1	Th.	17	12. 30	39. 2	44. 50	16. 52 N	19. 7 N
2	F.	18	13. 16	50. 48	56. 58	21. 11	23. 3
3	Sa.	19	14. 6	63. 18	69. 49	24. 41	26. 2
4	Su.	20	14. 58	76. 30	83. 21	27. 6	27. 50
5	M.	21	15. 52	90. 19	97. 24	28. 14	28. 17
6	Tu.	22	16. 46	104. 27	111. 33	27. 58	27. 17
7	W.	23	17. 40	118. 36	125. 36	26. 14	24. 49
8	Th.	24	18. 32	132. 29	139. 16	23. 4	21. 0
9	F.	25	19. 23	145. 58	152. 33	18. 38	16. 0
10	Sa.	26	20. 12	159. 3	165. 30	13. 8	10. 4
11	Su.	27	21. 1	173. 54	178. 19	6. 49	3. 27 N
12	M.	28	21. 51	184. 46	191. 17	0. 1	3. 31 S
13	Tu.	29	22. 43	197. 55	204. 42	7. 0 S	10. 25
14	W.	30	23. 40	211. 40	218. 51	13. 42	16. 48
15	Th.	1	0	226. 15	233. 52	19. 38	22. 9
16	F.	2	0. 40	241. 43	249. 44	24. 17	26. 0
17	Sa.	3	1. 44	257. 51	266. 31	27. 14	28. 0
18	Su.	4	2. 47	274. 8	282. 8	28. 16	28. 4
19	M.	5	3. 47	289. 56	297. 28	27. 25	26. 22
20	Tu.	6	4. 44	304. 44	311. 42	24. 57	23. 14
21	W.	7	5. 34	318. 22	324. 44	21. 15	19. 3
22	Th.	8	6. 20	330. 50	336. 43	16. 40	14. 9
23	F.	9	7. 3	342. 24	347. 54	11. 30	8. 49
24	Sa.	10	7. 43	353. 19	358. 37	6. 2	3. 14 S
25	Su.	11	8. 22	3. 51	9. 34	0. 25 S	2. 23 N
26	M.	12	9. 1	14. 19	19. 35	5. 9 N	7. 54
27	Tu.	13	9. 41	24. 56	30. 24	10. 34	13. 9
28	W.	14	10. 23	35. 58	41. 42	15. 37	17. 57
29	Th.	15	11. 8	47. 35	53. 42	20. 7	22. 5
30	F.	16	11. 56	59. 59	66. 29	23. 50	25. 20

VII. NOVEMBER 1781. [127]

Days of the Month.	Days of the Week.	Semid ^r . D at Noon.	Semid ^r . D at Midnight.	Hor.Par. D at Noon.	Hor. Par. D at Midnight.	Bar.at Noon.	Proport. Lo- Bar at Noon.	Bar at Midd.	Proport. Lo- Bar at Midd.
		M. S.	M. S.	M. S.	M. S.				
1	Th.	14. 36	14. 48	54. 13	54. 18	5211	5205		
2	F.	14. 49	14. 51	54. 23	54. 31	5198	5187		
3	Sa.	14. 53	14. 56	54. 39	54. 49	5177	5163		
4	Su.	14. 59	15. 2	55. 0	55. 12	5149	5133		
5	M.	15. 7	15. 11	55. 27	55. 41	5114	5095		
6	Tu.	15. 16	15. 20	56. 0	56. 17	5071	5049		
7	W.	15. 26	15. 32	56. 38	56. 59	5022	4995		
8	Th.	15. 38	15. 44	57. 21	57. 45	4967	4937		
9	F.	15. 51	15. 58	58. 9	58. 35	4907	4875		
10	Sa.	16. 4	16. 11	58. 59	59. 24	4845	4815		
11	Su.	16. 18	16. 24	59. 48	60. 10	4786	4759		
12	M.	16. 29	16. 34	60. 30	60. 47	4735	4715		
13	Tu.	16. 38	16. 41	61. 1	61. 12	4698	4685		
14	W.	16. 42	16. 42	61. 17	61. 19	4679	4677		
15	Th.	16. 41	16. 39	61. 15	61. 7	4682	4691		
16	F.	16. 36	16. 31	60. 54	60. 38	4707	4725		
17	Sa.	16. 26	16. 19	60. 17	59. 54	4751	4778		
18	Su.	16. 12	16. 5	59. 27	59. 0	4811	4844		
19	M.	15. 58	15. 49	58. 31	58. 3	4880	4915		
20	Tu.	15. 41	15. 34	57. 34	57. 6	4951	4986		
21	W.	15. 26	15. 20	56. 40	56. 15	5019	5051		
22	Th.	15. 13	15. 8	55. 52	55. 32	5081	5107		
23	F.	15. 3	14. 58	55. 13	54. 57	5132	5153		
24	Sa.	14. 55	14. 52	54. 44	54. 33	5170	5185		
25	Su.	14. 49	14. 48	54. 24	54. 18	5197	5205		
26	M.	14. 47	14. 46	54. 14	54. 12	5210	5213		
27	Tu.	14. 46	14. 47	54. 12	54. 14	5213	5210		
28	W.	14. 48	14. 49	54. 17	54. 22	5206	5199		
29	Th.	14. 50	14. 53	54. 28	54. 36	5191	5181		
30	F.	14. 55	14. 58	54. 44	54. 54	5170	5157		

Distances of γ 's Center from Sun, and from Stars east of her.

Days.	Stars Names.	Noon.		3 Hours.		6 Hours.		9 Hours.		12 Hours.		15 Hours.		18 Hours.		21 Hours.	
		D.	M. S.	D.	M. S.	D.	M. S.	D.	M. S.	D.	M. S.	D.	M. S.	D.	M. S.	D.	M. S.
1	Pollux.	63.	13. 15	66.	44. 5	65.	14. 51	63.	45. 33	62.	16. 10	60.	46. 43	59.	17. 12	57.	47. 36
2		56.	17. 56	54.	48. 11	53.	18. 21	51.	48. 27	50.	18. 27	48.	48. 22	47.	18. 11	45.	47. 55
3		44.	17. 33	42.	47. 6	41.	16. 32	39.	45. 51	38.	15. 4	36.	44. 9	35.	13. 7	33.	41. 58
4		32.	10. 41														
4	Regulus.	68.	50. 29	67.	19. 14	65.	47. 51	64.	16. 20	62.	44. 41	61.	12. 52	59.	40. 54	58.	8. 46
5		56.	36. 28	55.	4. 0	53.	31. 22	51.	58. 33	50.	25. 33	48.	52. 22	47.	19. 0	45.	45. 26
6		44.	11. 41	42.	37. 44	41.	3. 35	39.	29. 14	37.	54. 40	36.	19. 54	34.	44. 56	33.	9. 46
7		31.	34. 23														
7	Spica μ	85.	27. 41	83.	51. 17	82.	14. 36	80.	37. 39	79.	0. 23	77.	22. 48	75.	44. 57	74.	6. 46
8		72.	28. 18	70.	49. 28	69.	10. 20	67.	30. 51	65.	51. 3						
6	The Sun.	121.	33. 4	120.	6. 10	118.	39. 3	117.	11. 41	115.	44. 5	114.	16. 14	112.	48. 7	111.	19. 44
7		109.	51. 6	108.	22. 9	106.	52. 57	105.	23. 27	103.	53. 41	102.	23. 36	100.	53. 12	99.	22. 29
8		97.	51. 28	96.	20. 7	94.	48. 26	93.	16. 26	91.	44. 6	90.	11. 25	88.	38. 22	87.	4. 58
9		85.	31. 13	83.	57. 6	82.	22. 38	80.	47. 48	79.	12. 35	77.	37. 0	76.	1. 2	74.	24. 42
10		72.	48. 0	71.	10. 53	69.	33. 24	67.	55. 33	66.	17. 19	64.	38. 43	62.	59. 44	61.	20. 23
11		59.	40. 40	58.	0. 34	56.	20. 7	54.	39. 19	52.	58. 10	51.	16. 40	49.	34. 51	47.	52. 43
12		46.	10. 16	44.	27. 30	42.	14. 27	41.	1. 7	39.	17. 31						

IX. NOVEMBER 1781. [129]

Days.	Stars Names.	Noon.		3 Hours.		6 Hours.		9 Hours.		12 Hours.		15 Hours.		18 Hours.		21 Hours.	
		D.	M. S.	D.	M. S.	D.	M. S.	D.	M. S.	D.	M. S.	D.	M. S.	D.	M. S.	D.	M. S.
16																	
17	Fomal-	71.	19. 19	69.	34. 57	67.	51. 4	66.	7. 42	78.	20. 58	76.	34. 58	74.	49. 23	73.	4. 9
18	haut.	57.	39. 21	55.	59. 31	54.	20. 22	52.	41. 56	64.	24. 52	62.	42. 36	61.	0. 54	59.	19. 49
19		44.	41. 30	43.	8. 3	41.	35. 36	40.	4. 14	51.	4. 14	49.	27. 17	47.	51. 8	46.	15. 52
20		32.	45. 53							38.	34. 1	37.	4. 59	35.	37. 15	34.	10. 50
21	α Arietis.	94.	11. 50	92.	33. 46	90.	56. 5	89.	18. 49	87.	41. 57	86.	5. 29	84.	29. 25	82.	53. 44
22		81.	18. 26	79.	43. 30	78.	8. 56	76.	34. 44	75.	0. 54	73.	27. 26	71.	54. 18	70.	21. 31
23		68.	49. 4	67.	16. 58	65.	45. 11	64.	13. 42	62.	42. 32	61.	11. 40	59.	41. 5	58.	10. 47
24		56.	40. 46														
25	Aldeba-	87.	0. 57	85.	30. 42	84.	0. 40	82.	30. 50	81.	1. 13	79.	31. 48	78.	2. 34	76.	33. 31
26	ran.	75.	4. 38	73.	35. 55	72.	7. 20	70.	38. 56	69.	10. 40	67.	42. 32	66.	14. 31	64.	46. 38
27		63.	18. 53	61.	51. 15	60.	23. 43	58.	56. 17	57.	28. 58	56.	1. 44	54.	34. 35	53.	7. 31
28		51.	40. 33	50.	13. 39	48.	46. 50	47.	20. 6	45.	53. 28	44.	26. 56	43.	0. 30	41.	34. 10
29	Pollux.	40.	7. 55	38.	41. 50	37.	15. 51	35.	50. 3	34.	24. 22	32.	58. 56	31.	33. 43	30.	8. 44
30		28.	44. 1														
D.I		71.	25. 28	69.	56. 12	68.	26. 50	66.	57. 23	65.	27. 51	63.	58. 13	62.	28. 29	60.	58. 40
		59.	28. 44	57.	58. 41	56.	28. 32	54.	58. 16	53.	27. 53	51.	57. 23	50.	26. 45	48.	56. 0
		47.	25. 7	45.	54. 7	44.	22. 59	42.	51. 43	41.	20. 20	39.	48. 48	38.	17. 8	35.	45. 21
		35.	13. 25														

Distances of J's Center from Sun, and, from Stars west of her.

Days.	Stars Names.	Noon.		3 Hours.		6 Hours.		9 Hours.		12 Hours.		15 Hours.		18 Hours.		21 Hours.	
		D.	M. S.	D.	M. S.	D.	M. S.	D.	M. S.	D.	M. S.	D.	M. S.	D.	M. S.	D.	M. S.
1	Fomalhaut.	73.	3. 21	74.	28. 26	75.	53. 38	77.	18. 57	78.	44. 22	80.	9. 54	81.	35. 33	83.	1. 17
2		84.	27. 8	85.	53. 4	87.	19. 6	88.	45. 13	90.	11. 26	91.	37. 43	93.	4. 6	94.	30. 34
3		95.	57. 6	97.	23. 43	98.	50. 24	100.	17. 10	101.	44. 1	103.	10. 56	104.	37. 55	106.	4. 58
4		107.	32. 5														
5	Arietis.	43.	22. 56	44.	52. 5	46.	21. 28	47.	51. 6	49.	21. 0	50.	51. 8	52.	21. 31	53.	52. 9
6		55.	23. 1	56.	54. 8	58.	25. 29	59.	57. 5	61.	28. 56	63.	1. 1	64.	33. 20	66.	5. 55
7		67.	38. 44	69.	11. 48	70.	45. 9	72.	18. 45	73.	52. 37	75.	26. 44	77.	1. 8	78.	35. 49
8	Pollux.	80.	10. 47	81.	46. 2	83.	21. 34	84.	57. 24	86.	33. 32	88.	33. 32	90.	33. 32	92.	33. 32
9		18.	21. 5	19.	59. 43	21.	38. 42	23.	18. 4	24.	57. 49	26.	37. 56	28.	18. 25	29.	59. 16
10		31.	40. 30	33.	22. 5	35.	4. 3	36.	46. 23	38.	29. 7	40.	12. 13	41.	55. 42	43.	39. 34
11		45.	23. 49	47.	8. 28	48.	53. 31	50.	38. 56	52.	24. 44	54.	10. 55	55.	57. 29	57.	44. 26
12	59.	31. 45	61.	19. 27	63.	7. 31	64.	55. 57	66.	44. 44	68.	33. 52	70.	23. 20	72.	13. 8	
13	74.	3. 15	75.	53. 41	77.	44. 26	79.	35. 29	81.	26. 50	83.	26. 50	85.	48. 5	87.	31. 8	
14	52.	23. 3	54.	15. 12	56.	7. 35	58.	0. 10	60.	56. 58	62.	45. 50	64.	38. 54	66.	32. 5	
15	67.	25. 23															
16	37.	21. 7	38.	59. 43	40.	37. 53	42.	15. 38	44.	52. 56	46.	29. 48	48.	6. 14	50.	42. 14	
17	50.	17. 47	51.	52. 53	53.	27. 33	55.	1. 47	57.	35. 35	59.	8. 56	61.	41. 51	63.	14. 20	

NOVEMBER 1781. 131

Days.	Stars Names.	Noon.		3 Hours.		6 Hours.		9 Hours.		12 Hours.		15 Hours.		18 Hours.		21 Hours.	
		D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.
20		62. 46. 24	64. 18. 2	65. 49. 14	67. 20. 2	68. 50. 25	70. 20. 23	71. 49. 56	73. 19. 10								
21		74. 47. 59	76. 16. 27	77. 44. 33	79. 12. 18	80. 39. 42	82. 6. 45	83. 33. 26	84. 59. 51								
22	The Sun.	86. 25. 55	87. 51. 40	89. 17. 8	90. 42. 20	92. 7. 14	93. 31. 53	94. 56. 16	96. 20. 24								
23		97. 44. 18	99. 7. 57	100. 31. 22	101. 54. 35	103. 27. 35	104. 40. 25	106. 3. 4	107. 25. 33								
24		108. 47. 52	110. 10. 1	111. 32. 1	112. 53. 53	114. 25. 37	115. 37. 14	116. 58. 45	118. 20. 11								
25		119. 41. 31															
21		80. 2. 19	81. 35. 46	83. 8. 54	84. 41. 47	86. 34. 23	87. 46. 43	89. 18. 48	90. 50. 38								
22	Antares.	92. 22. 14	93. 53. 36	95. 24. 45	96. 55. 41	98. 26. 24	99. 56. 56	101. 27. 18	102. 57. 30								
23		104. 27. 32															
24		59. 51. 24	60. 59. 36	62. 8. 15	63. 17. 18	64. 26. 43	65. 36. 30	66. 46. 36	67. 57. 0								
25	α Aquilæ.	69. 7. 43	70. 18. 40	71. 29. 50	72. 41. 14	73. 52. 52	75. 4. 41	76. 16. 41	77. 28. 51								
26		78. 41. 11	79. 53. 38	81. 6. 14	82. 18. 56	83. 34. 47	84. 44. 48	85. 57. 40	87. 10. 44								
27		88. 23. 55															
27	γomal- haut.	58. 47. 4	60. 10. 42	61. 34. 30	62. 58. 28	64. 22. 36	65. 46. 54	67. 11. 23	68. 36. 1								
28		70. 0. 45	71. 25. 48	72. 50. 56	74. 16. 14	75. 44. 40	77. 7. 15	78. 32. 55	79. 58. 49								
29		81. 24. 47															
29		17. 43. 59	19. 2. 10	20. 21. 54	21. 42. 56	23. 5. 9	24. 28. 29	25. 52. 40	27. 17. 40								
30	α Arietis.	28. 43. 30	30. 9. 45	31. 36. 32	33. 3. 48	34. 31. 36	35. 59. 46	37. 28. 19	38. 57. 11								
D. 1		40. 26. 19															

The Satellites of JUPITER are not visible this Month,
JUPITER being too near the SUN.

L. D E C E M B E R 1781. [133]

Days of the Month.	Days of the Week.	Sundays, Holidays, &c.	Phases of the Moon.	
			D. H. M.	
1	Sa.		Last Quarter	— 8. 1. 49
2	Su.	<i>Advent Sunday.</i>	New Moon	— 14. 18. 15
3	M.		First Quarter	— 22. 3. 4
4	Tu.		Full Moon	— 30. 5. 54
5	W.		Other Phenomena.	
6	Th.	Nicholas.	D.	
7	F.		1. ☾ ☽ 8 ^h . 56'.	
8	Sa.	Conception of V. Mary.	3. ☾ ♀ 11 ^h . 21'.	
9	Su.	<i>2d Sunday in Advent.</i>	4. ☾ 2 ad ↓ ☽ 6 ^h . 36'.	
10	M.		5. ☽ ♀ ☽ diff. Lat. 38'.	
11	Tu.		6. ♀ Stationary.	
12	W.		☾ ♀ ☽ 10 ^h . 53'.	
13	Th.	Lucy.	9. ☾ ♀ ☽ 3 ^h . 22'.	
14	F.		10. ☾ ☽ ☽ 2 ^h . 0'.	
15	Sa.		11. ☾ ♀ ☽ 9 ^h . 1'.	
16	Su.	<i>3d Su. in Adv. O Sap.</i>	12. ☾ 1 ad ↓ ☽ 7 ^h . 59'.	
17	M.	Oxf. and Camb. Terms	13. ☾ ♀ ☽ 2 ^h . 46'.	
18	Tu.	[end.]	☽ ♀ ☽ diff. Lat. 47'.	
19	W.		14. ☽ ☽ ☽ diff. Lat. 15'.	
20	Th.		16. ☾ ♀ ☽ 0 ^h . 17'.	
21	F.	St. Thomas.	18. ☾ ☽ ☽ 14 ^h . 14'.	
22	Sa.		20. ☾ 1 ad ↓ ☽ 15 ^h . 27'.	
23	Su.	<i>4th Sunday in Advent.</i>	☾ 2 ad ↓ ☽ 16 ^h . 19'.	
24	M.	<i>Christmas-Day.</i>	☾ 3 ad ↓ ☽ 16 ^h . 27'.	
25	Tu.	St. Stephen.	☽ enters ♀ at 21 ^h . 30'.	
26	W.	St. John.	23. ♀ ☽ ☽ diff. Lat. 45'.	
27	Th.	Innocents.	☾ ☽ ☽ 10 ^h . 32'.	
28	F.		24. ☽ ☽ ☽ diff. Lat. 32'.	
29	Sa.		26. ☾ ♀ ☽ 1 ^h . 26'.	
30	Su.	<i>Sunday after Christmas.</i>	28. ☾ ☽ ☽ 15 ^h . 59'.	
31	M.	Silvester.	29. ♀ ☽ ☽ diff. Lat. 41'.	
			30. ☾ ♀ ☽ 17 ^h . 43'.	
			31. ☾ 2 ad ↓ ☽ 12 ^h . 40'.	

Days of the Month.	Days of the Week.	Sun's Longitude.	Sun's Right Asc. in Time.	Sun's Declin. South.	Equat. of Time. Sub.	Diff.
		S. D. M. S.	H. M. S.	D. M. S.	M. S.	
1	Sa.	8. 9. 44. 51	16. 32. 21. 0	21. 56. 26	10. 23. 4	
2	Su.	8. 10. 45. 46	16. 36. 41. 1	22. 5. 17	10. 0. 0	23, 4
3	M.	8. 11. 46. 42	16. 41. 1. 7	22. 13. 42	9. 36. 0	24, 0
4	Tu.	8. 12. 47. 38	16. 45. 22. 9	22. 21. 40	9. 11. 4	24, 6
5	W.	8. 13. 48. 36	16. 49. 44. 7	22. 29. 13	8. 46. 2	25, 2
6	Th.	8. 14. 49. 36	16. 54. 7. 1	22. 36. 20	8. 20. 4	25, 8
7	F.	8. 15. 50. 37	16. 58. 30. 0	22. 43. 0	7. 54. 2	26, 2
8	Sa.	8. 16. 51. 39	17. 2. 53. 3	22. 49. 13	7. 27. 4	26, 8
9	Su.	8. 17. 52. 42	17. 7. 17. 2	22. 54. 59	7. 0. 2	27, 2
10	M.	8. 18. 53. 46	17. 11. 41. 5	23. 0. 18	6. 32. 6	27, 8
11	Tu.	8. 19. 54. 51	17. 16. 6. 1	23. 5. 10	6. 4. 6	28, 0
12	W.	8. 20. 55. 58	17. 20. 31. 3	23. 9. 34	5. 36. 1	28, 5
13	Th.	8. 21. 57. 5	17. 24. 56. 7	23. 13. 31	5. 7. 3	28, 8
14	F.	8. 22. 58. 13	17. 29. 22. 3	23. 16. 59	4. 38. 3	29, 0
15	Sa.	8. 23. 59. 21	17. 33. 48. 3	23. 20. 0	4. 9. 0	29, 3
16	Su.	8. 25. 0. 31	17. 38. 14. 5	23. 22. 32	3. 39. 4	29, 6
17	M.	8. 26. 1. 41	17. 42. 41. 0	23. 24. 37	3. 9. 5	29, 9
18	Tu.	8. 27. 2. 51	17. 47. 7. 6	23. 26. 13	2. 39. 5	30, 0
19	W.	8. 28. 4. 1	17. 51. 34. 3	23. 27. 21	2. 9. 4	30, 1
20	Th.	8. 29. 5. 12	17. 56. 1. 1	23. 28. 1	1. 39. 3	30, 1
21	F.	9. 0. 6. 22	18. 0. 27. 8	23. 28. 12	1. 9. 2	30, 1
22	Sa.	9. 1. 7. 33	18. 4. 54. 6	23. 27. 55	0. 39. 1	30, 1
23	Su.	9. 2. 8. 43	18. 9. 21. 3	23. 27. 9	0. 9. 0	30, 1
24	M.	9. 3. 9. 54	18. 13. 48. 0	23. 25. 55	Ad: 21. 0	30, 0
25	Tu.	9. 4. 11. 4	18. 18. 14. 5	23. 24. 13	0. 50. 9	29, 9
26	W.	9. 5. 12. 14	18. 22. 40. 8	23. 22. 3	1. 20. 6	29, 7
27	Th.	9. 6. 13. 24	18. 27. 7. 0	23. 19. 25	1. 50. 2	29, 6
28	F.	9. 7. 14. 34	18. 31. 33. 2	23. 16. 18	2. 19. 7	29, 5
29	Sa.	9. 8. 15. 44	18. 35. 59. 0	23. 12. 43	2. 48. 0	29, 2
30	Su.	9. 9. 16. 54	18. 40. 24. 6	23. 8. 43	3. 17. 8	28, 9
31	M.	9. 10. 18. 5	18. 44. 50. 0	23. 4. 11	3. 46. 1	28, 7

III. DECEMBER 1791. [135]

Days of the Month.	Semidia- meter of the Sun.	Time of D ^o passing the Meridian.	Hourly Motion of the Sun.	Logarithm of the Sun's Distance.	Place of the Moon's Node.
	M. S.	M. S.	M. S.		S. D. M.
1	16. 17, 1	1. 10, 2	2. 32, 2	9. 993551	0. 22. 59
7	16. 17, 9	1. 10, 6	2. 32, 5	9. 993227	0. 22. 40
13	16. 18, 5	1. 11, 0	2. 32, 7	9. 992978	0. 22. 21
19	16. 19, 0	1. 11, 1	2. 32, 8	9. 992789	0. 22. 2
25	16. 19, 2	1. 11, 1	2. 32, 9	9. 992660	0. 21. 43

**The Eclipses of JUPITER'S Satellites will not be
visible this Month, JUPITER being too
near the SUN.**

[136] DECEMBER 1781. IV.

Days.	Heliocentric Longitude.	Heliocentric Latitude.	Geocentric Longitude.	Geocentric Latitude.	Declination.	Passage over Merid.
	S. D. M.	D. M.	S. D. M.	D. M.	D. M.	H. M.
MERCURY. Gr. Elong. 17^d.						
1	2. 26. 16	4. 34 N	8. 2. 31	2. 1 N	18. 42 S	23. 23
4	3. 14. 52	6. 1	7. 29. 46	2. 34	17. 37	23. 2
7	4. 2. 31	6. 50	7. 28. 40	2. 47	17. 10	22. 46
10	4. 18. 51	6. 59	7. 29. 8	2. 44	17. 19	22. 36
13	5. 3. 45	6. 40	8. 0. 50	2. 32	17. 52	22. 31
16	5. 17. 17	5. 58	8. 3. 26	2. 13	18. 40	22. 29
19	5. 29. 34	5. 4	8. 6. 39	1. 51	19. 37	22. 29
22	6. 10. 48	4. 1	8. 10. 15	1. 28	20. 34	22. 31
25	6. 21. 12	2. 55	8. 14. 8	1. 3	21. 29	22. 34
28	7. 0. 55	1. 48	8. 18. 14	0. 38	22. 18	22. 40
31	7. 10. 5	0. 42	8. 22. 27	0. 15	23. 0	22. 45
V E N U S.						
1	0. 3. 46	3. 12 S	9. 23. 34	2. 26 S	23. 48 S	3. 11
7	0. 13. 19	2. 59	10. 0. 31	2. 22	22. 22	3. 15
13	0. 22. 54	2. 40	10. 7. 23	2. 13	20. 35	3. 17
19	1. 2. 30	2. 17	10. 14. 8	2. 0	18. 32	3. 18
25	1. 12. 6	1. 50	10. 20. 47	1. 41	16. 11	3. 17
M A R S.						
1	0. 19. 5	0. 54 S	11. 5. 18	1. 9 S	16. 39 S	5. 58
7	0. 22. 40	0. 47	11. 9. 21	0. 59	8. 59	5. 47
13	0. 26. 14	0. 41	11. 13. 25	0. 49	7. 17	5. 35
19	0. 29. 45	0. 35	11. 17. 31	0. 40	5. 33	5. 23
25	1. 3. 15	0. 28	11. 21. 38	0. 31	3. 48	5. 11
J U P I T E R.						
1	8. 8. 29	0. 40 N	8. 8. 40	0. 34 N	21. 13 S	23. 52
7	8. 8. 57	0. 39	8. 10. 1	0. 33	21. 26	23. 32
13	8. 9. 26	0. 39	8. 11. 22	0. 33	21. 38	23. 11
19	8. 9. 54	0. 38	8. 12. 42	0. 33	21. 49	22. 50
25	8. 10. 23	0. 38	8. 14. 2	0. 32	22. 0	22. 29
S A T U R N. ♂ 13^d. 12^h.						
1	8. 22. 6	1. 14 N	8. 21. 0	1. 8 N	22. 2 S	0. 48
7	8. 22. 16	1. 14	8. 21. 42	1. 8	22. 4	0. 25
13	8. 22. 27	1. 14	8. 22. 25	1. 7	22. 7	0. 1
19	8. 22. 38	1. 13	8. 23. 8	1. 7	22. 10	23. 36
25	8. 22. 49	1. 13	8. 23. 51	1. 6	22. 13	23. 11

V. D E C E M B E R 1781. [137]

Days of the Month.	Days of the Week.	Moon's Lon- gitude at Noon.	Moon's Lon- gitude at Midnight.	Moon's Latitude at Noon.	Moon's La- titude at Midn.
		S. D. M. S.	S. D. M. S.	D.M.S.	D. M. S.
1	Sa.	2. 14. 56. 9	2. 21. 6. 12	3.57.18 N	4. 17. 2 N
2	Su.	2. 27. 18. 59	3. 3. 34. 35	4.33.51	4. 47. 30
3	M.	3. 9. 53. 3	3. 16. 14. 29	4.57.46	5. 4. 25
4	Tu.	3. 22. 38. 55	3. 29. 6. 25	5. 7. 18	5. 6. 20
5	W.	4. 5. 37. 3	4. 12. 11. 0	5. 1. 24	4. 52. 28
6	Th.	4. 18. 48. 17	4. 25. 29. 2	4.39.33	4. 22. 44
7	F.	5. 2. 13. 25	5. 9. 1. 27	4. 2. 7	3. 37. 54
8	Sa.	5. 15. 53. 20	5. 22. 49. 6	3.10.18	2. 39. 41
9	Su.	5. 29. 48. 50	6. 6. 52. 29	2. 6. 23	1. 30. 49
10	M.	6. 14. 0. 0	6. 21. 11. 12	0.53.34 N	0. 15. 9 N
11	Tu.	6. 28. 25. 53	7. 5. 43. 36	0.23.49 S	1. 2. 34 S
12	W.	7. 13. 3. 52	7. 20. 25. 59	1.40.28	2. 16. 49
13	Th.	7. 27. 49. 11	8. 5. 12. 37	2.50.55	3. 22. 6
14	F.	8. 12. 35. 14	8. 19. 56. 3	3.49.46	4. 13. 32
15	Sa.	8. 27. 14. 2	9. 4. 28. 15	4.32.52	4. 47. 42
16	Su.	9. 11. 37. 51	9. 18. 42. 2	4.57.46	5. 3. 8
17	M.	9. 25. 40. 16	10. 2. 32. 9	5. 3. 52	5. 0. 12
18	Tu.	10. 9. 17. 25	10. 15. 56. 3	4.52.20	4. 40. 36
19	W.	10. 22. 28. 7	10. 28. 53. 54	4.25.22	4. 6. 58
20	Th.	11. 5. 13. 43	11. 11. 28. 2	3.45.47	3. 22. 9
21	F.	11. 17. 37. 25	11. 23. 42. 30	2.56.27	2. 29. 2
22	Sa.	11. 29. 43. 52	0. 5. 42. 16	2. 0. 12	1. 30. 17
23	Su.	0. 11. 38. 25	0. 17. 32. 56	0.59.34 S	0. 28. 21 S
24	M.	0. 23. 26. 33	0. 29. 20. 0	0. 3. 4 N	0. 34. 24 N
25	Tu.	1. 5. 13. 53	1. 11. 8. 46	1. 5. 20	1. 35. 42
26	W.	1. 17. 5. 20	1. 23. 4. 1	2. 5. 5	2. 33. 11
27	Th.	1. 29. 5. 17	2. 5. 9. 28	2.59.46	3. 24. 32
28	F.	2. 11. 16. 52	2. 17. 27. 48	3.47. 5	4. 7. 9
29	Sa.	2. 23. 42. 21	3. 0. 0. 34	4.24.25	4. 38. 37
30	Su.	3. 6. 22. 32	3. 12. 48. 8	4.49.29	4. 56. 46
31	M.	3. 19. 17. 18	3. 25. 49. 50	5. 0. 17	4. 59. 52

[138] DECEMBER 1781. VI

Days of the Month.	Days of the Week.	D's Age.	D's Passage over Merid.	D's Right Ascen. at Noon.	D's Right Asc. at Midn.	D's Declinat. at Noon.	D's Declin. at Midn.
			H. M.	D. M.	D. M.	D. M.	D. M.
1	Sa.	17	12. 47	73. 9	79. 59	26. 32 N	27. 27 N
2	Su.	18	13. 41	86. 58	94. 2	28. 0	28. 13
3	M.	19	14. 36	101. 10	108. 18	28. 3	27. 31
4	Tu.	20	15. 29	115. 24	122. 25	26. 37	25. 21
5	W.	21	16. 21	129. 20	136. 7	23. 45	21. 50
6	Th.	22	17. 11	142. 46	149. 18	19. 38	17. 9
7	F.	23	17. 58	155. 42	162. 1	14. 28	11. 33
8	Sa.	24	18. 46	168. 15	174. 28	8. 30	5. 18 N
9	Su.	25	19. 33	180. 40	186. 54	2. 1 N	1. 20 S
10	M.	26	20. 22	193. 14	199. 40	4. 42 S	8. 2
11	Tu.	27	21. 13	206. 16	213. 4	11. 18	14. 26
12	W.	28	22. 10	220. 5	227. 20	17. 22	20. 4
13	Th.	29	23. 11	234. 51	242. 37	22. 28	24. 30
14	F.	1	♄	250. 34	258. 41	26. 7	27. 18
15	Sa.	2	0. 15	266. 52	275. 3	27. 59	28. 11
16	Su.	3	1. 17	283. 8	291. 2	27. 54	27. 10
17	M.	4	2. 17	298. 41	306. 4	26. 1	24. 29
18	Tu.	5	3. 13	313. 8	319. 53	22. 39	20. 32
19	W.	6	4. 2	326. 21	332. 32	18. 13	15. 43
20	Th.	7	4. 46	338. 28	344. 12	13. 6	10. 23
21	F.	8	5. 28	349. 47	355. 13	7. 36	4. 47 S
22	Sa.	9	6. 7	0. 33	5. 50	1. 57 S	0. 53 N
23	Su.	10	6. 45	11. 5	16. 21	3. 42 N	0. 27
24	M.	11	7. 24	21. 40	27. 4	9. 10	11. 47
25	Tu.	12	8. 5	32. 34	38. 12	14. 18	16. 42
26	W.	13	8. 49	43. 59	49. 58	18. 58	21. 2
27	Th.	14	9. 36	56. 9	62. 33	22. 54	24. 32
28	F.	15	10. 27	69. 8	75. 56	25. 54	26. 58
29	Sa.	16	11. 20	82. 55	90. 127. 43	27. 43	28. 7
30	Su.	17	12. 15	97. 12	104. 27	28. 8	27. 46
31	M.	18	13. 11	111. 41	118. 51	27. 2	25. 55

VII. DECEMBER 1781. [139]

Days of the Month.	Days of the Week.	Semid. D at Noon.	Semid. D at Mid-night.	Hor. Par. D at Noon.	Hor. Par. D at Midnight.	Parat Noon.	Propor. Lo- gar. at Noon.	Propor. Lo- gar. at Midn.
		M. S.	M. S.	M. S.	M. S.			
1	Sa.	15. 0	15. 3	55. 4	55. 16	5144	5128	
2	Su.	15. 7	15. 10	55. 28	55. 40	5112	5097	
3	M.	15. 14	15. 18	55. 54	56. 8	5079	5060	
4	Tu.	15. 22	15. 26	56. 23	56. 38	5041	5022	
5	W.	15. 31	15. 35	56. 54	57. 11	5002	4980	
6	Th.	15. 40	15. 45	57. 29	57. 46	4957	4936	
7	F.	15. 49	15. 54	58. 4	58. 23	4913	4890	
8	Sa.	15. 59	16. 4	58. 41	58. 59	4867	4845	
9	Su.	16. 9	16. 14	59. 17	59. 34	4823	4802	
10	M.	16. 18	16. 22	59. 49	60. 3	4784	4768	
11	Tu.	16. 25	16. 28	60. 16	60. 24	4752	4742	
12	W.	16. 29	16. 30	60. 31	60. 34	4734	4730	
13	Th.	16. 30	16. 29	60. 33	60. 29	4732	4736	
14	F.	16. 27	16. 24	60. 21	60. 10	4746	4759	
15	Sa.	16. 20	16. 15	59. 55	59. 37	4777	4799	
16	Su.	16. 9	16. 3	59. 15	58. 53	4826	4853	
17	M.	15. 56	15. 49	58. 28	58. 3	4883	4915	
18	Tu.	15. 42	15. 35	57. 37	57. 11	4947	4980	
19	W.	15. 28	15. 21	56. 46	56. 21	5012	5044	
20	Th.	15. 15	15. 10	55. 59	55. 38	5072	5099	
21	F.	15. 5	15. 0	55. 29	55. 3	5123	5145	
22	Sa.	14. 56	14. 53	54. 49	54. 38	5153	5178	
23	Su.	14. 51	14. 49	54. 29	54. 24	5190	5197	
24	M.	14. 48	14. 48	54. 20	54. 19	5202	5203	
25	Tu.	14. 48	14. 49	54. 20	54. 24	5202	5197	
26	W.	14. 51	14. 53	54. 29	54. 37	5190	5179	
27	Th.	14. 55	14. 58	54. 46	54. 57	5167	5153	
28	F.	15. 2	15. 5	55. 9	55. 23	5137	5119	
29	Sa.	15. 9	15. 13	55. 37	55. 52	5100	5081	
30	Su.	15. 18	15. 22	56. 7	56. 22	5062	5042	
31	M.	15. 26	15. 30	56. 37	56. 53	5023	5003	

IX. DECEMBER 1781. [141]

Days.	Stars Names.	Noon.	3 Hours.	6 Hours.	9 Hours.	12 Hours.	15 Hours.	18 Hours.	21 Hours.
		D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.	D. M. S.
17									
18		86. 15. 25	84. 36. 40	82. 58. 20	81. 20. 24	79. 42. 53	78. 5. 46	76. 29. 2	74. 52. 42
19	♌ Arietis.	73. 16. 45	71. 41. 12	70. 6. 2	68. 31. 15	66. 56. 51	65. 22. 50	63. 49. 12	62. 15. 56
20		60. 43. 2	59. 10. 30	57. 38. 20	56. 6. 31	54. 35. 3	53. 3. 55	51. 33. 7	50. 2. 41
21		48. 32. 36							
22		78. 54. 6	77. 23. 29	75. 53. 7	74. 23. 1	72. 53. 10	71. 23. 33	69. 54. 9	68. 24. 58
23	Aldebaran.	66. 56. 1	65. 27. 15	63. 58. 39	62. 30. 15	61. 2. 1	59. 33. 57	58. 6. 3	56. 38. 19
24		55. 10. 45	53. 43. 20	52. 16. 4	50. 48. 56	49. 21. 57	47. 55. 5	46. 28. 22	45. 1. 46
25		43. 35. 19	42. 8. 58	40. 42. 46	39. 16. 43	37. 50. 49	36. 25. 4	34. 59. 32	33. 34. 14
26		32. 9. 9	30. 44. 21	29. 19. 52	27. 55. 41	26. 31. 51			
27	Pollux.	63. 4. 21	61. 34. 43	60. 4. 58	58. 35. 4	57. 5. 3	55. 34. 53	54. 4. 33	52. 34. 5
28		51. 3. 27	49. 32. 40	48. 1. 42	46. 30. 34	44. 59. 16	43. 27. 47	41. 56. 8	40. 24. 17
29		38. 52. 15							
30	Regulus.	75. 31. 26	73. 59. 18	72. 26. 58	70. 54. 25	69. 21. 41	67. 48. 45	66. 15. 36	64. 42. 16
31		63. 8. 42	61. 34. 56	60. 0. 58	58. 26. 48	56. 52. 25	55. 17. 49	53. 43. 1	52. 8. 1
J. 1		50. 32. 49	48. 57. 24	47. 21. 48	45. 46. 0	44. 10. 0	42. 33. 48	40. 57. 25	39. 20. 52
		37. 44. 7	36. 7. 13	34. 30. 10	32. 52. 58	31. 15. 37	29. 38. 8	28. 0. 31	26. 22. 47
		24. 44. 56							

XI. DECEMBER 1781.

Days	Stars Names.	Noon.		3 Hours.		6 Hours.		9 Hours.		12 Hours.		15 Hours.		18 Hours.		21 Hours.	
		D.	M. S.	D.	M. S.	D.	M. S.	D.	M. S.	D.	M. S.	D.	M. S.	D.	M. S.	D.	M. S.
19		54	31. 26	56	0. 11	57	28. 35	58	56. 38	60	24. 20	61	51. 42	63	18. 43	64	45. 25
20		66	11. 48	67	37. 51	69	3. 36	70	29. 3	71	54. 12	73	19. 4	74	43. 40	76	8. 0
21		77	32. 4	78	55. 53	80	19. 28	81	42. 50	83	5. 57	84	28. 51	85	51. 33	87	14. 3
22	The Sun,	88	36. 22	89	58. 31	91	20. 31	92	42. 21	94	4. 3	95	25. 37	96	47. 4	98	8. 24
23		99	29. 37	100	50. 44	102	11. 46	103	32. 43	104	53. 36	106	14. 25	107	35. 12	108	55. 56
24		110	16. 39	111	37. 21	112	58. 3	114	18. 45	115	39. 27	117	0. 10	118	20. 54	119	41. 39
25		121	2. 26														
26		66	7. 11	67	18. 17	68	29. 36	69	41. 7	70	52. 53	72	4. 46	73	16. 50	74	29. 4
27	α Aquila.	75	41. 27	76	53. 57	78	6. 33	79	19. 16	80	32. 5	81	44. 59	82	57. 57	84	10. 59
28		85	24. 4														
29	Fomalhaut.	55	33. 36	56	56. 37	58	19. 48	59	43. 9	61	6. 39	62	30. 19	63	54. 8	65	18. 7
30		66	42. 15	68	6. 32	69	30. 59	70	55. 36	72	20. 22	73	45. 17	75	10. 22	76	35. 37
31		78	1. 1														
1		14	41. 0	15	54. 13	17	9. 34	18	26. 54	19	46. 0	21	6. 43	22	28. 50	23	52. 10
2		25	16. 33	26	41. 32	28	7. 14	29	33. 41	31	0. 44	32	28. 15	33	56. 15	35	24. 44
3	α Arietis.	36	53. 42	38	23. 2	39	52. 45	41	22. 51	42	53. 20	44	24. 8	45	55. 16	47	26. 43
4		48	58. 30	50	30. 35	52	2. 58	53	35. 37	55	8. 32						
5																	
6		31	19. 58	32	51. 27	34	23. 30	35	56. 4	25	20. 37	26	49. 24	28	18. 54	29	49. 9
7	Aldebaran.	43	45. 23	45	20. 22	46	55. 42	48	31. 21	37	29. 8	39	2. 36	40	36. 28	42	10. 44
8		56	24. 3							50	7. 19	51	43. 35	53	20. 8	54	56. 58

The Satellites of JUPITER will not be visible this Month,
JUPITER being too near the SUN.

EXPLANATION and USE
 OF THE
 ARTICLES

CONTAINED IN THE

ASTRONOMICAL and NAUTICAL EPHEMERIS,

IT may be proper first to premise, that all the Calculations of the Ephemeris are made according to apparent Time by the Meridian of the Royal Observatory at Greenwich; And the Sun's, Planet's, and Moon's Places, with the Particulars depending on them in the 2d, 4th, 5th, 6th, and 7th Pages of each Month, are computed to the Instant of apparent Noon, or that of the Sun's Centre passing the Meridian of Greenwich.

Apparent Time, at any Place, is that deduced immediately from the Sun, whether from the Observation of his passing the Meridian, from his Altitude observed at a Distance from the Meridian, or from his observed Rising or Setting. This Time is different from that shewn by Clocks and Watches well regulated at Land, which is called equated or mean Time. This will be explained when we come to treat of the Equation of Time.

The Day is here supposed, according to the Method of Astronomers, to begin at Noon, or 12 Hours later than the civil Day of the same Denomination, and to be counted up to 24 Hours, or the succeeding Noon, when the next Day begins. Thus the Day of the Month and the Hour of the Day are the

U

fame

same in this Method as in the civil Account at Noon, and from Noon till Midnight; but from Midnight till Noon they differ; for whereas in the civil Account a fresh Day is supposed to begin at Midnight, and the Hours to begin over again, in this Method the Day is still continued beyond Midnight, and the Reckoning of the Hours is continued up to 24. Thus the Distances put down to January 10, 15 Hours belong to January 11 at Three in the Morning by civil Reckoning.

There are 12 Pages for every Month. The first Column of the first Page of each Month contains the Day of the Month; the second, the Day of the Week expressed concisely by the initial Letter or Letters, *Su.* standing for Sunday, *M.* for Monday, *Tu.* for Tuesday, *W.* for Wednesday, *Th.* for Thursday, *F.* for Friday, and *Sa.* for Saturday: The third Column exhibits the Sundays and Festivals of the Church of England, and other remarkable Days: The last Column shews at Top the Moon's Phases, or the Times of new and full Moon, and of the first and last Quarter or two Quadratures with the Sun: Beneath are contained miscellaneous Phænomena, namely, Eclipses of the Sun and Moon, and Occultations of Planets or fixed Stars not less than the fourth Magnitude, by the Moon, as they should happen at Greenwich by the Tables; the Conjunctions of the Moon with all Stars not less than the fourth Magnitude, which can be Occultations any where on the Globe, between the Latitudes of 60° . North and 40° . South: The Entrance of the Sun into the several Signs, and any other remarkable Phænomena.

The Stars are expressed by Bayer's Characters of Reference. The Conjunction of the Moon or a Planet with a Star, is denoted by prefixing the Character of the Moon or Planet to that of the Star, the Time of the Conjunction being placed immediately after. The Case is the same with respect to the Occultation of a Star or Planet by the Moon, only this is further distinguished by the Addition of *Im.* or *Immersion*, to signify the Disappearance behind the Moon; and *Em.* or *Emission*, to signify the Re-appearance of the same. Thus $8^d \text{ } \gamma \text{ } \text{\textcircled{v}} \text{ } 16^h. 22'$. signifies that the Moon will be in Conjunction with the Star $\gamma \text{ } \text{\textcircled{v}}$ on the Eighth Day at $16^h. 22'$ exclusive of Parallax: And $10^d. \text{ } \text{\textcircled{e}} \text{ } \text{\textcircled{II}} \text{ } \text{Imm. } 9^h. 14'. \text{Em. } 10^h. 23'$ signifies that the Moon will eclipse $\text{\textcircled{e}} \text{ } \text{\textcircled{II}}$ on the 10th Day, the Immersion being at $9^h. 14'$. and the Emission at $10^h. 23'$. apparent Time at Greenwich.

The

The Occultations set down are those only visible at Greenwich; the Circumstances of which will commonly not differ very widely in most Parts of the Kingdom; but in very distant Places they will differ very much, owing to the Change of the Moon's Parallax, or it may become no Occultation at all: The like may be said of Eclipses of the Sun.

Eclipses of the Sun, and Occultations of fixed Stars by the Moon, if observed in Places whose Latitude and Longitude are well determined, may be applied to the Correction of the Lunar Tables; but if made in Places whose Latitude only is well known, may be applied to the Determination of the Longitude of the Place; but for this Purpose an accurate Calculation must be made of the Moon's Parallaxes in Longitude and Latitude, which makes this Method of settling the Longitudes of Places, though a very accurate one, less convenient in Use for Persons not much versed in astronomical Calculations. However, this ought not to discourage Travellers or Mariners from endeavouring to make these Observations as often and as carefully as possible, when they shall happen to be at any Place whose Longitude they have Reason to think has not been well settled; since the necessary Calculations may be made at any Time afterwards by themselves, at leisure, or referred to the Skill of Astronomers and Mathematicians.

Eclipses of the Moon are not liable to this Inconvenience; the Longitude of any Place, where an Eclipse has been observed, being deduced immediately by taking the Difference of the Time of the Observation and that set down in the Ephemeris, and converting it into Degrees, at the Rate of 15° to One Hour, &c. or more briefly by Table Pages 6, 7, 8, of the Tables requisite to be used with the Ephemeris. But, as the Beginning or Ending of an Eclipse of the Moon cannot be generally observed nearer than One Minute, and sometimes Two or Three Minutes of Time, the Longitudes of Places cannot be certainly determined by this Method from a single Observation of the Beginning or End nearer than a Degree. It is unnecessary to mention that even this Point of Exactness will often be of great Service. If both the Beginning and End of the Eclipse be observed, a greater Degree of Exactness will be attained.

The Conjunctions of the Moon with the Planets, or fixed Stars not less than the fourth Magnitude, which may prove

Occultations in some inhabited Parts of the Globe, are evidently designed to instruct Mariners or Travellers to look out frequently for such Observations; which if they happen to prove Occultations, and are carefully observed, will afford a certain Means of determining the Longitude of the Place of Observation.

The Two first Columns of the Second Page of the Month contain the Day of the Month and Week as before; next follow the Sun's Longitude, right Ascension in Time, Declination, and the Equation of Time, with the Difference from Day to Day.

The Longitude of the Sun is made use of in most of the succeeding Calculations of the Ephemeris, and may serve either to verify them, or to make other similar Calculations at a different Time of the Day. Particularly it may serve, with the Help of the Moon's Longitude, to find the Distance of the Moon from the Sun at any Time, independent of the Distances contained in the 8th, 9th, 10th, and 11th Pages of the Month. To find the Sun's Longitude at any Time different from Noon, Proportion must be made according to its daily Increase: Saying as 24^h . is to the Hour from Noon reckoned by the Meridian of Greenwich, so is the daily Variation of the Sun's Longitude, to a fourth Number; which added to the Sun's Longitude at the preceding Noon, gives the true Longitude at the given Time.

If the Time given be that of a Meridian different from Greenwich, it must be first reduced thereto, by adding or subtracting the Difference of Longitude turned into Time (at the Rate of One Hour to 15° , and One Minute of Time to 15 Minutes, or more briefly by Pages 6, 7, and 8, of the requisite Tables) according as the Place is to the West or to the East of Greenwich. Example: Suppose any one should want to know the Sun's Longitude, January 19, 1767, at 4^h . $35'$. being in 21° . $15'$, Longitude East of Greenwich. The Difference of Longitude turned into Time by Table Page 6, is 1^h . $25'$ which subtracted from 4^h . $35'$, because the Place is East of Greenwich, leaves 3^h . $10'$, for the Time reduced to the Meridian of Greenwich. The Sun's Longitude the preceding Noon is 9° . $29'$. $18''$. $2'''$, and the following Noon is 10° . $0'$. $19'$. $4'''$. the Difference is, 1° . $1'$. $2'''$, or $61'$. $2'''$, the daily Variation. Then say, as 24^h . is to 3^h . $10'$, so is $61'$. $2'''$ to $8'$. $3'''$. which added to 9° . $29'$. $18''$. $2'''$, the Sun's Longitude on the preceding Noon, gives 9° . $29'$. $26''$. $5'''$ the Sun's Longitude at the

the Time given. In like Manner any other of the following Articles is to be found by the Help of the Ephemeris.

The Sun's Longitude serves also to compute the Aberration of the fixed Stars and Planets.

The Sun's right Ascension in Time is useful to the practical Astronomer in regular Observatories, who adjusts his Clocks by sidereal Time. It is also useful to him for converting apparent into sidereal Time; as suppose that of an Eclipse of Jupiter's Satellites, in order to know at what Time it may be expected to happen by his Clocks: For this Purpose, the Sun's right Ascension at the preceding Noon, together with the Increase of right Ascension from Noon, must be added to the apparent Time of the Phænomenon set down in the Ephemeris.

The Sun's right Ascension in Time serves also to compute the apparent Time of a known Star's passing the Meridian; Thus, subtract the Sun's right Ascension in Time at Noon from the Star's right Ascension in Time, the Remainder is the apparent Time of the Star's passing the Meridian nearly; from which the proportional Part of the daily Increase of the Sun's right Ascension for this apparent Time from Noon being subtracted, leaves the correct Time of the Star's passing the Meridian.

Hence the apparent Time may be found from an observed Altitude of a known fixed Star, suppose one contained Page 12 or 13 of the requisite Tables; as will be explained hereafter.

The Sun's right Ascension in Time is also useful for computing the Time of the Moon and Planets passing the Meridian, as will be shewn under their proper Articles.

The Sun's Declination is necessary to find the Latitude, whether at Sea or Land, from the Meridian Altitude observed; it is also requisite for finding the Latitude from Two Altitudes observed with the Interval of Time measured by a Watch; it serves for computing the Sun's Azimuth, having his Altitude and the Latitude of the Place given, in order to find the Variation of the Compass; it is required jointly with the Latitude of the Place and the Sun's horary Angle to compute his Altitude, if neglected to be observed at the Time of taking the Moon's Distance from the Sun for finding the Longitude, being useful to facilitate the Calculation of the Effect of Refraction and Parallax upon the Distance; it is also necessary to calculate the apparent Time from an observed Altitude of the Sun at a Distance
from

from the Meridian, the Latitude being given; or to compute the Time of the Sun's Setting or Rising; which, though a less accurate Method than the former of obtaining the Time, may yet be useful when that cannot be had. For any of these Purposes, the Sun's Declination must be found to the Time given nearly reduced to the Meridian of Greenwich, making Proportion according to the daily Increase or Decrease, in like Manner as was shewn with respect to the Sun's Longitude.

The Equation of Time is a Correction, which added to or subtracted from the apparent Time (according to its Title at the Top of the Column) gives equated or mean Time, or that which should be shewn by a good Clock or Watch. Apparent Time is that which takes its Beginning from the Passage of the Sun's Centre over the Meridian of any Place; and had the Sun no Motion in the Ecliptic, or was his Motion reduced to the Equator or in right Ascension uniform, he would always return to the Meridian after equal Intervals of Time. But his apparent Motion in the Ecliptic being continually varying, and his Motion in right Ascension being rendered further unequal on account of the Obliquity of the Ecliptic to the Equator, from these Causes it arises that the Intervals of his Return to the Meridian become unequal, and the Sun will gradually become too slow or too soon to the Meridian for an equable Motion, such as that of Clocks and Watches ought to be.

This Retardation or Acceleration of the Sun's coming to the Meridian is called the Equation of Time, and is contained in the last Column but One of Page 2d; and when applied according to its Title to the apparent Time, or that deduced immediately from the Sun, gives the mean or equated Time, whence the Error of a Clock or Watch may be found, and, if required, it may be corrected.

If it is proposed to convert mean Time into apparent, this is done by a contrary Process, by applying the Equation of Time to the mean Time given, with its Title or Sign changed; *viz.* subtracting instead of adding, and adding instead of subtracting.

The Equation of Time being set down in the Ephemeris for the Noon at Greenwich, Proportion must be made according to the daily Difference, to find what it should be at any given Time reduced to the same Meridian, as in the preceding Articles. The last Column of this Page, containing the daily Differences of the Equation, is designed for this Purpose.

As often as it may be required to make any Calculations from astronomical Tables, and the Time given be apparent Time; it is necessary first to apply the Equation of Time thereto to convert it into mean Time, the Tables being disposed according to mean Motions. Thus the Articles contained in the Ephemeris answering to Noon were computed to 0^h. increased, or 24 Hours diminished, by the Equation of Time: And the Moon's Places set down for Midnight were computed to 12^h. increased or diminished by the Equation of Time.

What has been shewn concerning the Equation of Time chiefly respects the Astronomer, the Mariner having nothing to do with it in computing his Longitude from the Moon's Distances from the Sun and Stars observed at Sea with the Help of the Ephemeris, all the Calculations thereof being adapted to apparent Time, the same which he will obtain by the Altitudes of the Sun or Stars in the Manner hereafter prescribed.

But if Watches made upon Mr. John Harrison's or other equivalent Principles should be brought into Use at Sea, the apparent Time deduced from an Altitude of the Sun must be corrected by the Equation of Time, and the mean Time found compared with that shewn by the Watch, the Difference will be the Longitude in Time from the Meridian by which the Watch was set; as near as the Going of the Watch can be depended upon.

The Equation of Time is computed in the Manner explained in my Remarks upon that Subject, in the *Philos. Transact.* Vol. liv. P. 342 for the Year 1764; namely, by taking the Difference of the Sun's true right Ascension, and his mean Longitude corrected by the Equation of the Equinoxes in right Ascension, and turning it into Time at the Rate of 1' to 15'. &c. The Equation of Time will be additive or subtractive as the Sun's true right Ascension is greater or less than his mean Longitude.

The Semidiameter of the Sun, Page 3d, is necessary to reduce the observed Altitude of his upper or lower Limb to that of the Centre; also to reduce the observed Distance of the Moon's nearest Limb from the Sun's nearest Limb to the Distance of the Centres. It is also useful to Astronomers to verify or ascertain the Exactness of the Scale of their Micrometers, by Comparison with the Measure of the Sun's horizontal Diameter. This Practice is particularly useful in solar
Eclipses,

Eclipses, when the Distance of the Cusps or the Verse Sine of the uneclipsed Part has been measured with the Micro-meter. The Semidiameters of the Sun in Mayer's Tables, on which all the Calculations respecting the Sun and Moon are made, suppose the Semidiameter at the mean Distance to be $16'. 2'', 8.$ which Mr. Mayer says he deduced from above 130 Observations taken with his Six Feet mural Quadrant, which seemed to him not ill adapted to the Purpose. It may not be amiss to take this Opportunity to remark, that the Quadrant here mentioned was given to the University of Gottin-gen by his late Majesty, and was made by that ingenious Artist the late Mr. John Bird after the Model of the Eight Feet mural Arch, which he finished for the Royal Observatory at Greenwich, and put up there in the Year 1750. Mr. Mayer made his Observations with his Six Feet mural Arch, from the Year 1756, to the Time of his Decease; with it he settled the mean Obliquity of the Ecliptic to the Beginning of the Year 1756, at $23^\circ. 28'. 16''$ which Dr. Bradley settled by his Observations made in the Years 1750 and 1751, at $23^\circ. 28'. 18''$. The Difference is agreeable to what ought to arise from the gradual Diminution of the Obliquity of the Ecliptic at the Rate of about $\frac{1}{2}$ a Second in a Year. The same Instrument he also used in settling the Elements of his solar Tables; and it is most probable that with the same he settled his Table of Refractions at the End of his solar Tables; the Agreement of this Table with Dr. Bradley's, see Page 2d of requisite Tables (being both suited to the same Temperature of the Air) is so great, that they seem rather like One and the same than Two different Tables,

The Time of the Sun's Semidiameter passing the Meridian, serves to reduce an Observation of a Transit of the preceding or subsequent Limb over the Meridian to that of the Centre, when only One was observed. It signifies a Portion of apparent Time, or even mean Time, the Difference being absolutely insensible upon so small an Interval. It is found thus: Increase the Sun's Semidiameter in the Ratio of the Cosine of his Declination to the Radius, to find his Semidiameter in right Ascension, which turned into Time at the Rate of $1'$. to $15'$. and $1''$. to $15''$. gives the Time required. The Sun's Semidiameter in right Ascension is readily found by adding the Log. Cosine of his Declination to the logistic Logarithm of his Semidiameter, the Sum is the logistic Logarithm of his Semidiameter in right Ascension; which divided by 15 gives the Time of his Semidiameter

meter passing the Meridian. If the Clock by which the Observation is made be regulated according to the fiderial Time, this Quantity must be increased in the Ratio of 365 to 366, if great Precision is required.

From the Time of the Sun's Semidiameter passing the Meridian may be also found the Time of its passing the horizontal or vertical Wire of a Quadrant or Sextant, which on some Occasions may have its Use.—The hourly Motion of the Sun is useful in computing solar and lunar Eclipses; also in correcting the assumed Longitude of the Ship, in order to find the Time from an Observation of the Distance of the Moon from the Sun, independent of the Distances contained in the Nautical Ephemeris; See British Mariner's Guide, Page 49, and Tables at the End of the same, Page 25, which is also copied at Page 14 of requisite Tables. The Logarithm of the Sun's Distance is useful in the Calculation of the Places of the Planets and Comets. The Place of the Moon's Node signifies its mean Longitude, and is necessary for finding the Equation of the equinoctial Points both in Longitude and right Ascension, the Equation of the Obliquity of the Ecliptic, and the Deviations of the fixed Stars in right Ascension and Declination.

The Eclipses of Jupiter's Satellites are well known to afford the readiest, and for general Practice the best Method of settling the Longitudes of Places at Land; and it is by their Means principally that Geography has been so much reformed within a Century past, and the Position of the most distant Places determined to equal Accuracy with the nearest. It was hoped that some means Might be found of using proper Telescopes on Shipboard to observe these Eclipses; and could this be effected, it would be of great Service in ascertaining the Longitude of a Ship from time to time. In my Voyage to Barbadoes under the Direction of the Commissioners of Longitude, I made a full Trial of the late Mr. Irwin's Marine Chair proposed for this Purpose, but found it totally impracticable to derive any Advantage from the Use of it; and, considering the great Power requisite in a Telescope for making these Observations well, and the Violence as well as Irregularities of the Motion of a Ship, I am afraid the complete Management of a Telescope on Shipboard will always remain among the Desiderata. However, I would not be understood to mean to discourage any Attempt founded upon good Principles to get over this Difficulty.

The Telescopes proper for observing the Eclipses of Jupiter's Satellites, are common refracting Telescopes, from 15 to 20 Feet, reflecting Telescopes of 18 Inches or Two Feet focal Length, and Telescopes of Mr. Dollond's Construction with Two Object Glasses from Five to 10 Feet; or, which are still more convenient, those of 46 Inches focal Length, constructed with Three Object Glasses, which are as manageable as reflecting Telescopes, and perform as much as those which he makes of 10 Feet with Two Object Glasses.

The Eclipses of Jupiter's Satellites are observed by Astronomers at Land, as well in order to provide Materials for improving the Theories and Tables of their Motions, as for the sake of Comparison with the corresponding Observations which may be made by Persons in different Parts of the Globe, whereby the Longitude of such Places will be accurately ascertained. It is indeed to be lamented that Persons who visit distant Countries are not more diligent to multiply Observations of this Kind, for want of which, the Observations made by Astronomers in established Observatories lose Half their Use, and the Improvement of Geography seems to be at a Stand. But it is to be hoped that an Emulation will spring up among those who may have Opportunities of rendering so useful a Service to the Public, to incite them to watch diligently for the Occasions of observing these Eclipses carefully, particularly of the First and Second, which are most exact for the Purpose. The Eclipses carefully calculated and set down in the Ephemeris, will serve to advertise them and Observers in general of the Times when they should attend to these Observations. The Person who shall be under any Meridian different from Greenwich, must turn his Difference of Longitude into Time: See Table Page 6, 7, and 8, and add it to or subtract it from the Time of the Eclipse set down in the Ephemeris, according as he is to the East or West of Greenwich, to find the apparent Time at which the Eclipse will happen at his Meridian, nearly. He must further take care to regulate his Watch or Clock by apparent Time, or at least to know the Difference, as well in order to apprise him of the Time to look out for the Eclipse, as for ascertaining the apparent Time exactly at which he shall observe it. Equal Altitudes of the Sun or Stars taken with an astronomical Quadrant afford the best Means of regulating Clocks and Watches for occasional Observations; or they may be taken with a Hadley's Quadrant,

by

by Reflection from a Basin of Water or Quicksilver, or from the Horizon of the Sea, if the Observer has an open Prospect, and is not elevated above 5 or 600 Feet above the Level of the Sea. But, if Opportunity does not admit of taking equal Altitudes, the Time may be determined from One Altitude taken in any of the Methods above-mentioned, at least Two or Three Points of the Compass distant from the Meridian, but the nearer to the East or West the better, the Latitude of the Place being known, or being found by Observations of the Meridian Altitude of the Sun or Stars made on Purpose. It will be better to take several Altitudes in order to take a Mean of the Results for greater Certainty. And if one Star be observed to the East and the other to the West of the Meridian, the Time will be determined with rather more Certainty. The Manner of computing the apparent Time from the Altitude of the Sun or a Star will be shewn when we come to treat of the Method of finding the Longitude by the Observations of the Distance of the Moon from the Sun and Stars by the Help of the Ephemeris.

The Observer being in a Place whose Longitude is well known, should be settled at his Telescope Three Minutes before the expected Time of an Immersion of the first Satellite; Six or Eight Minutes before that of the second and third Satellites; and a Quarter of an Hour or more before that of the fourth Satellite; chiefly on account of the Uncertainty of their Theories; but, if the Longitude of the Place is very uncertain, he must begin to look out for the Eclipse proportionably sooner: Thus, if the Longitude of the Place is uncertain to 3 Degrees, answering to 12 Minutes of Time, he ought to fix himself to his Telescope 12 Minutes sooner than is mentioned above. Nevertheless, when he has observed One Eclipse of any Satellite, and thereby found the Error of the Tables, he may allow the same Correction to the Calculations of the Ephemeris for several Months, which will advertise him very nearly of the Time of expecting the Eclipses of the same Satellite, and dispense with his attending so long.

The Immersions signify the Instant of the Disappearance of the Satellite by entering into the Shadow of Jupiter; and the Emerisions signify the first Instant of its Appearance at coming out of the same. They generally happen when the Satellite is at some Distance from the Body of Jupiter, except near the Opposition of Jupiter to the Sun, when the Satellite approaches nearer to his Body. Before the Opposition of

Jupiter to the Sun the Immersions and Emerfions happen on the West Side of Jupiter, and after the Opposition on the East Side; but if an astronomical Telescope be used, which reverses Objects, the Appearances will be directly the contrary. Before the Opposition, the Immersions only of the first Satellite are visible; and after the Opposition, the Emerfions only. The same is generally the Case with respect to the second Satellite; both the Phænomena of the same Eclipse are frequently observable in the Two outer Satellites. The Immersions and Emerfions marked with an Asterisk in the Ephemeris are those visible at Greenwich.

To know if an Eclipse will be visible in any Place, find if Jupiter is 8° , or 10° above the Horizon of the Place, and the Sun as much below it. This may be done near enough by a celestial Globe: Otherwise, the Time of the Sun's Rising and Setting may be found for any Latitude by a Table of semi-diurnal Arcs, contained in the popular Book called the Mariner's Compass Rectified, and many other Books; the Time of Jupiter's Rising and Setting may also be found from the Time of his passing the Meridian and Declination set down in the Ephemeris, with the Help of the same Table of semi-diurnal Arcs; adding or subtracting the semi-diurnal Arc answering to the same Declination of the Sun: Remembering always that if Jupiter's Declination and the Latitude of the Place are of the same Denomination, the semi-diurnal Arc will be more than Six Hours, and if they are of contrary Denominations, will be less than Six Hours.

The Immersion or Emerfion of any Satellite being carefully observed in any Place according to apparent Time, the Longitude from Greenwich is found immediately by taking the Difference of the Observation from the corresponding Time shewn in the Ephemeris, which must be turned into Degrees, &c. by Table Page 6, 7, and 8; and will be East or West of Greenwich, as the Time observed is more or less than that of the Ephemeris.

Example; Suppose an Emerfion of the first Satellite should be observed at the Cape of Good-Hope, May 9. 1767, at $10^{\text{h}}. 46'. 45''$ apparent Time: The Time by the Ephemeris being $9^{\text{h}}. 33'. 12''$, the Difference is $1^{\text{h}}. 13'. 33''$, whence by Table Page, 6, 7, and 8, the Longitude of the Cape should be $18^{\circ}. 23'. 15''$, East of Greenwich, because the Time supposed to be observed at the Cape is more than that of the Ephemeris.

It is to be observed that a correspondent Observation of an Eclipse of a Satellite of Jupiter, made under a well-known Meridian, is to be preferred to the Calculations of the Ephemeris for comparing with an Observation made in a Meridian whose Longitude is required; but if no corresponding Observation can be obtained, as is frequently the Case, it will be best to find what Correction the Calculations of the Ephemeris require by the nearest Observations to the given Time that can be obtained; which Correction, applied to the Calculation of the given Eclipse in the Ephemeris, renders it almost equivalent to an actual Observation.

The Longitudes and Latitudes of the Planets, Page 4, serve to know where to look for them in the Heavens, and when their Places may be conveniently settled by comparing them with fixed Stars by the Help of a Micrometer in a Telescope. They also shew when they are in the most important Points of their Orbits, where it is most material to observe them. They also serve to enable Persons less skilled to distinguish them from the fixed Stars. Their Declinations and apparent Time of passing the Meridian are particularly useful to Astronomers who are furnished with Quadrants and Transit Instruments well fixed in the Meridian, in setting their Instruments for observing their right Ascensions and Declinations.

The apparent Time of a Planet's passing the Meridian may be computed thus; the Planet's right Ascension being calculated from its Longitude and Latitude, and turned into Time, subtract the Sun's right Ascension at Noon in Time from it, to find the Time of the Planet's passing the Meridian nearly, which call T; take the Difference of the ☉ and Planet's daily Variations in right Ascension in Time, if the Planet is progressive in right Ascension, or the Sum if it is retrograde, which call X; then say, by the Rule of Proportion;

As $24^h \mp X : T :: K : e$ and $T \pm e$ will be the correct Time of the Planet's passing the Meridian. The upper Signs are to be used both to X and e if the Planet's progressive Motion in right Ascension be greater than that of the Sun; in any other Case the lower Signs are to be made use of.

But perhaps it may be found more readily by continual Approximation as follows: Take the proportional Part of the Difference or Sum of the ☉ and Planet's daily Motion in right Ascension, answering to the Time of the Planet's passing the Meridian, found nearly, in Proportion to 24^h . and take a further like proportional Part of this proportional Part; and again

again of this last, and so on as far as is necessary. The Sum of all these proportional Parts added to the Time of the Planet's passing the Meridian found nearly, if the Planet's progressive Motion in right Ascension is greater than that of the Sun, otherwise subtracted, gives the apparent Time of the Planet's passing the Meridian.

Example: Let it be required to find the Time of the Moon's passing the Meridian, July 1, 1767.

The Sun's right Ascension in Time July 1st is, $6^{\text{h}}.40'.25''$. and July 2d, $6^{\text{h}}.44'.33''$ by the Ephemeris. Therefore his daily Motion in right Ascension is $4'.8''$. The Moon's right Ascension July 1st at Noon by the Ephemeris, is $159^{\circ}.2'$ answering to $10^{\text{h}}.36'.8''$ of Time, and July 2d is, $169^{\circ}.39'$ answering to $11^{\text{h}}.18'.36''$. The Difference is, $42'.28''$ of Time, from which $4'.8''$ being subtracted, leaves $38'.20''$. Subtract $6^{\text{h}}.40'.25''$, the Sun's right Ascension July 1st at Noon, from $10^{\text{h}}.36'.8''$, the Moon's right Ascension the same Noon, the Remainder $3^{\text{h}}.55'.43''$. is the Approximate Time of the Moon's passing the Meridian. The proportional Part of $38'.20''$ answering to this, is $6'.17''$, and the proportional Part of $6'.17''$ is $9''$; therefore $6'.17''$ and $9''$ or $6'.26''$ added to $3^{\text{h}}.55'.43''$ give $4^{\text{h}}.2'.9''$, the apparent Time of the Moon's passing the Meridian. In the Ephemeris it is $4^{\text{h}}.2'$. It may also be computed by taking the Difference of the Moon's right Ascension at Noon and Midnight, but then Half the Sun's daily Variation in right Ascension must be made use of, and Proportion must be made for 12 instead of 24 Hours: And if the Moon passed the Meridian after Midnight, the Sun's right Ascension at Midnight must be used, which is a Mean between his right Ascensions on the preceding and subsequent Noon. For the Planets, it will be sufficient to take the first proportional Part only.

The Days of the Oppositions, Quadratures, &c. of the Planets to the Sun, are Times at which they ought to be observed in fixed Observatories, for settling the Elements of their Orbits by a Series of several Years Observations.

The 5th, 6th, 7th, 8th, 9th, 10th, and 11th Pages of each Month contain the Moon's Place, and all the Circumstances relating to her Motions, and her Distances from the Sun and proper Stars, from which her Distance should be observed for finding the Longitude at Sea. The Longitudes, Latitudes, and Declinations of the Moon, and Time of her passing the Meridian, afford the like Uses with the same Circumstances

Circumstances of the Planetary Motions, and many more besides. For the sake of greater Precision, the Moon's Longitude, Latitude, Right Ascension, Declination, Semidiameter, horizontal Parallax, with its logistic or proportional Logarithm, are computed twice a Day, to Noon and Midnight, and may readily be inferred to any intermediate Time with the greatest Exactness.

Example: Let it be required to find the Moon's Longitude and Latitude, &c. July 16, 1767, at 16^h. 22'. 16". First to find the Longitude. The Moon's Longitude, July 16, at 12^h. is 0°. 6'. 40". 25". and July 17 at Noon, 0°. 13'. 47". 48", the Difference 7°. 7'. 23" is the Moon's Motion in 12 Hours; say then, by the Rule of Proportion,

As 12^h. is to 4^h. 22'. 16" (the Excess of 16^h. 22'. 16" above 12^h.) so is 7°. 7'. 23" to 2°. 35'. 41", which added to 0°. 6'. 40". 25", the Moon's Longitude at 12^h. gives 0°. 9°. 16'. 6", the Moon's Longitude nearly; but this must be corrected on account of the Moon's unequal Motion in 12 Hours, by Page 11 of Requisite Tables; for this Purpose take out of the Ephemeris the Two Longitudes of the Moon next preceding the given Time, and the Longitudes immediately following it, and set them down in Order one after another, as follows.

	1st Diff.	2d Diff.
July 16, Noon 11. 29. 29. 34	7. 10. 51	
Midnight 0. 6. 40. 25	7. 7. 23	3. 28
17, Noon 0. 13. 47. 48	7. 3. 39	3. 44
Midnight 0. 20. 51. 27		

Take their Differences, 7°. 10'. 51", 7°. 7'. 23", 7°. 3'. 39", take the Differences of these Differences, or the 2d Differences, 3'. 28"; 3'. 44". and take their Mean which is 3'. 36". Now look for the Correction in Page 11 of Requisite Tables answering to 4^h. 22' after Midnight, found on the Side, and 3'. 36" at Top, 21" will be found under 3'. and 28" under 4'. the Difference is 7". when 36" will require 4", and the Correction sought is 21" + 4" = 25". which, according to the Remark at the Bottom of the Table, must be added (because the Motion in 12 Hours or first Differences are decreasing to 0°. 9°. 16'. 6", the Moon's Longitude found by even Proportion;

Proportion; whence the Moon's true Longitude is $0^{\circ} 9^{\circ} 16'$ $31''$, and is as correct as the Longitudes from which it is deduced.

N. B. If the first Differences of the Four Longitudes of the Moon taken out first increase and then decrease, or, vice versa, first decrease and then increase, take Half the Difference of the Two second Differences for the Mean second Difference, with which take the Correction from Page 11, and add or subtract it as the First first Difference is greater or less than the Third first Difference.

To find the Moon's Latitude. Take out of the Ephemeris the Two Latitudes preceding and Two following the given Time, and set them down in Order, and take their first and second Differences, and the Mean of the Two second Differences; find the proportional Part of the Middle first Difference answering to the Hours and Minutes, &c. of the given Time after Noon or Midnight; which correct in the following Manner: Entering Table Page 11 with the Hour from Noon or Midnight on the Side, and the Mean second Difference at Top, take out the corresponding Number of Seconds, which added to or subtracted from the proportional Part found above, according as the Motion in 12 Hours or first Differences are decreasing or increasing; or, more generally, according as First first Difference is greater or less than Third first Difference, gives the proportional Part corrected; which now added to or subtracted from the Moon's Latitude at the preceding Noon or Midnight, as the Latitude in these 12 Hours is increasing or decreasing, gives the Moon's Latitude correct.

Example: The Moon's Latitude is required, July 16; 16^h $22'$ $16''$.

	D's Lat. by the Ephem.	1st Dif.	2d Dif.	Mean of 2d Dif.
	0' "			
July 16. Noon	4. 31. 10 N.	18. 26	4. 36	' "
Midnight	4. 49. 36	13. 50	4. 44	4. 40
17 Noon	5. 3. 26	9. 6		
Midnight	5. 12. 32			

The Moon's Latitude July 16 at Midnight being $4^{\circ} 49'$ $36''$ N. and the Motion in the next 12 Hours being $13'$ $50''$.
 (ay by Proportion,

As

As 12^h is to $4^h. 22'. 16''$, so is $13^h. 50''$, to $5^h. 2''$; but this must be corrected by adding $33''$. the Correction from Page 11, answering to the Hour $4^h. 22'$, and the Mean second Difference $4'. 40''$, because the first Differences are decreasing, or rather because the first of them $18'. 26''$, is greater than the last of them $9'. 6''$, therefore the proportional Part corrected is $5'. 2'' + 33'' = 5'. 35''$, which added to $4^h. 49'. 36''$, gives $4^h. 55'. 11''$ N. the Moon's Latitude correct.

Remarks on some Circumstances necessary to be attended to, in order to obtain and apply the Correction of second Differences rightly in computing the Moon's Latitude.

I. If the Moon's Latitude taken out of the Ephemeris for Noon and Midnight changes its Denomination from North to South or from South to North, the Sum of the Two Latitudes of contrary Denominations, where the Change happens, is to be accounted the first Difference in that Place.

II. If the Three first Differences first increase and then decrease, or vice versa, first decrease and then increase, Half the Difference of the Two second Differences is to be taken for the Mean second Difference.

III. If the Series of Four Latitudes taken out should first increase and then decrease about the Moon's greatest Latitudes, take the Sum of the Two first Differences standing on each Side of the greatest Latitude for the second Difference in that Place; correct the Moon's Latitude at Noon or Midnight by the simple proportional Part first found; and to the Latitude so corrected, add always in this Case the Correction from Table Page 11, answering to the Mean of the Two second Differences.

Before I quit this Subject of Interpolation by second Differences, I shall point out another Method, by which the same End may be obtained more readily, and with fewer Rules, by those who are well acquainted with algebraic Subtraction and Addition, and the Manner of applying the Signs in those Operations. Subtract each Latitude from the following for the first Differences, to which prefix the Sign — if the Latitudes decrease; and subtract each first Difference, thus found, from the following one of the same Order for the second Differences. Half the Sum of the Two second Differences standing on each Side of the Interval to be interpolated, is to be accounted the Mean second Difference; the Correction corresponding to it by Table Page 11, is to be applied always with the contrary Sign.

These Operations are to be performed, and the Signs to be applied as in algebraic Subtraction and Addition. Note further, if the Four given Latitudes change their Denomination, call the second Latitude +, and those of a contrary Denomination —.

The Moon's Declination may be found at any Hour in the same Manner as her Latitude; but as the Correction arising from second Differences will never exceed $2\frac{1}{2}$, this may be neglected on most Occasions; but if any one is desirous to obtain the Declination true to a Minute, the Correction is easily applied, as shewn above.

The other Articles of Page 7, and 8; *viz.* the Moon's right Ascension, her Semidiameter, horizontal Parallax, with its Logarithm, and the Distances contained in the Four last Pages of the Month, may be all found correctly by even Proportion, without requiring any Allowance on Account of second Differences. The proportional Part of the Moon's Longitude, &c. for any Hour, may be found very readily by the Help of the Table of proportional Logarithms at the End of the requisite Tables; for which consult the Explanation of those Tables.

The Moon's Longitude and Latitude are used in computing her Distances from the Sun and Stars contained in the Four last Pages of the Month, as well as in the Appulses to Stars pointed out in Page 1, and, jointly with her Parallax and Semidiameter, are necessary for computing the Eclipses of the Sun and Moon, and the Occultations of fixed Stars and Planets by the Moon. They also facilitate the Calculation of the Longitude of any Place from an Eclipse of the Sun, or an Occultation of a Star or Planet by the Moon observed: Or, if the Meridian be well known, the Parallax and Semidiameter serve to deduce the Moon's true Place in the Heavens from the Observation, which compared with that given by the Ephemeris shews the Error of the Tables, whatever it be at that Time. The Moon's Semidiameter and Parallax are applied in correcting almost all Observations of the Moon. The proportional Logarithms of the Moon's Parallax serve further to facilitate the Calculations of Parallaxes.

The Moon's right Ascension and Declination are useful to compute her Altitude at any Time, particularly at the Observation of her Distance from the Sun or a Star, supposing it was neglected to be or could not be observed properly; which latter Case may sometimes happen in the Night, though I think but rarely; the utmost Accuracy not being required for

for the Calculations of Refraction and Parallax. See British Mariner's Guide, Page 57. The Moon's Declination, with her Semidiameter and Parallax, serve for finding the Latitude by the Meridian Altitude of her upper or lower Limb observed at Sea. See British Mariner's Guide, Page 93. The Moon's right Ascension and Declination serve also to compute the Time from her Altitude observed at the Observation of her Distance from a Star; whence the Longitude may be inferred, though no Altitude of the Sun or a Star was taken for regulating the Time. See British Mariner's Guide, Page 61.

The Distances of the Moon from the Sun and fixed Stars, contained in the 8th, 9th, 10th, and 11th Pages of the Month, are set down to every Three Hours of Apparent Time by the Meridian of Greenwich, and are designed to relieve the Mariner from the Necessity of a Calculation, which he might think prolix and troublesome, and to enable him, when compared with the same Distances observed carefully at Sea, to infer his Longitude readily and with little Danger of Mistake to a Degree of Exactness that may be thought sufficient for most nautical Purposes. But useful and valuable as the Practice of this Method may be at present, it is a Remark not unworthy our Notice, that there is Room to hope, by future Improvements of the Lunar Tables, and the Introduction of a more accurate Method of constructing Instruments, it may be carried to a much higher Degree of Perfection.

The Moon's Distances are computed both from the Sun and proper Stars, and generally from One Object on each Side of her, to afford the Mariner a greater Number of Opportunities of Observation, and a Means of attaining a greater Degree of Exactness. The Distances from the Sun are computed between 40° and 120° of Distance. While the Moon is between the Distances of 20° and 40° from the Sun, her Distance is computed only from a Star on the contrary Side that the Sun is. When she is between the Distances of 40° and 90° from the Sun, her Distance is computed both from the Sun and from a Star on the contrary Side to the Sun; when the Moon is above 90° from the Sun her Distance is computed from Two Stars, one on each Side of her; though still her Distance is computed also from the Sun from 90° to 120° . Though the Distance of the Moon from the Sun or Star, well observed with a good Instrument, is sufficient to determine the Longitude, with the Help of the

Ephemeris, always within a Degree, and generally much nearer, yet it will conduce to still greater Accuracy, if the Observer takes the Distance of the Moon from Two Stars, or the Sun and a Star, or, when the Moon is between 90° and 120° Distance from the Sun, from the Sun and Two Stars, if he can be so lucky as to obtain these several Observations.

The Longitude being computed from the Observations made with each Star respectively, the Mean of the Results is to be taken as probably approaching nearest to the true Longitude. In particular the Moon's Distance should be taken from Two Stars, or the Sun and a Star on each Side of her, as often as Opportunity permits, since the Mean of the Results will probably be at least as exact again as either separately, I mean as far as depends on any Imperfection of the Instruments, and unavoidable small Errors arising in the Use of them; Errors of these Kinds having a natural Tendency to correct each other; for that small Error which arises from the Lunar Tables will affect the Result from either Star equally. But the Error of Mr. Mayer's last Lunar Tables as corrected by a Series of Dr. Bradley's Observations of 9 Years, being these here made use of, never exceeding $45''$, and seldom amounting to $15''$, the Uncertainty hence arising in the Determination of the Longitude can scarcely exceed 22 Miles, and generally will not exceed 10 Miles of Longitude.

The Distances set down in the Ephemeris, afford the Observer a ready Means of knowing the Star from which the Moon's Distance is to be observed; for he has nothing to do but to set his Quadrant to the Distance computed roughly from the Ephemeris, neglecting the Seconds, at the apparent Time estimated nearly by the Meridian of Greenwich; and direct his Sight to the East or West of the Moon, according as the Distance at Greenwich is found in the 8th and 9th, or 10th and 11th Pages of the Month; and having found the Moon upon the little Speculum, let him give a Sweep with the Quadrant to the Right and Left, and he will find the Star he seeks for, if above the Horizon and the Air be clear, nearly in a Line perpendicular to the Line of the Moon's Horns or longer Axis, or, which is the same Thing, in the Line of the Moon's shorter Axis produced. The Star is always one of the brightest, so that there is little Danger of mistaking another for it, if the preceding Directions are carefully observed. The Time at Greenwich is estimated nearly by turning the supposed Longitude from Greenwich into
into

into Time, by Table Page 6, 7, and 8, and adding it to or subtracting it from the apparent Time at the Ship, as its Longitude is West or East of Greenwich. It will be sufficient if the Distance be computed from the Ephemeris within 10', or 20', for setting the Quadrant. The principal Use of the Distances of the Moon from the Sun and fixed Stars; namely, in determining the Longitude by Comparison with the corresponding Distances observed at Sea, will be shewn hereafter in its proper Order, in the Dissertation explaining the Method of computing the Longitude at Sea by the Help of the Ephemeris.

The Distances contained in the Ephemeris were computed strictly to Noon and Midnight, and thence interpolated for every Three Hours, according to the Method shewn for computing the Moon's Latitude, Page 160—162: Except that the Correction of second Differences at the Middle of the Interval to be interpolated, was taken $\frac{1}{2}$ of the Mean of the Two second Differences, and at the First and Third Quarter of the Interval was taken $\frac{1}{4}$ of the Correction just found at the Middle of the Interval; instead of consulting Table Page 11, which would however have given the same Result. But, at the first 12 Hours, when the Distances of the Moon from a Star begin, and the last 12 Hours, when the Distances end, there being only One second Difference instead of Two second Differences on each Side to take a Mean of, this Method fails in these Cases, and therefore the following is to be substituted in its stead, being derived from Sir Isaac Newton's Solution of the Problem of drawing a Curve through the Extremities of any Number of given Ordinates. Phil. Nat. Princ. Math. Page 486. Edit. ult.

From Four Distances at Noon and Midnight computed strictly, to interpolate Three Distances at the 3d, 6th, and 9th Hour of the first or last Interval.

Subtract each Distance from the following, for the first Differences, and prefix the Sign —, if the Distances decrease. Subtract each first Difference thus found from the following One of the same Order, for the second Differences: And in like Manner subtract the First 2d Difference from the following for the third Difference; applying the Signs as in algebraic Subtraction. Denote the first or last first Difference by b , the first or last second Difference by c ; according as the Interpolation to be made is for the first or last 12 Hours, denote also the third Difference by d ; and, a being put to signify

signify the Distance at the Beginning of the Interval, the interpolated Distances will be as follows :

At 3d Hour of first Interval	$a + \frac{1}{4}b - \frac{3}{32}c + \frac{7}{128}d$
At 6th Hour of first Interval	$a + \frac{1}{2}b - \frac{3}{8}c + \frac{1}{16}d$
At 9th Hour of first Interval	$a + \frac{3}{4}b - \frac{3}{2}c + \frac{7}{128}d$
Or	
At 3d Hour of last Interval	$a + \frac{1}{4}b - \frac{3}{32}c - \frac{7}{128}d$
At 6th Hour of last Interval	$a + \frac{1}{2}b - \frac{3}{8}c - \frac{1}{16}d$
At 9th Hour of last Interval	$a + \frac{3}{4}b - \frac{3}{2}c - \frac{7}{128}d$


In adapting these Formulæ to Numbers, great Care must be taken about the right Application of the Signs. Thus if b , c or d is Negative, apply the Number expressing the Value of that Term of the Formula where it is found with a contrary Sign to that of the Formula.

Let me add in this Place, that if in filling up the first and last Intervals, a new second Difference has been supposed in arithmetical Progression with the Two given ones, in order to take a Mean between it and the first or last second Difference, the Interpolation at the Middle of the Interval or 6th Hour will be had true, the same as if the above Formulæ had been used : But at the Interpolation of the first and third Quarter there will be an Error of $\frac{1}{128}$ third Difference; which will be corrected, by applying $+\frac{1}{128}d$ or third Difference, to Number found at the first Quarter of the Interval, and $-\frac{1}{128}d$ to that found at the third Quarter of the Interval; equally the same whether it be the first or last Interval.

The Configurations of Jupiter's Satellites, Page 12th and last, exhibit the apparent Positions of the Satellites with respect to each other, and to Jupiter at such an Hour of the Evening or Night as they are most likely to be observed, and serve to distinguish the Satellites from one another. Jupiter is distinguished by the Mark \odot , and the Satellites by Points with Figures annexed, the Figure 1 signifying the first Satellite, 2 the second Satellite, &c. When the Satellite is approaching towards Jupiter, the Figure is put between Jupiter and the Point; and when the Satellite is receding from Jupiter, the Figure is put on the other Side of the Point. The Satellites are in the superior Parts of their Orbits, or furthest from the Earth, when they are marked to the right Hand or West of Jupiter approaching him; or to the left Hand or East of Jupiter receding from him; but are in the inferior Part of their

their Orbits, or nearest to the Earth, when they are marked to the right Hand or West of Jupiter receding from him, or to the left or East of Jupiter approaching him. The Cypher 0 sometimes annexed to the Figure of the Satellite towards the Margin, signifies that it is invisible on the Face of Jupiter; and the black Mark ●, signifies that it is invisible, being eclipsed in Jupiter's Shadow, or behind Jupiter, and eclipsed by his Body.

T H E E N D.



ASTRONOMICAL PROBLEMS,

BY

The Revd. JOHN EDWARDS, B.A.

[A]



ASTRONOMICAL PROBLEMS,

B Y

The Revd. JOHN EDWARDS, B. A.

THE Method of finding the Longitude at Sea or Land, by taking Distances of the Sun and Moon, or the Moon and a fixed Star, by means of a Hadley's Quadrant, being so generally esteemed and universally practised; the following *necessary* Problems may not be unacceptationable to Astronomers and Navigators; being solved in the most easy and expeditious Manner the Nature of such Problems can possibly admit of.

PROBLEM I.

The Latitude of a Place, the Sun's Declination and Altitude being given, to find the Horary Angle or Hour from Noon,

From the Natural Sine of the Sun's * Meridian Altitude, subtract the Natural Sine of the true Altitude of his Center

*. If the Sun's Declination and the Latitude of the Place are of the same Name, that is, both North or both South, the Complement of the Latitude to 90 Degrees must be added to the Declination to obtain the Meridian Altitude: But if the Declination and Latitude are of different Names, that is, one North and the other South, the Difference of the Complement of Latitude and the Declination is the Meridian Altitude required. — If the Meridian Altitude, so found, should exceed 90 Degrees, take its Complement to 180 Degrees, and use the Natural Sine of the Remainder; or subtract 90 Degrees from the Meridian Altitude, and use the Natural Cosine of the Remainder.

at the Time of the Observation; find the Logarithm corresponding to this Number, and add it to the Complement Arithmetical of the Logarithmic Cosine of the Latitude of the Place, and the Complement Arithmetical of the Logarithmic Cosine of the Sun's Declination, the Sum is the Logarithmic Rising (in Tables published in the Nautical Almanac for 1771, or in the following Tables, if the Angle is greater than Six Hours) of the Horary Angle required.

EXAMPLE I.

What is the Hour of the Day in Latitude $16^{\circ}. 24'$ North, when the true Altitude of the Sun's Center is $47^{\circ}. 24'$ towards the West, and his Declination $5^{\circ}. 48'$ South?

Lat.	16.24 N.	— Log. Cof. Co. Ar.			
Complement.	73.36				
☉'s Declin.	5.48 S.	— Log. Cof. Co. Ar.			
Merid. Alt.	67.48	— Nat. Sine	92587		
True Alt.	47.24	— Nat. Sine	73609		
				0.01804	
				0.00223	
		Diff.	18978	Log.	4.27825
					4.29852 =
	ho. ' ' "				
	Log. Rising of 2. 27. 2. the Hour required.				

Remark. The Declination of the Sun made Use of in solving this and the following Problem, must be his Declination at the Time of the Observation, and not at Noon or Mid-day.

General Remark. Whenever the Nautical Ephemeris is used for this, or any other Astronomical Problem, the Time of the Observation must always be reduced to the Meridian of the Royal Observatory at Greenwich, and the Declination, Right Ascension, &c. &c. of the Sun or Moon must be taken out of the Ephemeris corresponding to that Time.

EXAMPLE

EXAMPLE II.

What is the Hour of the Day, apparent Time, in Latitude $52^{\circ}. 22'$ North, when the apparent Altitude of the Sun's lower Limb was $12^{\circ}. 45'$ towards the East, the Declination being $23^{\circ}. 28'$ North, the Error of Quadrant $4'$ additive, and the Eye elevated 20 Feet above the Surface of the Sea?

App. Alt. of ☉'s lower Limb	$12. 45$
☉'s Semid. add. — — —	$0. 16$
App. Alt. of ☉'s Center —	$13. 1$
Sum of Dip. and Refract. subtr.	$0. 8$
Error of Quadr. add	$12. 53$
	$0. 4$
True Altitude of ☉'s Center	$12. 57$

Lat. $52. 22$ N.—Log. Cof. Co. Ar.	
Comp. $37. 38$	
☉'s Decl. $23. 28$ N.—Log. Cof. Co. Ar.	
Merid. Alt. $61. 6$ — Nat. S. 87546	
True obs. Alt. $12. 57$ — Nat. S. 22410	
65136 Log. — $4. 81382$	
$5. 06555 =$	

Log. Rising of $6^h. 37'. 31''$ the Horary Angle from the Meridian, whose Complement to 12 Hours, as the Observation was made in the Morning, is $5^h. 22'. 29''$ A. M. the apparent Time required.

PROBLEM

* P R O B L E M II.

To find the Altitude of the Sun at any Time.

To the Logarithmic Cosine of the Latitude of the Place, add the Logarithmic Cosine of the Sun's Declination, and the Logarithm of Rising corresponding to the Horary Angle or Time from Noon, the Sum, abating 20 from the Index, is " the Logarithm of a Number, which subtracted " from the Natural Sine of the Sun's Meridian Altitude, " leaves the Natural Sine of the Altitude at the Time re- " quired.

" EXAMPLE.

" What is the Sun's Altitude at 11^h. 0' A. M. the Lati-
 " tude of the Place being 60°. 0', the Sun's Declination
 " 0°. 0' and consequently its Meridian Altitude 30°. 0' ?
 " Time from Noon 1^h. 0'—Log. Rising 3.53243
 " Log. Cof. of Lat. 60°. 0' — 9.69897
 " Log. Cof. of Declin. 0. 0 — 10.00000

3.23140 which

" is the Log. of 1704
 " This subtracted from 50000 the Natural Sine of 30°. 0'
 " leaves 48296 the Natural Sine of 28°. 53'
 " the Sun's Altitude at 11 Hours.

* As the Second and Third Problems were proposed and solved by Mr. Lyons, and published in the Nautical Almanac for 1778; I have taken the Liberty to transcribe and add them to these compleat Set of Astronomical Problems necessary for determining the Longitude at Sea, marking with inverted Commas what I have borrowed from Mr. Lyons, and adding such Remarks, Emendations, and Examples as I judged necessary to elucidate and render them more general, and prevent, as far as possible, the young Astronomer or Navigator from falling into Errors.

" P R O-

" P R O B L E M III.

" To find the Altitude of the Moon or a Star at
" any Time.

" To the apparent Time add the Sun's Right Ascension
" for that Time, the Sum is the Right Ascension of
" the Mid-heaven.

" The Difference between this and the Right Ascension
" of the Star is the Horary Angle or Distance of Time from
" the Star's passing the Meridian.

" From the Tables in the Nautical Almanac for 1771,
" take out the Rising for this Time," and then proceed as
" taught in Problem the Second.

Remark. As Astronomers reckon their Time to 24 Hours,
and then begin again, or proceed to 1 Hour, 2 Hours, 3
Hours, &c. it will sometimes be necessary to add 24 Hours
to the Lesser Right Ascension (as in the following Example)
before the Difference between the Star's Right Ascension and
the Right Ascension of the Mid-heaven is taken; since the
Horary Angle can never exceed 12 Hours.

" EXAMPLE.

" To find the Altitude of α Andromedæ December 1,
" 1774, at 10 Hours P. M. at London, Lat. $51^{\circ} 31' N.$

" Right Ascension of α Andromedæ $23^{\text{h}} 56' 48''$

" Declination — — $27^{\circ} 41' N.$

" Meridian Altitude — — $66. 10.$
h. ' "

" Apparent Time 10. 0. 0

" Sun's Right Ascen. 16. 32. 59

" Right Ascen. of Mid-heav. 2. 32. 59 Cof. Lat. 9.79399

" Star's Right Ascen. 23. 56. 48 Cof. Decl. 9.94720

" Horary Angle 2. 36. 11 Rising 4.34900

" The Sum is the Log. of 12308—4.09019

" Subtracted from Nat. Sine $66^{\circ} 10'$ 91472

" Leaves 79164 Nat. Sine 52° .

" 20' the Alt.

“ The Altitude that comes out by this Calculation is the true one; and therefore to find the Apparent Altitude, it must be corrected by adding the Refraction, and if it is the Moon, subtracting the Parallax corresponding to that Altitude.”

EXAMPLE II.

To find the Apparent Altitude of the Moon's Center March 2, 1778, at 8^h. 4¹/₂ P. M. apparent Time at Ludlow, whose Latitude is 52°. 22' North, and Longitude, in Time, 0^h. 11' West of Greenwich.

h
To 8. 4¹/₂
Add 0. 11 as the Long. is West.

Gives 8. 15¹/₂ the Time at Greenwich.

* Right Ascen. of δ at 8 ^h . 4' at Ludlow	}	2 ^h . 0' 20"
or 8 ^h . 15' at Greenwich		
Moon's Declination at 8 ^h . 4' at Ludlow	}	7°. 21' North,
or 8 ^h . 15' at Greenwich		
Comp. of Latitude of 52°. 22' ———		37. 38
		<u> </u>
Meridian Altitude of Moon ———		44. 59

* The Moon's Right Ascension and Declination were computed by an even Proportion only, which is sufficiently accurate for these Purposes. N. B. The proportional Logarithms, published at the End of the Tables requisite for the Nautical Almanac, may be used here to considerable Advantage, considering Hours and Minutes, or Degrees and Minutes, as Minutes and Seconds: Thus, when the Moon varies her Declination 2°. 26' in 12 Hours, how much will she alter her Declination in 7^h. 12'?

As 12 ^h . 0' Proport. Log. Co. Ar.	8.8239
To 7 ^h . 19' Proport. Log. —	1.3909
So is 2°. 26' Proport. Log. —	1.8690

To 1°. 29' Proport. Log. corresponding to 2.0838

[9]

App. Time at Ludlow h. 1^h 11^m
 8. 4 30
 ☉'s R.A. at that Time, or } 22. 55. 9
 at 8^h. 15' at Greenwich }

Right Ascen. of Mid-heav. 6. 59. 39 Cof. Lat. 52. 22 2.78560
 Moon's Right Ascen. 2. 0. 20 Cof. Dec. 7. 21 9.99642

Horary Angle — 4. 59. 19 Log. Rifing 4.86824
 4.65026

Which is the Log. of 44695
 Subtracted from the Nat. Sine of 44° 59' 70690

Leaves 25995 the
 Nat. Sine of 15. 4 the Moon's true Alt.
 Subtract 0. 57 the Parallax in Alt.

Gives 14. 7
 Add 0. 3 the Refraction in Alt.

Gives 14. 10 the App. Alt. of ☉'s Center required.

P R O B L E M I V.

To find the Hour of the Night by the Altitude of a Star.

Find the Horary Angle by Problem I. and add or subtract it to or from the Star's Right Ascension, according as the Star is to the West or East of the Meridian, and the Sum or Difference is the Right Ascension of the Mid-heaven. Subtract now the Sun's Right Ascension at Noon, at the Meridian of the Place, from the Right Ascension of the Mid-heaven (adding 24 Hours, if necessary, to the Right Ascension of the Mid-heaven) the Remainder is the estimate Time; which being diminished by the proportional Part of the Sun's Increase in Right Ascension, since the preceding Noon, will leave the apparent Time required.

[B]

EXAMPLE.

EXAMPLE.

What is the Apparent Time at London, December 1, 1774, when α Andromedæ was elevated $52^{\circ}.20'$ above the Horizon towards the West?

Lat. $51^{\circ}.31'$ N.	Log. Cos. Co. Ar.			
Comp. 38.29				
*'s Decl. $27^{\circ}.41'$ N.	Log. Cos. Co. Ar.			
*'s Merid. Alt. 66.10	Nat. S. 91472			
*'s Alt. 52.20	Nat. S. 79158			
	12314	Log.		
			4.09040	
			0.20601	
			0.05279	
			4.34920	
	h. ' "			
Log. Rising of	2. 36. 13	Horary Angle.		
Star's Right Ascen.	23. 56. 48			
The Sum, as the Star is West of } Merid. is the R. A. of M. H. }		2. 33. 1		
☉'s R. A. at Noon		16. 31. 3	Subt.	
		$10. 02. 8$		
Estimate Time		10. 1. 58		
☉'s Increase in R. A. in $10^h. 2'$		0. 1. 49	Subt.	
		$10. 0. 9$		
Apparent Time required		$10. 0. 9$		

* P R O B L E M V.

To determine the Longitude at Sea or Land from Three Cotemporary Observations only; namely, the Apparent Distance of the Moon's Limb from the

* This Problem, though frequently of the greatest Utility to Navigators, when furnished with a Watch whose Rate of going cannot be depended upon for

the Star made use of in the Nautical Almanack corresponding to the given Day and Year, and the Apparent Altitudes of the Moon and Star, provided the Moon be not less than Two Hours distant from the Meridian.

Assume the Longitude of the Place, and from thence find the Time at Greenwich within an Hour or Two, and take out of the Nautical Almanack, to that Time, or the Moon's Semidiameter and Horizontal Parallax. Add subtract the Moon's Semidiameter to or from the apparent Distance of the Moon and Star, according as the Distance of the Star was taken from the nearest or furthest Limb of the Moon: Find now the true Distance of the Moon and Star, by either of the Methods published in the Nautical Almanack for 1772, or in Tables requisite for the Nautical Ephemeris, or in the Folio Tables, printed at Cambridge, for this Purpose; and from thence find, by Help of the Nautical Almanack for the given Year, the true Time at Greenwich corresponding to the Observation; and to that Time compute the Moon's Right Ascension and Declination, as also the Sun's Right Ascension; and from Problem I. find the Moon's Horary Angle, to or from which add or subtract the

for some Hours, has not been solved by any one but the Rev. Dr. Maskelyne, Astronomer Royal: And as his Method is very different from what is here proposed, the Nautical Almanack being subsequent to his British Mariner's Guide, it is presumed that the Solution of this Problem, by Help of the Nautical Ephemeris, will prove acceptable to Mariners, especially as we are informed in the above-mentioned Work, Page 62, "that this Method, as it requires only the Three essential Observations taken at the same Instant, so it may often be of very great Use, and in many Cases, it may be full as exact as the general Method which I have proposed, as the Altitude of the Moon, especially if not very high, may be often taken at Sea in the Night, by help of her own Light illuminating the Horizon, to almost as great a Degree of Exactness, as the Altitude of the Sun in the Day Time; whereas the Altitudes of Stars, which do not lie in the same Vertical with the Moon, cannot be taken with the same Certainty, the Horizon under them being not enlightened in the same Manner."

Moon's Right Ascension, according as she is West or East of the Meridian, and the Sum or Remainder is the Right Ascension of the Mid-heaven, from which if the Sun's Right Ascension be subtracted (adding 24 Hours to the Right Ascension of the Mid-heaven, if necessary) the Remainder will be the apparent Time at the Place of Observation, and the Difference between this Time and the Time already found at Greenwich is the Longitude required.

EXAMPLE.

* Being in the Lat. $52^{\circ} 22' N.$ and Long. by Account, in Time $0^h 11'$ West of Greenwich on March 2, 1778, towards Eight o'Clock in the Evening, I observed the apparent Distance of the Star Aldebaran from the enlightened and farthest Limb of the Moon was $37^{\circ} 0\frac{1}{2}'$, and at the same Instant of Time the apparent Altitude of the Moon's Center was $14^{\circ} 10'$ towards the West, and the apparent Altitude of the Star was $42^{\circ} 26'$, required the true Longitude of the Place of Observation?

Dist. of * and D 's farthest Limb $37. 0\frac{1}{2}$
 D 's Semid. per Ephemeris $0. 16\frac{1}{2}$ at about $8\frac{1}{2}^h$ P.M.

App. Dist. of * and D 's Center $36. 44$ from which, and the D 's apparent Alt. $14^{\circ} 10'$, and the Star's apparent Alt. $42^{\circ} 26'$, the true Distance of Aldebaran from the Moon's Center (by Mr. Dunthorne's Method, published in Tables requisite for the Nautical Almanack, Page 64) is

$35. 58. 49$

Dist. of D and * at 6^h $37. 19. 40$
 Dist. of D and * at 9^h $35. 32. 33$ } per Ephem. for 1778.

* N. B. The true Latitude of Ludlow, the Place where the above Observation was made, is $52^{\circ} 22' 30''$, and the true Longitude, from a Mean of a great Number of Observations of the Eclipses of the first Satellite of Jupiter, is $2^{\circ} 46\frac{1}{2}'$, or $0^h 11' 6''$ in Time West of the Royal Observatory at Greenwich.

Diff. or Motion in 3^h. $\frac{8}{1. 47. 7}$ proportional Log. 2254
 Diff. of Dist. of D and }
 * at 6^h. and at the } $\frac{1. 20. 51}$ proportional Log. 3476
 Time of Observ. }
 Add $\frac{2^h. 15. 51}{6. 0. 0}$ corresponding to 1222

Gives 8. 15. 51 apparent Time at Green-
 wich at the Time of Ob-
 servation in the unknown Meridian.

	h.	'	''
† D 's Right Ascen. at 8.	16	—	2. 0. 20
D 's Declin. at -	8. 16	—	7°. 21' N.
☉'s Right Ascen. at 8.	16	—	22 ^h . 55 ['] 9 ^{''}

D 's App. Alt. at Observation 14. 10
 D 's Par. in Alt. (corresponding to 59³/₄?) }
 Hor. Par. per Ephem. and Alt. 14°. 10' } 57'
 D 's Refraction for Alt. 14° — 3'
 Diff. 54 Add 0. 54

Gives the true Alt. of D 's Center 15. 4

Lat. 52. 22 N.	Log. Cos. Co. Ar.	}	0.21424
Comp. 37. 38			
D 's Decl. 7. 21 N.	Log. Cos. Co. Ar.	}	0.00358
Merid. Alt. 44. 59	Nat. S. 70690		
D 's true Alt. 15. 4	Nat. S. 25994		
	<u>44696</u>	Log.	<u>4.65027</u>
			<u>4.86809</u> Log.

† The Right Ascension and Declination of the Sun and Moon, need only be calculated by an even Proportion, which is sufficiently accurate for Practice, as the Right Ascension and Declination of the Moon is calculated in the Nautical Ephemeris for Noon and Midnight.

	h. ' "	
Rising of	4. 59. 16	= the Hor. Angle.
Which added to the ☽'s R. A.	}	2. 0. 20
as she is West of the Merid.		
<hr style="width: 20%; margin: 0 auto;"/>		
Gives the R. A. of Mid-heaven	6. 59. 36	
☉'s R. A. subtract	22. 55. 9	
<hr style="width: 20%; margin: 0 auto;"/>		
Gives the true app. Time	8. 4. 27	at Ludlow.
True app. Time	8. 15. 51	at Greenwich,

The Difference 0. 11. 24 is the Long. of

Ludlow West of Greenwiche, as the Time at the Place of Observation is less than the Time at Greenwich.

Remark. The above Example being an actual Observation, demonstrates the Utility of this Problem, the Error in this Case being only Three Miles in the Parallel of Lat. $52\frac{1}{2}$ Degrees.

* P R O B L E M VI.

To find the Rate of the Going of a Watch at Sea,

Take the Sun's Altitude when he is three or four Hours distant from the Meridian, the nearer the East or West Points the better; and from the Latitude of the Ship and the Sun's Declination at the Time of the Observation (allowing for the Difference of Longitude between the Ship and Greenwich) compute the apparent Time, to which apply the Equation of Time from the Nautical Ephemeris, adding or subtracting it, as the Ephemeris directs, to or

* In finding the Longitude at Sea, the Mariner is frequently obliged to trust to the Goodness of his Watch for several Hours. But as the best Watches are subject to Irregularities; the skilful Navigator should frequently prove the Rate of the Going of his Watch, and make a proportionable Allowance for the Time he is necessitated to trust to it.

from

from the apparent Time; the Sum or Difference is the mean Time of the first Observation: And the Difference between this Time and that shewn by the Watch is the Error of the Watch, or how much it is too fast or too slow. The next Day, or as soon as another Opportunity offers, make another Observation of the Sun's Altitude, and from thence compute again the mean Time. Take now the Difference of Longitude, in Time, by Account, made by the Ship between the First and Second Observations, and add or subtract it to or from the mean Time found at the second Observation, according as the Ship has sailed Westward or Eastward of the first Station or Place of Observation, and the Sum or Difference is the mean Time at the first Station, corresponding to the second Observation: Correct now this Time by adding or subtracting the Error of the Watch at the first Observation, according as it was too fast or too slow, and you will have the Time the Watch ought to shew if it went accurate: And the Difference between this last-mentioned Time, and that shewn by the Watch at the second Observation will be its true Rate of going between the two Observations, and consequently its Rate of going for any determinate Time will be known, by Proportion, supposing the Watch to go uniformly.

EXAMPLE.

Being at Sea April 3, 1778, in the Latitude $30^{\circ}. 15'$ North, and Longitude, by Account $60^{\circ}. 0'$ West, I observed, in the Afternoon, the true Altitude of the Sun's Center was $10^{\circ}. 35'$, my Watch shewing $5^h. 30'$ at that Instant. Two Days afterwards, being in the Lat. $29^{\circ}. 12'$ North, and Longitude $61^{\circ}. 30'$ West, by Account, I made another Observation on the Sun, in the Afternoon, and found his true central Altitude was $8^{\circ}. 20'$ at $5^h. 41'$ by the Watch, required the true Rate of the Going of the Watch?

First,

First, To find the Time at the first Station or Place of Observation.

Long. of first Station, by Account, = 60°. 0' }
 West, in Time ————— } 4^h. 0'
 Time per Watch at first Observation — 5. 30

The Sum, as the Long. is West, is the Time }
 at Greenwich nearly ————— } 9. 30

Sun's Declin. April 3, 1778, at 9^h. 30' P. M. }
 by the Ephemeris is ————— } 5° 36' N.

Equation of Time for April 3, 1778, at 9^h. }
 30' by the Ephemeris is ————— } 3' 9" Add.

Lat.	30. 15	N.	Log. Cos. Co. Ar.	} 0.06357
Comp.	59. 45			
☉'s Declin.	5. 36	N.	Log. Cos. Co. Ar.	
Merid. Alt.	65. 21	Nat. S.	90887	} 6.00208
☉'s Alt.	10. 35	Nat. S.	18366	
			<u>72521</u>	Log. 4.86046

h. ' " 4.92612

Log. Rifing of 5. 24. 0 Apparent Time.
 Equation of Time 0. 3. 9 Add

Mean Time of 1st Obs. 5. 27. 9
 Time per Watch at 1st Obs. 5. 30. 0

Watch too fast 0. 2. 51 = Error of Watch.

Secondly, To find the Time at the second Station, or Place of Observation.

Long. of second Station, by Account, 61°. 30' West, }
 in Time ————— } 4. 6
 Time per Watch at second Observation — 5. 41

Time at Greenwich nearly 9. 47

☉'s Declin. April 5th 1778, at 9^h. 47' P.M. } 6° 22'
 by the Ephemeris is _____ }
 Equation of Time April 5th 1778, at 9^h. 47' } 2' 33" Add,
 P.M. by the Ephemeris is _____ }

Lat. 29. 12 N. Log. Cos. Co. Ar. _____
 Comp. 69. 48
 ☉'s Decl. 6. 22 N. Log. Cos. Co. Ar. _____
 Merid. Alt. 67. 10 Nat. S. 92164
 ☉'s Alt. 8. 20 Nat. S. 14493

 77671 Log. 4.89026

0.05902
 0.00269
 4.95197
 h. ' "

Log. Rising of 5. 35. 58
 h. ' " ~~3~~ Equa. of Time 0. 2. 33 Add,

1st. Long. by Acc. = 4. 0
 2d. Long. by Acc. = 4. 6

 Mean Time of 2d Obs. } 5. 38. 31

Difference 0. 6 Add, as the Ship }
 has failed Westward from the first Station, } 0. 6. 0
 or Place of 1st Observation }
 Gives mean Time at the first Station 5. 44. 31
 But the Watch was too fast at the first Obs. by 0. 2. 51
 The Sum is the Time the Watch ought to }
 shew, if it went accurately _____ } 5. 47. 22
 But it shewed 5. 41. 0

Therefore it had lost between the 1st and 2d }
 Observations _____ } 0. 6. 22

And consequently the Watch loses each Day 0. 3. 11

Remark. The above Proceſs, for finding the Rate of the
 Going of a Watch at Sea, is intended only to determine its
 Rate between the two Observations pretty nearly; and con-
 ſequently its Variation in a few Hours ſufficiently correct for
 [C] the

the most scrupulous Observer. Could a Method be contrived to determine, from Time to Time, its daily Variation to a Second or two, the Longitude would then be known by the Watch and the Hour of the Day at the Ship; but this is likely to remain a Desideratum in Navigation.

* P R O B L E M VII.

To find the Latitude from the apparent Meridian Altitude of the Moon observed at Sea.

Correct the Moon's apparent Altitude by Parallax, Refraction, Dip, &c. with the Moon's daily Variation in passing the Meridian of Greenwich, and the Difference of Longitude, in Time, by Account, between Greenwich and the Ship, enter the following Table, and the Number of Minutes corresponding to that daily Variation and Difference of Longitude being added to, or subtracted from the Time of the Moon's passing the Meridian of Greenwich, given by the Ephemeris, according as the Ship is to the West or East of Greenwich, will give the Time the Moon passes the Meridian of the Ship; to or from which Time the Difference of Longitude of the Ship and Greenwich being added or subtracted, as the Ship is West or East of Greenwich, the Sum or Difference will be the Time at Greenwich that the Moon passes the Meridian of the Ship: To this Time find, by an † even Proportion, the Moon's Declination, and from

* This Problem was proposed and solved by the Rev. Dr. Maskelyne, Astronomer Royal, in his *British Mariner's Guide*, Page 93; but as the *Nautical Almanack* was not then published, it is presumed the following Solution will be found the most concise of any yet offered to the Publick.

† In Practice the Moon's Declination found by an even Proportion need not ever be corrected, by Interpolations, being calculated in the *Nautical Almanack* for every 12 Hours; and the greatest possible Correction can only be $\frac{3}{4}$ even when her Declination is $28^{\circ}\frac{1}{2}$.

thence

thence by the † well-known Rules for determining the Latitude from the Meridian Altitude of the Sun or a Star, and the Declination, the Latitude of the Ship may easily be found.:

Sun's Daily Variation	Difference of Longitude between the Ship and Greenwich, in Time.												
	12 ^h	11 ^h	10 ^h	9 ^h	8 ^h	7 ^h	6 ^h	5 ^h	4 ^h	3 ^h	2 ^h	1 ^h	$\frac{1}{2}$ ^h
70	33	30	28	25	22	20	17	14	11	8	6	3	1
65	31	28	26	23	21	18	15	13	10	8	5	3	1
60	29	26	24	22	19	17	14	12	10	7	5	2	1
55	27	24	22	20	18	15	13	11	9	7	4	2	1
50	24	22	20	18	16	14	12	10	8	6	4	2	1
45	22	20	18	16	15	13	11	9	7	5	4	2	1
40	20	18	16	15	13	11	10	8	6	5	3	2	1

EXAMPLE.

Suppose that being at Sea April 6th 1778, in Longitude 60°. 0' West by Account, I observed the Meridian Altitude of the Moon's Lower Limb 76°. 15': That the Altitude of my Eye above the Surface of the Sea was 20 Feet. and the Error of my Quadrant 3 $\frac{1}{2}$ ' subtractive; required the Latitude of the Ship?

† Which are,

CASE I. If the Zenith Distance and Declination are of the same Name, then their Difference is the Latitude required; and is of the same Name with the Declination when it is greater than the Zenith Distance: But of a contrary Name, when it is less than the Zenith Distance.

CASE II. If the Zenith Distance and Declination are of a contrary Name, then their Sum is the Latitude required; and is always of the same Name with the Declination.

App. Alt. of Δ 's L. L.	76. 15
Δ 's Semid. per Ephem.	o. 15 $\frac{1}{2}$
App. Alt. of Δ 's Center	76. 30 $\frac{1}{2}$
Dip, 4 $\frac{1}{4}$ Refract. o $\frac{1}{4}$ Sum subt.	o. 4 $\frac{1}{2}$
	76. 26
Error of Quadrant subtr.	o. 3 $\frac{1}{2}$
True App. Alt. of Δ 's Center	76. 22 $\frac{1}{2}$
Par. of Alt. (Hor. Par. 57' per Ephem. Alt. 76 $^{\circ}$ $\frac{1}{2}$) add	d. 13 $\frac{1}{2}$
True Alt. of Δ 's Center	76. 36

Δ passes Merid. of Greenwich April 6th 1778, at — — —	}	h. 8. 26	per Ephem.
Δ passes Merid. of Greenwich April 7th 1778, at — — —	}	9. 16	per Ephem.

Difference or daily Variation o. 50

Δ passes Merid. of Greenwich April 6th 1778, at Minutes per Table corresponding to 4 h . o' (the Long. of Ship in Time) and o h . 50' the daily Variation add, as the Ship is West of Greenwich — — —	}	h. 8. 26	
Gives the Time the Δ passes the Meridian of Ship	}	o. 8	
Long. of Ship, by Account, West, add	}	8. 34	
		4. 0	

Gives the Time at Greenwich the Δ passes the Meridian of Ship — — — } 12. 34

Δ 's Declin. per Ephem. and even Proportion, at o h . 34' after Midnight, April 6th — — —	}	18 $^{\circ}$. 5' N.	
Δ 's true Alt. 76 $^{\circ}$. 36' South, whose Complement to 90 $^{\circ}$ gives the Zenith Distance — — —	}	13 $^{\circ}$. 24' S.	

Latitude required (per CASE II. in Notes) 31 $^{\circ}$. 29' N.

1st Remark. A great Degree of Accuracy in the Time of the Moon's passing the Meridian is not here required, since an Error of 4 Minutes can never produce more than an Error of 1 Minute in the Declination, even when she alters her Declination the fastest possible.

2d Remark. An Error of even 15 Degrees or 1 Hour in the Longitude, by Account, is of little or no Consequence here, as it can only alter the Time of the Moon's passing the Meridian by 3 Minutes; which, by the above Remark will scarce ever affect the Declination, and consequently the Latitude by one Minute.

* P R O B L E M VIII.

To find the Sun's Azimuth from the Meridian of any Place.

CASE I. When the Latitude and Declination are of the same Name, take the Sum of the Natural Sine of the Sun's Declination, and the Natural Cosine of the Sum of the Latitude and the Sun's Altitude; find the Logarithm corresponding to this Number, and add it to the Complement Arithmetical of the Logarithmic Cosine of the Latitude of the Place, and the Complement Arithmetical of the Logarithmic Cosine of the Sun's true Altitude, the Sum is the Logarithmic Rising of an Angle in Hours, Minutes, and Seconds, which being turned into Degrees and Minutes, is the Azimuth required.

CASE II. When the Latitude and Declination are of different Names, take the Difference of the Natural Sine of the Sun's Declination and the Natural Cosine of the Sum of the

* As this Problem is in constant Use for finding the Variation of the Compass, I have added it to this Collection of Astronomical and Nautical Problems, especially as the Solution is more concise and easy than the common Method, being very nearly the same as Prob. I. without perplexing the Navigator with a great Variety of Rules widely different from each other.

Latitude and the Sun's Altitude, find the Logarithm corresponding to this Number, and then proceed as taught in Case I.

Remark. If the Sum of the Latitude and Altitude should exceed 90° subtract 90° from that Sum, and take the Difference between the Natural Sine of this Remainder and the Natural Sine of the Sun's Declination, find the Logarithm corresponding to this Number, and then proceed as taught in Case I.

EXAMPLE I.

In Latitude $16^\circ. 00'$ South, the Sun's true Altitude was observed in the Forenoon $= 30^\circ. 22'$ when his Declination was $22^\circ. 58'$ South, what was his Azimuth at that Time?

Lat. $16^\circ. 0'$ S.	Log. Cof. Co. Ar.	
☉'s Alt. $30. 22$	Log. Cof. Co. Ar.	
Sum $46. 22$	Nat. Cofine 69004	
☉'s Decl. $22. 58$ S.	Nat. Sine 39019	
		0.01716
		0.06408
	Sum 108023	<u>Log 5.03351</u>

5.11475 Log.

Rising of $7^h. 10'. 25'' = 107^\circ. 36'$ the Azimuth required from the North (being the Meridian in Southern Latitudes) towards the East.

EXAMPLE II.


What is the Sun's true Azimuth in the Latitude of $13^\circ. 10'$ North, when his true Altitude was $17^\circ. 50'$ towards the East, and his Declination $16^\circ. 59'$ South?

Lat. $13. 10$ N.	Log. Cof. Co. Ar.	
☉'s Alt. $17. 50$	Log. Cof. Co. Ar.	
Sum $31. 0$	Nat. Cof. 85717	
☉'s Decl. $16. 59$ S.	Nat. Sine 29209	
		0.01157
		0.02138
	Diff. 56508	<u>Log 4.75211</u>
		4.78506 Log.

Rising of $4^{\text{h}}. 28'. 5'' = 67^{\circ}. 1'$ the Azimuth required from the South (being the Meridian in Northern Latitudes) towards the East.

EXAMPLE III.

Given the Latitude $51^{\circ}. 32'$ North, the Sun's Declination $22^{\circ}. 47'$ North, and his true Altitude $49^{\circ}. 29'$ towards the West, required his Azimuth.

$\begin{array}{r} \text{Lat. } 51. 32 \text{ N.} \\ \text{\textcircled{S}}'s \text{ Alt. } 49. 29 \\ \hline \text{Sum } 101. 1 \\ \text{Subtr. } 90. 0 \\ \hline \text{Remaind. } 11. 1 \end{array}$	$\begin{array}{r} \text{Log. Co. Co. Ar.} \\ \text{Log. Co. Co. Ar.} \\ \hline \text{Nat. Sine } 19109 \\ \text{Nat. Sine } 38725 \\ \hline \text{Diff. } 19616 \end{array}$	 $\begin{array}{r} 0.20617 \\ 0.18731 \end{array}$
$\text{Diff. } 19616 \quad \text{Log. } \underline{4.29861}$		

4.68609 Log.

Rising of $3^{\text{h}}. 56'. 7'' = 59^{\circ}. 2'$ the Azimuth required from the South towards the West.

* P R O B L E M IX.

Having the Latitude of a Place, the apparent Time at that Place, and the Obliquity of the Ecliptic, to find the Altitude of the Nonagesimal Degree, and its Longitude.

First, To find the Altitude of the Nonagesimal Degree.

Find the Right Ascension of the Mid-heaven, by adding to the given Time, the Sun's Right Ascension at that Time,

* I have added this Problem, for the Service of Astronomers, to compute Eclipses of the Sun, or Occultations of the Stars by the Moon; being much shorter than any Method I have seen published for this Purpose.

allowing for the Difference of Meridians between the Place and Greenwich, and turn it into Degrees and Minutes: Then

If the Right Ascen. of the Mid-heaven is between $\left. \begin{array}{l} 0-90 \\ 90-180 \\ \text{\&} \\ 180-270 \\ 270-360 \end{array} \right\}$ the said Right Ascen. of the Mid-heaven in Degrees and Minutes. $\left. \begin{array}{l} \text{incr. by } 90 \\ \text{subtr. from } 270 \\ \text{subtr. from } 270 \\ \text{lessened by } 270 \end{array} \right\}$ will give an Arc or Angle, which call A. Then to twice the Logarithmic Sine of Half the Arc A, add the constant Logarithm 9.90115 and the Logarithmic Cosine of the reduced Latitude of the Place; find the natural Number corresponding to this Logarithm, and take it from the natural Cosine of the Difference between $66^{\circ}. 32'$ (the Complement of the Obliquity of the Ecliptick) and the reduced Latitude of the Place, the Remainder is the natural Cosine of the Altitude of the Nonagesimal Degree.

1st. Remark. The Latitude of the Place must always be reduced to the Earth's Center. See a * Table for this Purpose, in Mayer's Tables, Page lxxv.

2d. Remark. When the Index of the Sum of the four Logarithms is 39, 38, 37, 36, &c. the Number of Places in the corresponding natural Number is 5, 4, 3, 2, &c.

Secondly, To find the Longitude of the Nonagesimal Degree.

To the Logarithmic Sine Co. Ar. of the Altitude of the Nonagesimal Degree, add the Logarithmic Sine of the

* The following Table is copied from Mayer's Tables, and is that which is referred to.

Lat.	red. sub.	Lat.	red. sub.	Lat.	red. sub.	Lat.	red. sub.
0	0	24	11	48	14	51	72
6	3	30	12	56	14	12	78
12	6	36	14	12	12	56	84
18	8	57	14	51	66	11	6
							90
							0

Arc

Arc A, and the Logarithmic Cosine of the reduced Latitude of the Place; the Sum, abating 10 from the Index, is the Logarithmic Sine of an Arc, which call B; and

When the Right Ascen. of the Mid-heaven is between $\left. \begin{array}{l} 0-90 \text{ the Arc B. subtr. from } 90 \\ 90-180 \text{ the Arc B. added to } 90 \\ \& \\ 180-270 \text{ the Arc B. subtr. from } 270 \\ 270-360 \text{ the Arc B. added to } 270 \end{array} \right\} \text{ is}$
 the Longitude of the Nonagesimal Degree.

EXAMPLE.

What is the Altitude and Longitude of the Non. Degree at Ludlow, whose Lat. is $52^{\circ}. 23'$ North, and Long. $0^{\text{h}}. 11'$ West of Greenwich, on February 7th 1778, at $10^{\text{h}}. 56'. 11''$ apparent Time; being the Instant of the Immersion of the Star μ II behind the dark Limb of the Moon?

	h. ' "
App. Time at Ludlow	10. 56. 11
☉'s R. A. at that Time (= $1^{\text{h}}. 7'$ at Greenwich)	21. 27. 14
	<hr/>
R. A. of Mid-heaven in Time	8. 23. 25

In Degrees and Minutes	$125. 51\frac{1}{2}$
Which subtract from	270. 0
	<hr/>
Gives Arc A.	$144. 8\frac{1}{2}$
Half Arc A.	$72. 4\frac{1}{4}$

Lat.	$52. 23$
Reductions per Tab.	$0. 14$ subtr.
	<hr/>
Reduced Lat.	$52. 9$
Comp. of $23^{\circ}. 28'$	$66. 32$
	<hr/>
Difference	$14. 23$
	<hr/>
	[D]

Log.

Log. Sine of $\frac{1}{2}$	9.97838
Half Arc A $\frac{1}{2}$	9.97838
Constant Log.	9.90115
Log. Cosine of $52^{\circ} 9'$	9.78788

Sum 39.64579	Nat. Numb. of	44238
	Nat. Cos. of $14^{\circ} 23'$	96865

Alt. of Non. Deg. $58^{\circ} 14\frac{1}{2}'$ Nat. Cos. correspond. to 52627

Alt. Non. Deg. $58^{\circ} 14\frac{1}{2}'$	Log. Sine Co. Ar.	0.07043
Arc A. $144^{\circ} 8\frac{1}{2}'$	Log. Sine	9.76775
Reduced Lat. $52^{\circ} 9'$	Log. Cosine	9.78788

Arc B. $25^{\circ} 0\frac{1}{2}'$	Log. Sine corresponding to	9.62606
Add $90^{\circ} 0'$		


Sum $115^{\circ} 0\frac{1}{2}' = 3^{\circ} 25^{\circ} 0\frac{1}{2}'$ the Longitude of the Nonagefimal Degree required.

Remark. In computing the Parallaxes in Longitude and Latitude in solar Eclipses or Occultations of Stars and Planets by the Moon, from the Longitude of the Nonagefimal Degree, and its Altitude found by this Problem, the horizontal equatorial Parallax given in the Nautical Almanac must be lessened, by a Number of Seconds taken out of Page lxxv, Mayer's Tables; or the following Table which is copied from that Work.

Lat.	Red. of Par.		Lat.	Red. of Par.		Lat.	Red. of Par.		Lat.	Red. of Par.	
	54'	57'		60'	54'		57'	60'		54'	57'
0	"	"	"	"	"	"	"	"	"	"	"
0	0,0,0	0,0,0	24	2,3	2,5,2	6	48	7,7	8,2	8,6	72
6	0,2	0,2	30	3,5	3,7,3,9	54	54	9,2	9,7	10,2	78
12	0,6	0,7	36	4,9	5,1,5,4	60	60	10,5	11,6	11,7	84
18	1,4	1,4	42	6,3	6,7,7,0	66	66	11,7	12,4	13,0	90

P O S T S C R I P T.

Since the above was written I have seen Dr. Pemberton's Solution of this last Problem in the Philosophical Transactions Vol. lxi. N° 46; but I believe the foregoing Rule will be found much more convenient in Practice.



A D D I T I O N
TO THE
LOGARITHMIC SOLAR
TABLES,
ANNEXED TO THE
NAUTICAL ALMANAC
of 1771.
BY
The Revd. JOHN EDWARDS, B. A.



6 HOURS.

31

M	S	Log.Rif.	M	S	Log.Rif.	M	S	Log.Rif.	M	S	Log.Rif.
0	0	5.00000	6	0	5.01121	12	0	5.02215	18	0	5.03279
	10	5.00031		10	5.01151		10	5.02245		10	5.03308
	20	5.00063		20	5.01182		20	5.02275		20	5.03337
	30	5.00094		30	5.01213		30	5.02304		30	5.03366
	40	5.00125		40	5.01244		40	5.02334		40	5.03396
	50	5.00156		50	5.01275		50	5.02364		50	5.03425
1	0	5.00188	7	0	5.01305	13	0	5.02394	19	0	5.03454
	10	5.00219		10	5.01336		10	5.02423		10	5.03483
	20	5.00250		20	5.01367		20	5.02453		20	5.03512
	30	5.00282		30	5.01398		30	5.02483		30	5.03542
	40	5.00313		40	5.01428		40	5.02512		40	5.03571
	50	5.00345		50	5.01459		50	5.02542		50	5.03600
2	0	5.00376	8	0	5.01490	14	0	5.02572	20	0	5.03629
	10	5.00407		10	5.01520		10	5.02602		10	5.03658
	20	5.00438		20	5.01550		20	5.02631		20	5.03687
	30	5.00469		30	5.01580		30	5.02661		30	5.03715
	40	5.00501		40	5.01611		40	5.02691		40	5.03744
	50	5.00532		50	5.01641		50	5.02720		50	5.03773
3	0	5.00563	9	0	5.01671	15	0	5.02750	21	0	5.03801
	10	5.00595		10	5.01701		10	5.02780		10	5.03830
	20	5.00626		20	5.01732		20	5.02810		20	5.03859
	30	5.00657		30	5.01762		30	5.02839		30	5.03887
	40	5.00689		40	5.01792		40	5.02869		40	5.03916
	50	5.00720		50	5.01822		50	5.02899		50	5.03945
4	0	5.00751	10	0	5.01853	16	0	5.02928	22	0	5.03974
	10	5.00782		10	5.01883		10	5.02958		10	5.04002
	20	5.00813		20	5.01913		20	5.02987		20	5.04031
	30	5.00844		30	5.01943		30	5.03016		30	5.04060
	40	5.00875		40	5.01973		40	5.03045		40	5.04088
	50	5.00905		50	5.02004		50	5.03074		50	5.04117
5	0	5.00936	11	0	5.02034	17	0	5.03104	23	0	5.04146
	10	5.00967		10	5.02064		10	5.03133		10	5.04174
	20	5.00998		20	5.02094		20	5.03162		20	5.04203
	30	5.01028		30	5.02125		30	5.03191		30	5.04232
	40	5.01059		40	5.02155		40	5.03220		40	5.04261
	50	5.01090		50	5.02185		50	5.03250		50	5.04289

M	S	Log. Rif.	M	S	Log. Rif.	M	S	Log. Rif.	M	S	Log. Rif.
24	0	5.04318	30	0	5.05327	36	0	5.06312	42	0	5.07269
	10	5.04346		10	5.05354		10	5.06339		10	5.07295
	20	5.04374		20	5.05382		20	5.06365		20	5.07322
	30	5.04402		30	5.05410		30	5.06392		30	5.07348
	40	5.04430		40	5.05437		40	5.06419		40	5.07374
	50	5.04459		50	5.05465		50	5.06445		50	5.07400
25	0	5.04487	31	0	5.05493	37	0	5.06472	43	0	5.07427
	10	5.04515		10	5.05520		10	5.06499		10	5.07453
	20	5.04543		20	5.05548		20	5.06526		20	5.07479
	30	5.04571		30	5.05576		30	5.06553		30	5.07505
	40	5.04600		40	5.05604		40	5.06579		40	5.07532
	50	5.04628		50	5.05631		50	5.06606		50	5.07558
26	0	5.04656	32	0	5.05659	38	0	5.06633	44	0	5.07584
	10	5.04684		10	5.05686		10	5.06660		10	5.07610
	20	5.04712		20	5.05713		20	5.06686		20	5.07636
	30	5.04740		30	5.05740		30	5.06713		30	5.07662
	40	5.04769		40	5.05768		40	5.06740		40	5.07687
	50	5.04797		50	5.05795		50	5.06766		50	5.07713
27	0	5.04825	33	0	5.05822	39	0	5.06793	45	0	5.07739
	10	5.04853		10	5.05849		10	5.06820		10	5.07765
	20	5.04881		20	5.05875		20	5.06847		20	5.07791
	30	5.04910		30	5.05904		30	5.06873		30	5.07816
	40	5.04938		40	5.05931		40	5.06900		40	5.07842
	50	5.04966		50	5.05958		50	5.06927		50	5.07868
28	0	5.04994	34	0	5.05985	40	0	5.06954	46	0	5.07894
	10	5.05022		10	5.06013		10	5.06980		10	5.07920
	20	5.05050		20	5.06040		20	5.07006		20	5.07945
	30	5.05077		30	5.06067		30	5.07033		30	5.07971
	40	5.05105		40	5.06094		40	5.07059		40	5.07997
	50	5.05133		50	5.06122		50	5.07085		50	5.08023
29	0	5.05160	35	0	5.06149	41	0	5.07111	47	0	5.08049
	10	5.05188		10	5.06176		10	5.07138		10	5.08074
	20	5.05216		20	5.06203		20	5.07164		20	5.08100
	30	5.05243		30	5.06230		30	5.07190		30	5.08126
	40	5.05271		40	5.06258		40	5.07217		40	5.08152
	50	5.05299		50	5.06285		50	5.07243		50	5.08178

M	S	Log.Rif.	M	S	Log.Rif.	M	S	Log.Rif.	M	S	Log.Rif.
48	0	5.08203	54	0	5.09111	0	0	5.09996	6	0	5.10856
	10	5.08229		10	5.09136		10	5.10020		10	5.10879
	20	5.08254		20	5.09160		20	5.10044		20	5.10903
	30	5.08280		30	5.09185		30	5.10068		30	5.10926
	40	5.08305		40	5.09210		40	5.10092		40	5.10950
	50	5.08330		50	5.09235		50	5.10116		50	5.10974
49	0	5.08356	55	0	5.09260	1	0	5.10140	7	0	5.10997
	10	5.08381		10	5.09285		10	5.10164		10	5.11021
	20	5.08406		20	5.09310		20	5.10188		20	5.11044
	30	5.08432		30	5.09335		30	5.10212		30	5.11068
	40	5.08457		40	5.09360		40	5.10236		40	5.11092
	50	5.08482		50	5.09385		50	5.10260		50	5.11115
50	0	5.08508	56	0	5.09409	2	0	5.10284	8	0	5.11139
	10	5.08533		10	5.09434		10	5.10308		10	5.11162
	20	5.08558		20	5.09458		20	5.10332		20	5.11185
	30	5.08584		30	5.09483		30	5.10356		30	5.11208
	40	5.08609		40	5.09507		40	5.10380		40	5.11231
	50	5.08634		50	5.09532		50	5.10404		50	5.11255
51	0	5.08660	57	0	5.09556	3	0	5.10429	9	0	5.11278
	10	5.08685		10	5.09581		10	5.10453		10	5.11301
	20	5.08710		20	5.09605		20	5.10477		20	5.11324
	30	5.08736		30	5.09629		30	5.10501		30	5.11347
	40	5.08761		40	5.09654		40	5.10525		40	5.11370
	50	5.08787		50	5.09678		50	5.10549		50	5.11393
52	0	5.08812	58	0	5.09703	4	0	5.10573	10	0	5.11417
	10	5.08837		10	5.09727		10	5.10596		10	5.11440
	20	5.08862		20	5.09752		20	5.10620		20	5.11463
	30	5.08887		30	5.09776		30	5.10643		30	5.11486
	40	5.08911		40	5.09801		40	5.10667		40	5.11509
	50	5.08936		50	5.09825		50	5.10691		50	5.11532
53	0	5.08961	59	0	5.09850	5	0	5.10714	11	0	5.11556
	10	5.08986		10	5.09874		10	5.10738		10	5.11579
	20	5.09011		20	5.09899		20	5.10761		20	5.11602
	30	5.09035		30	5.09923		30	5.10785		30	5.11625
	40	5.09061		40	5.09947		40	5.10809		40	5.11648
	50	5.09086		50	5.09972		50	5.10832		50	5.11671

M	S	Log. Rif.	M	S	Log. Rif.	M	S	Log. Rif.	M	S	Log. Rif.
12	0	5.11694	18	0	5.12508	24	0	5.13302	30	0	5.14071
	10	5.11717		10	5.12530		10	5.13323		10	5.14092
	20	5.11740		20	5.12553		20	5.13345		20	5.14113
	30	5.11763		30	5.12575		30	5.13366		30	5.14134
	40	5.11785		40	5.12597		40	5.13388		40	5.14155
	50	5.11808		50	5.12619		50	5.13409		50	5.14176
13	0	5.11831	19	0	5.12642	25	0	5.13431	31	0	5.14198
	10	5.11854		10	5.12664		10	5.13452		10	5.14219
	20	5.11876		20	5.12686		20	5.13474		20	5.14240
	30	5.11899		30	5.12709		30	5.13495		30	5.14261
	40	5.11922		40	5.12731		40	5.13517		40	5.14282
	50	5.11945		50	5.12753		50	5.13538		50	5.14303
14	0	5.11967	20	0	5.12776	26	0	5.13560	32	0	5.14324
	10	5.11990		10	5.12798		10	5.13581		10	5.14345
	20	5.12013		20	5.12820		20	5.13603		20	5.14366
	30	5.12035		30	5.12841		30	5.13624		30	5.14386
	40	5.12058		40	5.12863		40	5.13646		40	5.14407
	50	5.12080		50	5.12885		50	5.13667		50	5.14428
15	0	5.12104	21	0	5.12907	27	0	5.13689	33	0	5.14449
	10	5.12126		10	5.12929		10	5.13710		10	5.14469
	20	5.12149		20	5.12951		20	5.13732		20	5.14490
	30	5.12172		30	5.12973		30	5.13753		30	5.14511
	40	5.12195		40	5.12995		40	5.13775		40	5.14531
	50	5.12217		50	5.13017		50	5.13796		50	5.14552
16	0	5.12240	22	0	5.13039	28	0	5.13818	34	0	5.14573
	10	5.12263		10	5.13061		10	5.13839		10	5.14593
	20	5.12285		20	5.13083		20	5.13860		20	5.14614
	30	5.12307		30	5.13104		30	5.13881		30	5.14635
	40	5.12329		40	5.13126		40	5.13902		40	5.14656
	50	5.12352		50	5.13148		50	5.13923		50	5.14676
17	0	5.12374	23	0	5.13170	29	0	5.13944	35	0	5.14697
	10	5.12396		10	5.13192		10	5.13966		10	5.14718
	20	5.12419		20	5.13214		20	5.13987		20	5.14738
	30	5.12441		30	5.13236		30	5.14008		30	5.14759
	40	5.12463		40	5.13258		40	5.14029		40	5.14780
	50	5.12486		50	5.13280		50	5.14050		50	5.14800

M	S	Log. Rif.	M	S	Log. Rif.	M	S	Log. Rif.	M	S	Log. Rif.
86	0	5. 14821	42	0	5. 15548	48	0	5. 16256	54	0	5. 16942
	10	5. 14842		10	5. 15565		10	5. 16275		10	5. 16960
	20	5. 14862		20	5. 15588		20	5. 16295		20	5. 16979
	30	5. 14882		30	5. 15608		30	5. 16314		30	5. 16998
	40	5. 14902		40	5. 15628		40	5. 16333		40	5. 17017
	50	5. 14923		50	5. 15648		50	5. 16352		50	5. 17036
37	0	5. 14943	43	0	5. 15667	49	0	5. 16371	55	0	5. 17054
	10	5. 14963		10	5. 15687		10	5. 16390		10	5. 17073
	20	5. 14984		20	5. 15707		20	5. 16410		20	5. 17092
	30	5. 15004		30	5. 15727		30	5. 16429		30	5. 17111
	40	5. 15024		40	5. 15747		40	5. 16448		40	5. 17129
	50	5. 15045		50	5. 15767		50	5. 16467		50	5. 17148
38	0	5. 15065	44	0	5. 15787	50	0	5. 16486	56	0	5. 17167
	10	5. 15085		10	5. 15807		10	5. 16505		10	5. 17185
	20	5. 15106		20	5. 15826		20	5. 16525		20	5. 17204
	30	5. 15126		30	5. 15846		30	5. 16544		30	5. 17222
	40	5. 15146		40	5. 15865		40	5. 16563		40	5. 17241
	50	5. 15166		50	5. 15885		50	5. 16582		50	5. 17259
39	0	5. 15187	45	0	5. 15904	51	0	5. 16601	57	0	5. 17277
	10	5. 15207		10	5. 15924		10	5. 16620		10	5. 17296
	20	5. 15227		20	5. 15943		20	5. 16640		20	5. 17314
	30	5. 15248		30	5. 15963		30	5. 16659		30	5. 17333
	40	5. 15268		40	5. 15983		40	5. 16678		40	5. 17351
	50	5. 15288		50	5. 16002		50	5. 16697		50	5. 17369
40	0	5. 15309	46	0	5. 16022	52	0	5. 16716	58	0	5. 17388
	10	5. 15329		10	5. 16041		10	5. 16735		10	5. 17406
	20	5. 15349		20	5. 16061		20	5. 16754		20	5. 17425
	30	5. 15369		30	5. 16080		30	5. 16773		30	5. 17443
	40	5. 15388		40	5. 16100		40	5. 16791		40	5. 17462
	50	5. 15408		50	5. 16119		50	5. 16810		50	5. 17480
41	0	5. 15428	47	0	5. 16139	53	0	5. 16829	59	0	5. 17498
	10	5. 15448		10	5. 16158		10	5. 16848		10	5. 17517
	20	5. 15468		20	5. 16178		20	5. 16866		20	5. 17535
	30	5. 15488		30	5. 16197		30	5. 16885		30	5. 17554
	40	5. 15508		40	5. 16217		40	5. 16904		40	5. 17572
	50	5. 15528		50	5. 16237		50	5. 16923		50	5. 17590

M	S	Log. Rif.	M	S	Log. Rif.	M	S	Log. Rif.	M	S	Log. Rif.
0	0	5.17609	6	0	5.18255	12	0	5.18883	18	0	5.19489
	10	5.17627		10	5.18272		10	5.18900		10	5.19506
	20	5.17645		20	5.18290		20	5.18917		20	5.19523
	30	5.17663		30	5.18308		30	5.18934		30	5.19539
	40	5.17681		40	5.18325		40	5.18951		40	5.19556
	50	5.17699		50	5.18343		50	5.18968		50	5.19572
1	0	5.17717	7	0	5.18361	13	0	5.18985	19	0	5.19589
	10	5.17735		10	5.18378		10	5.19002		10	5.19606
	20	5.17753		20	5.18396		20	5.19019		20	5.19622
	30	5.17772		30	5.18414		30	5.19035		30	5.19639
	40	5.17790		40	5.18431		40	5.19052		40	5.19656
	50	5.17808		50	5.18449		50	5.19069		50	5.19672
2	0	5.17826	8	0	5.18467	14	0	5.19086	20	0	5.19689
	10	5.17844		10	5.18484		10	5.19103		10	5.19705
	20	5.17862		20	5.18501		20	5.19120		20	5.19721
	30	5.17880		30	5.18519		30	5.19137		30	5.19738
	40	5.17898		40	5.18536		40	5.19154		40	5.19754
	50	5.17916		50	5.18553		50	5.19171		50	5.19770
3	0	5.17934	9	0	5.18571	15	0	5.19188	21	0	5.19786
	10	5.17952		10	5.18588		10	5.19205		10	5.19803
	20	5.17970		20	5.18605		20	5.19222		20	5.19819
	30	5.17988		30	5.18623		30	5.19239		30	5.19835
	40	5.18006		40	5.18640		40	5.19256		40	5.19851
	50	5.18024		50	5.18657		50	5.19273		50	5.19868
4	0	5.18042	10	0	5.18675	16	0	5.19290	22	0	5.19884
	10	5.18060		10	5.18692		10	5.19307		10	5.19900
	20	5.18078		20	5.18709		20	5.19323		20	5.19917
	30	5.18095		30	5.18727		30	5.19340		30	5.19933
	40	5.18113		40	5.18744		40	5.19356		40	5.19949
	50	5.18131		50	5.18761		50	5.19373		50	5.19965
5	0	5.18148	11	0	5.18779	17	0	5.19390	23	0	5.19982
	10	5.18166		10	5.18796		10	5.19406		10	5.19998
	20	5.18184		20	5.18813		20	5.19423		20	5.20014
	30	5.18202		30	5.18831		30	5.19440		30	5.20030
	40	5.18219		40	5.18848		40	5.19456		40	5.20047
	50	5.18237		50	5.18865		50	5.19483		50	5.20063

M	S	Log. Rif.	M	S	Log. Rif.	M	S	Log. Rif.	M	S	Log. Rif.
24	0	5.20079	30	0	5.20648	36	0	5.21201	42	0	5.21733
	10	5.20095		10	5.20664		10	5.21215		10	5.21747
	20	5.20111		20	5.20679		20	5.21230		20	5.21762
	30	5.20127		30	5.20695		30	5.21245		30	5.21777
	40	5.20143		40	5.20710		40	5.21260		40	5.21791
	50	5.20159		50	5.20726		50	5.21275		50	5.21806
25	0	5.20175	31	0	5.20742	37	0	5.21290	43	0	5.21820
	10	5.20191		10	5.20757		10	5.21305		10	5.21835
	20	5.20206		20	5.20773		20	5.21320		20	5.21849
	30	5.20222		30	5.20788		30	5.21335		30	5.21864
	40	5.20238		40	5.20804		40	5.21350		40	5.21878
	50	5.20254		50	5.20819		50	5.21364		50	5.21893
26	0	5.20270	32	0	5.20835	38	0	5.21379	44	0	5.21908
	10	5.20286		10	5.20850		10	5.21394		10	5.21922
	20	5.20302		20	5.20865		20	5.21409		20	5.21936
	30	5.20318		30	5.20881		30	5.21424		30	5.21950
	40	5.20334		40	5.20896		40	5.21439		40	5.21964
	50	5.20350		50	5.20911		50	5.21454		50	5.21979
27	0	5.20366	33	0	5.20926	39	0	5.21469	45	0	5.21993
	10	5.20382		10	5.20943		10	5.21484		10	5.22007
	20	5.20398		20	5.20957		20	5.21499		20	5.22021
	30	5.20413		30	5.20972		30	5.21513		30	5.22035
	40	5.20429		40	5.20987		40	5.21528		40	5.22050
	50	5.20445		50	5.21002		50	5.21543		50	5.22064
28	0	5.20461	34	0	5.21018	40	0	5.21558	46	0	5.22078
	10	5.20477		10	5.21033		10	5.21573		10	5.22092
	20	5.20492		20	5.21048		20	5.21587		20	5.22107
	30	5.20508		30	5.21063		30	5.21602		30	5.22121
	40	5.20523		40	5.21079		40	5.21616		40	5.22135
	50	5.20539		50	5.21094		50	5.21631		50	5.22149
29	0	5.20555	35	0	5.21109	41	0	5.21645	47	0	5.22164
	10	5.20570		10	5.21124		10	5.21660		10	5.22178
	20	5.20586		20	5.21140		20	5.21675		20	5.22192
	30	5.20601		30	5.21155		30	5.21689		30	5.22206
	40	5.20617		40	5.21170		40	5.21704		40	5.22221
	50	5.20633		50	5.21185		50	5.21718		50	5.22235

M	S	Log. Rif.	M	S	Log. Rif.
47	05.	22249	54	05.	22745
	105.	22263		105.	22759
	205.	22277		205.	22773
	305.	22291		305.	22786
	405.	22305		405.	22800
	505.	22318		505.	22813
49	05.	22332	55	05.	22827
	105.	22346		105.	22840
	205.	22360		205.	22854
	305.	22374		305.	22868
	405.	22388		405.	22881
	505.	22402		505.	22895
50	05.	22416	56	05.	22908
	105.	22430		105.	22921
	205.	22444		205.	22935
	305.	22457		305.	22948
	405.	22471		405.	22961
	505.	22485		505.	22974
51	05.	22499	57	05.	22988
	105.	22513		105.	23001
	205.	22527		205.	23014
	305.	22541		305.	23027
	405.	22555		405.	23040
	505.	22569		505.	23054
52	05.	22583	58	05.	23067
	105.	22596		105.	23080
	205.	22610		205.	23093
	305.	22623		305.	23107
	405.	22637		405.	23120
	505.	22650		505.	23133
53	05.	22664	59	05.	23146
	105.	22678		105.	23160
	205.	22691		205.	23173
	305.	22705		305.	23186
	405.	22718		405.	23199
	505.	22732		505.	23213
			60	05.	23226

The foregoing Tables are a Continuation of those which were published in the NAUTICAL ALMANAC OF ASTRONOMICAL EPHEMERIS for 1771, for determining the Latitude, from Two Altitudes of the Sun, and the Interval of Time between the Two Observations; now rendered more extensive for the Solution of the preceding Astronomical Problems, and carried to Nine Hours from the Meridian. By J. E.

WORKS published by the COMMISSIONERS OF LONGITUDE, and sold by *J. Nourse* in the Strand, and Messieurs *Mount and Page* on Tower-bill.

I. THE NAUTICAL ALMANACS from 1767 to 1781.

II. TABLES requisite to be used with the NAUTICAL ALMANAC. Price 2s. 6d.

III. PRINCIPLES of Mr. JOHN HARRISON'S WATCH, with PLATES of the same. Price 5s.

IV. An ACCOUNT of the Going of Mr. JOHN HARRISON'S Watch at the ROYAL OBSERVATORY. Price 2s. 6d.

V. The METHOD of Constructing MURAL QUADRANTS, exemplified by a Description of the BRASS MURAL QUADRANT in the ROYAL OBSERVATORY at Greenwich: To which is added, The METHOD of dividing Astronomical Instruments; by Mr. JOHN BIRD, Mathematical-Instrument-Maker. Price 2s. 6d.

VI. TABULÆ MOTUUM SOLIS ET LUNÆ NOVÆ ET CORRECTÆ, AUCTORE TOBIA MAYER: OR, NEW AND CORRECT TABLES OF THE MOTIONS OF THE SUN AND MOON, BY TOBIA'S MAYER. Price 10s.

VII. THEORIA LUNÆ JUXTA SYSTEMA NEWTONIANUM, AUCTORE TOBIA MAYER. Price 2s. 6d.

VIII. GENERAL TABLES for Correcting the Apparent Distance of the MOON and a STAR or the SUN from the Effects of Refraction and Parallax, in 276 Sheets in Folio. Price 30s. in Sheets.

☞ This Book is not perfect without Six Pages of Errata in the Reductions.

IX. DESCRIPTION of an Engine for Dividing Circles and Arches of Circles on Mathematical Instruments, accompanied with Plates; by Mr. J. RAMSDEN, Mathematical Instrument Maker and Optician. Price 5s.

X. DESCRIPTION of an Engine for Dividing straight Lines on Mathematical Instruments, accompanied with Plates; by Mr. J. RAMSDEN, Mathematical Instrument Maker and Optician. Price 5s.


XI. A SEXCENTENARY TABLE, exhibiting at Sight the Result of any Proportion where the Terms do not exceed 600 Seconds or 10 Minutes. By J. BERNOULLI, Astronomer to his Prussian Majesty. Pr. 5s. in Sheets.


N. B.


N. B. To the NAUTICAL ALMANAC of 1769 are annexed Instructions relative to the Observation of the Transit of Venus over the Sun's Disk on JUNE 3d, 1769, by the Astronomer Royal: And to the NAUTICAL ALMANAC of 1771 are added Tables for finding the Latitude from Two observed Altitudes of the Sun, with the Interval of Time, measured by a Watch, by Capt. *John Campbell*, F.R.S. and new Tables for computing the Eclipses of Jupiter's Third Satellite, by Mr. *Wargentín*, F. R. S. And to the NAUTICAL ALMANAC of 1772 are annexed Two Methods for clearing the apparent Distance of the Moon from the Sun or a fixed Star of the Effect of Refraction and Parallax, by the Astronomer Royal and Mr. *George Witchell*, F.R.S. and the Solution of a Problem in MERCATOR'S NAVIGATION, by the late Mr. *Lyons*: And to the NAUTICAL ALMANAC of 1773 is added, A new Table of Equations to equal Altitudes, by Mr. *William Wales*, F.R.S. also, A Catalogue of the Places of 387 Fix'd Stars, in Right Ascension, Declination, Longitude, and Latitude, adapted to the Year 1760, with their Magnitudes and annual Variations in Right Ascension and Declination, calculated from the late Dr. *Bradley's* Observations: And to the NAUTICAL ALMANAC of 1774 are added, The Result of a Series of 10 Years Lunar Observations of Dr. *Bradley*, compared with a Set of manuscript Tables; Elements of Lunar Tables and Remarks on the Hadley's Quadrant, by the Astronomer Royal; a Problem for finding the Error in the Position of a Transit Telescope, and Two Examples of the Calculation of the Longitude from a Lunar Observation, &c. by the late Mr. *Lyons*: And to the NAUTICAL ALMANAC of 1778 are added, Right Ascensions and Zenith Distances of the Moon deduced from Dr. *Bradley's* Observations; and Astronomical Problems by the late Mr. *Lyons*: And to the NAUTICAL ALMANAC of 1779 are added, New Tables for computing the Eclipses of Jupiter's Second Satellite, by Mr. *Wargentín*, F.R.S. And to the NAUTICAL ALMANAC of 1781 are added, Astronomical Problems. By the Rev'd *John Edwards*, B. A.

- Where may be had, ASTRONOMICAL OBSERVATIONS made at the ROYAL OBSERVATORY at *Greenwich*, from 1765 to 1774, by NEVIL MASKELYNE, Astronomer Royal; with TABLES for Reducing and Calculating ASTRONOMICAL OBSERVATIONS, by the same. Published by the President and Council of the ROYAL SOCIETY, in Obedience to his MAJESTY'S Command; in One Volume Folio. Pr. 25s. in Sheets.

mu
al







OCT 1- 1928

